Construction

05/10/2016

AGRI DELTA

HELMET WELDING SELF DARKENING OHE350 TRANSARC AFRO



High quality electronic welding helmet. Lightweight and comfortable to wear. Darkens in 0.005 seconds to a 4/9-13 shade. Powered by solar cells with an enclosed back uo lithium battery.

BACKNUT BRASS 15MM



Brass back-nuts are a must to keep the taps tight and from spinning lose. Replaces the plastic ones that come with the taps.

BRICKFORCE



SO012075 75MMX2.00MM 20M	1
SO01211028 110MMX2.8MM 20M	1
SO012150 150MMX2.00MM 20M	1
SO01215028 150MMX2.8MM 20M	1
SO01223028 230MMX2.8MM 20M	1
SO09601706 110MMX2.00MM 20M	1

Black brickforce 2.0mm wire and 20m per roll.

DAMP COURSE



3201110 110MMX40MX375MIC	1
3201116 225MMX40MX375MIC	1
3201119 150MMX40MX375MIC	1

Used in solid walls, in cavity construction, under-sill flashing, at lintels, etc. It prevents rising damp and unhealthy living conditions. Benefits: will not absorb water, easy to handle, excellent breaking strenght, and convenient widths.

TILE CUTTER 800W RYOBI TC-200



HW0720395	1

Cuttingof tiles 200MM blade. Depth of cut at 90° is 30MM and 45° is 20MM. Blade cooled with water.

GUN MINI TRIGGER L/D SABS APP 12W STANLEY



HW2170530	1

Electric glue pistol. Glue sticks are melted by an element that heats up on pulling the trigger. Safety approved. Glue sticks at HW2170550, HW2170510 and HW2170520.

SOLDERING PASTE COPPER TUBE NASCOFLUX



HW2220120 200G	1
LSZ1101A 75G	1

This soldering paste is used with 97/3 solder; HW223000 and HW2230060 and is for the soldering of copper tube and fittings.

ANCHOR HAMMERSCR IKA BOXED



HW0862320 6X40 (100)	1
HW0862330 6X60 (100)	1

Masonry drill bit for hole: 4mm = HW0850101, 5mm = HW0850144, 6mm = HW0850284, 8mm = HW0850438.

ANCHOR SCR HAMMERNAIL IKA



HW0861375 5X30(10)61S	1
HW0861421 6X35(10)62S	1
HW0861480 6X60(10)27S	1

Masonry drill bit for hole: 5mm = HW0850144, 6mm = HW0850204.

ANCHOR SLEEVE IKA



HW0852000 8 X 65	1
HW0852010 10 X 60	1

Masonry drill bit 6mmHW0850284, 8mm HW1850438, 10mm HW0850578 and 12mm HW0850705.

ANCHOR EXPANSION BOLT



HW0851701 5MM WF/M5/SCR	1
HW0851736 6MM WF/6-55	1
HW0851752 8MM WF/8-65	1
HW0851779 10MM WF/10-75	1
HW0851795 12MM WF/12-90	1

Loose bolt type. Masonry drill bit for hole: 5mm = 9mm drill bit at HW0850489, 6mm = 12mm drill bit at HW0850705, 8mm = 14mm drill bit at HW0850716, 10mm = 16mm drill bit at HW0850721, 12mm = 20mm drill bit at HW0850748, 16mm = 25mm drill bit at HW0850756, 20mm = 32mm drill bit at HW0850759.

D SHACKLES



HW1800094 6MM	1
HW1800221 8MM	1
HW1800361 10MM	1
HW1800655 12MM	1
HW1800949 16MM	1
HW1801090 20MM	1
HW1801244 22MM	1
HW1801384 25MM	1

Galvanised.

TURNBUCKLE HOOK AND EYE



HW1813102 6MM	1
HW1813250 8MM	1
HW1813390 10MM	1
HW1813544 12MM	1
HW1813579 16MM	1
HW1813609 20MM	1
HW1813684 22MM	1

Galvanised. Used to tighten wire and cables.

BELT LACING STEEL SET



HW1370081 F25	1
HW1370235 L27	1
HW1370375 N35	1
HW1370510 U45	1
HW1370669 W55	1

Used to join drive belts. F25 3/16-1/4 or 5-6mm thickness, L27 1/4-9/32 or 6-7mm thickness, N35 9/32-5/16 or 7-8mm thickness, U45 5/16-3/8 or 8-10mm thickness, W55 3/8-7/16 or 10-11mm thickness.

TAPE FARMERS AMPOL



HW2104105 RED 48MMX25M	1
HW2104245 SILVER 48MMX25M	1
HW2104393 YELLOW 48MMX25M	1
HW2104539 WHITE 48MMX25MM	1
HW2104687 GREEN 48MMX25M	1
HW2104822 BLACK 48MMX25MM	1
HW2104970 BLUE 48MMX25M	1

Very strong multi purpose cloth tape. Various applications in farming, outdoor and domestic. Can be torn by hand. Water resistant. Abrasion resistant. Can be used at temperatures up to 65 degrees.

TAPE BUFF



HW2100703 48MMX40M	1

Ideal for sealing cardboard boxes.

TAPE DOUBLE SIDED



HW2103575 24MMX1M	1

The tape has glue on both sides to stick something onto something, e.g. poster to a wall.

TAPE CELLOPHANE



HW2100805 48MMX50M	1
HW2100812 75MMX40M	1

Normal sticking-tape.

ADHESIVE CLEAR BOSTIK



HW2180049 25ML 0386	1

Top seller. Clear, all-purpose household adhesive for PVC, felt, wood and leather.

ADHESIVE QUICKSET CLEAR GLUE PRATLEY



HW2180685	1

Clear, quick set. Various applications, including repairing broken glass and model aircrafts.

ADHESIVE - QUICKTITE



HW2193340 3G	1

Can be used to glue almost anything to anything. Can also be used on porous materials.

ADHESIVE CONTACT BOSTIK



HW2180189 1LT 3396	1

General purpose neoprene contact adhesive for bonding felt, rubber and canvas to wood, metal and concrete amongst others.

ADHESIVE SHOE BOSTIK



HW2180340 30ML 6914	1

DIY repair of shoes. Will bond plastic, rubber and leather soles.

ADHESIVE WONDA FIX PRATLEY



HW2180870 30ML	1

Repairs holes in tents, umbrellas, cooler boxes, shoes and for various other applications. High strength, flexible and water resistant.

ADHESIVE PRATLEY 1-2-3



HW2161089 20X15ML	1

Tuff acrylic adhesive. Used for aluminium, fibreglass to metal, plastic (not polyethylene) and must be used on non-absorbent surfaces only.

ADHESIVE PRESTIK BOSTIK



HW2180200 25G 0907	1
HW2180227 100G 0829	1

Re-usable adhesive. Safe for children.

ADHESIVE STEEL EPOXY QUIKSET PRATLEY



HW2180790 40ML	1

Quick set. Used on steel and metals.

ADHESIVE CONTACT PATTEX



HW2191636 50ML	1
HW2191776 100ML	1
HW2191911 250ML	1
HW2192055 500ML	1
HW2192209 1 LIT	1
HW2192497 5 LIT	1

Top seller general contact adhesive. Bonds most materials. Water resistant and household chemical resistant.

ADHESIVE SUPER CONTACT BOSTIK



HW2180150 50ML BLISTER	1

General purpose neoprene contact adhesive for bonding felt, rubber and canvas to wood, metal and concrete.

ADHESIVE SUPER GEL PATTEX



HW2191520 3G	1

Suitable for most porous materials.

ADHESIVE GLUE QUICKSET WHITE PRATLEY



HW2180391	1

Quick set. Fills gaps and sets white.

ADHESIVE POWDA BOND PRATLEY



HW2180665	1

Two part instant repair system and gap filler. Sets ultra fast and can be painted and sanded. Used on car bumpers, wheel caps, radiators etc.

ADHESIVE WOOD GLUE PONAL



HW2192772 120ML	1
HW2192926 200ML	1
HW2193051 500ML	1
HW2193191 2 LIT	1
HW2193337 5LIT	1

All purpose wood glue.

ADHESIVE WOOD GLUE PONAL WATER RESISTANT



HW2192700 200ML	1
HW2192710 500ML	1

It is a fast bonding ready to use wood glue for most kinds of woods, for assembling and repair jobs. For in and outdoor use. It dries stronger than wood, is solvent free, transparent after curing with a fast curing time.

ADHESIVE COLD GLUE ALCOLIN



HW2190206 125ML	1
HW2190354 250ML	1
HW2190494 500ML	1
HW2190621 1 LIT	1
HW2190915 5 LIT	1

Multi purpose wood glue.

FIBRE-GLASS REPAIR KIT



HW2790041	1

100g Fibre-glass chop strand mat, 100gr talc powder, 250gr polyester resin, 5gr catalyst, 100ml acetone, plastic gloves and instructions.

NUT NYLOK MACKIE



AO706/6057 M04 20 STUK	6
AO706/6058 M05 20 STUK	6
AO706/6059 M06 30 STUK	6
AO706/6060 M08 20 STUK	6
AO706/6061 M10 10 STUK	6
AO706/6062 M12 5 STUK	6

Nylok nuts are mainly used to fasten mechanical components where vibration exists.

NUTS AND WASHERS EG MACKIE



AO706/6063 M06 20 STUK	6
AO706/6064 M08 20 STUK	6
AO706/6065 EG M10 10 STUK	6
AO706/6066 EG M12 15 STUK	6

Nuts and washers are mainly used to fasten mechanical parts together. Electrogalvanized for longer lifespan when used in water applications.

EXPANDING BOLTS MACKIE



AO706/6007 M08X040MM 10 PIECE	6
AO706/6008 M08X085MM 8 PIECE	6
AO706/6009 M10X050MM 10 PIECE	6
AO706/6010 M10X075MM 10 PIECE	6
AO706/6011 M12X060MM 8 PIECE	6

Expanding bolts are used to fasten loadbearing items to concrete.

NAILS UPHOLSTERY BP MACKIE



AO706/6050 50 STUK	6

Used in the process of furniture upholstery.

GUTTER BOLT GALV MACKIE



AO706/6012 M06X020MM 15 PIECE	6
AO706/6013 M06X025MM 15 STUK	6
AO706/6014 M06X030MM 15 STUK	6
AO706/6015 M06X050MM 15 STUK	6
AO706/6016 M06X050MM 30 STUK	6
AO706/6017 M06X060MM 10 STUK	6
AO706/6018 M06X075MM 10 STUK	6

Gutter bolts are used to fasten sheet metal together or fasten sheet metal to structures.

SCREW PLUGS MACKIE



AO706/6085 04MM 25 STUK	6
AO706/6086 06MM 25 STUK	6
AO706/6087 08MM 25 STUK	6

Plugs are used in conjunction with screws to secure lightweight items in concrete.

HOOK CUP PVC MACKIE WHITE



AO706/6022 025MM 10 STUK	6
AO706/6023 025MM 20 STUK	6
AO706/6024 040MM 5 STUK	6
AO706/6025 040MM 20 STUK	6

Cup hooks are used mainly in kitchens to hang coffee cups or light kitchen utensils.

DRYWALL SCREW



AO706/6220 M3.5X25MM	1000
AO706/6221 M3.5X32MM	1000
AO706/6222 M3.5X41MM	500
AO706/6223 M4.0X25MM	1000
AO706/6224 M4.0X32MM	1000
AO706/6225 M4.0X41MM	500

Hardened and used in wooden applications like fastening drywalling together.

NAILS TACKS MACKIE



AO706/6049 016MM 100 STUK	6

Used in the process of furniture upholstery.

SCREW COACH EG MACKIE



AO706/6116 M06X50MM & 08MM PLUG 6 STUK	6
AO706/6117 M06X50MM & 08MM PLUG 15 STUK	6
AO706/6118 M06X60MM & 08MM PLUG 6 STUK	6
AO706/6119 M06X75MM & 08MM PLUG 10 STUK	6
AO706/6120 M08X50MM & 10MM PLUG 2 STUK	6
AO706/6121 M08X50MM & 10MM PLUG 8 STUK	6
AO706/6122 M08X60MM & 10MM PLUG 4 STUK	6
AO706/6123 M08X60MM & 10MM PLUG 10 STUK	6
AO706/6124 M08X75MM & 10MM PLUG 8 STUK	6
AO706/6125 M08X90MM & 10MM PLUG 4 STUK	6
AO706/6126 M08X90MM & 10MM PLUG 6 STUK	6
AO706/6127 M10X60MM & 12MM PLUG 4 STUK	6
AO706/6128 M10X60MM & 12MM PLUG 8 STUK	6
AO706/6129 M10X75MM & 12MM PLUG 4 STUK	6
AO706/6130 M10X75MM & 12MM PLUG 8 STUK	6
AO706/6131 M10X90MM & 12MM PLUG 4 STUK	6
AO706/6132 M10X90MM & 12MM PLUG 6 STUK	6

Coach screws are used in heavy timber construction as well as securing medium load items to concrete.

SCREW SELF DRILLING HEX MACKIE



AO706/6145 5.5X20MM 20 STUK	6
AO706/6146 5.5X20MM 70 STUK	6
AO706/6147 5.5X30MM 40 STUK	6
AO706/6148 5.5X30MM 20 STUK	6
AO706/6149 5.5X65MM 20 STUK	6
AO706/6150 5.5X65MM 40 STUK	6
AO706/6151 5.5X75MM 40 STUK	6
AO706/6152 5.5X75MM 20 STUK	6
AO706/6153 5.5X90MM 15 STUK	6
AO706/6154 5.5X90MM 30 STUK	6

Self drilling screws are predominantly used for roofing and manufacture of heavy timber furniture.

SHIELD ANCHOR MACKIE



AO706/6178 M06X050MM 2 STUK	6
AO706/6179 M06X050MM 10 STUK	6
AO706/6180 M08X065MM 2 STUK	6
AO706/6181 M08X065MM 6 STUK	6
AO706/6182 M10X070MM 2 STUK	6
AO706/6183 M10X070MM 6 STUK	6

Shield anchors are used to secure heavy structural items to concrete.

SPLIT PIN MACKIE



AO706/6186 2.5X25MM 15 STUK	1
AO706/6187 2.5X40MM 15 STUK	1
AO706/6188 3.2X25MM 20 STUK	1
AO706/6189 3.2X40MM 15 STUK	1
AO706/6190 3.2X50MM 15 STUK	1
AO706/6191 3.2X63MM 15 STUK	1
AO706/6192 4.0X25MM 15 STUK	1
AO706/6193 4.0X40MM 15 STUK	1
AO706/6194 4.0X50MM 15 STUK	1
AO706/6195 4.0X63MM 15 STUK	1
AO706/6196 5.0X40MM 15 STUK	1
AO706/6197 5.0X50MM 15 STUK	1
AO706/6198 5.0X63MM 15 STUK	1
AO706/6199 6.3X40MM 10 STUK	1
AO706/6200 6.3X50MM 10 STUK	1
AO706/6201 6.3X71MM 10 STUK	1

Split pins are used as retainers for fastenings i.e. nuts on drive shafts.

SCREW MACHINE CHEESE HEAD&NUT



DVCH450 M4X50 (50)	1
DVCH550 M5X50 (50)	1

SCREW MACHINE CSK WITH NUT



DVCS450 M4X50 (50)	1
DVCS525 M5X25 (50)	1
DVCS550 M5X50 (50)	1
DVCS560 M5X60 (50)	1
DVCS650 M6X50 (50)	1

SCREW SELFTAP POSIFAST MINIFIX



DVMFPF2550 14X25MM	1
DVMFPF6550 14X65MM	1
DVMFPF7550 14X75MM	1
DVMFPF9050 14X90MM	1

Topspeed screws are used to stitch steel sheeting to steel frames. The short screws are used to fasten side sheeting and the longer screws for roof sheeting. You need to drill a pilot hole of 5.5mm for topspeed screws.The use of 3/8" magnetic socket makes live easier to fasten topspeed screws.

STAPLES WIRE



SO56120200 20MM	25

Galvanised for extra durability. Mainly used for vineyard wire as well as for the agricultural and shade net industries.

BOLT&NUT GUTTER



AO706/5000 6X12 (100) BULKPACK	1
AO706/5010 6X20 (100) BULKPACK	1
AO706/5015 6X25 (100) BULKPACK	1
AO706/5020 6X30 (100) BULKPACK	1

Bolt and nut set, are used to fasten gutters.

NAIL WIRE 40MM 25KG (P/KG)



SO559040200-1 40MM 25KG (P/KG)	25
SO559050250-1 50MM 25KG (P/KG)	25

Wire nails are made from hard-drawn wire and is round-headed. Commonly used in the building industry. Available in 25kg, 1kg and 500g packages.

SCREW ROOF COMBINATION



DW37400065KOM 65MM (100)	1
DW37400075KOM 75MM (100)	1
DW37400090KOM 90MM (100)	1

Inflation beater Nu-Way El Torro combination roofing screw with Nu-Way seal. Groof under screw head gives perfect sealing. Concentric seal rings stop leaks. Tapered seal plugs hole completely. Galvanized washer ensures overall protection. Carbon black additive to seal resists ultra-violet. Deep thread for greater grip, galvanized for maximum corrosion resistance. Shank pilot ensures straight entry into timber. Sharp point punches hole cleanly, easily. Screw diameter 6 mm, available in 3 lengths : 65mm, 75mm, 90mm. Packed in 1 box of 100 units each.

SCREW ROOF SCORPIO MINIFIX



DVM80S (25)	1

SCREW TEKS SELFDRILL MINIFIX PREPACK



DVMFSD2050 12X20MM 50 PACK	1
DVMFSD2550 12X25MM 50 PACK	1
DVMFSD4050 12X40MM 50 PACK	1
DVMFSD6550 12X65MM 50 PACK	1
DVMFSD8X19 8X19MM 100 PACK	1
DVMFSD8X25 8X25MM 100 PACK	1
DVMFSD8X35 8X35MM 100 PACK	1

New generation ceiling screw complete with own drill point. Easy to use, saves time. Can be used on steel with a maximum thickness of 5,7mm. Used with bonded washer DVMFEVA2650 (6X26mm) for IBR and DVMFEVA1950 (6X19mm) for corrugated iron.

NAILS CLOUT BULK



SO56325250-1 25MM 25KG (P/KG)	25

Galvanised clout nails, 25x2.5mm. Bulk packaging of 25kg.

SCREW DRYWALL




AO706/5160 6X25 (500) BULKPACK	1
AO706/5165 6X32 (500) BULKPACK	1
AO706/5170 6X41 (500) BULKPACK	1

Hardened and used in wooden applications like fastening drywalling together.

SCREW WOOD BRASS



MESH ALUMINIUM (PM)



HW2731330 900MMX30M	30
HW2731460 1200MMX30M	30

General purpose but mainly on windows and doors for keeping out flying insects, mosquitoes included.


MESH FIBRE (PM)



HW2730170 900MM X30M	30
HW2730596 1200MMX30M	30

General purpose but mainly on windows and doors for keeping out flying insects, mosquitoes included.

MESH GALVANISED (PM)



HW2731511 900MMX30M	30

General purpose but mainly on windows and doors for keeping out flying insects, mosquitoes included.

DOWEL STICKS



HW0863726 6MMX915MM	10
HW0863777 8MMX915MM	10
HW0863866 10MMX915MM	10
HW0863912 13MMX915MM	10

Round wood lenghts. Carpenters use this to make dowels in the manufacturing of wooden furniture.

ADHESIVE FILLER FOAM GENKEM



HW2195215 500 ML	1

Sealing of cracks, holes and openings in any material. Can be finished and painted. Excellent product.

SILICONE GASKET MAKER 2642 BOSTIK



HW2160560 90G	1

For making instant gaskets. Withstands temperatures up to 260 degrees.

ADHESIVE SEALER FLEXISEAL



HW2180826 400g	1

Acrylic based. Flexible. Can be painted. Used around baths, window frames and ceiling cornice.

SILICONE HOME PATTEX



HW2160695 WHITE 90ML	1

General purpose sealant. Typically used for bathroom applications.

PAINT STRIPPER NITROMORS



HW2196000 500ML	1
HW2196011 1LIT	1

Paint and varnish remover.

PADLOCK SECURITY TRAILER



HW1837254 50MM	1

Three piece 50mm brass key alike lockset. The locks are covered with a plastic coating for extra protection against rain and sunlight. It is ideal for trailers, it would not damaged the paint work as an ordinary lock will do. Each lock comes with three keys.

LOCK PAD BRASS 4PCE MASTER KA



HW1837087	1
50MM	

Security rating: Standard security. All the locks in this pack are "Keyed Alike". That means that the keys in this pack can open any lock in the pack.

LOCK PAD BRASS MASTER DUO PACK KA



HW1837050	1
30MM	

Security rating: Standard security "Keyed Alike".

LOCK PAD BRASS MASTER ADJ L/S



HW1837100	1
50MM	

Security rating: 50mm - High security, heavy duty.

LOCK PAD BRASS MASTER FOUR PACK KA



HW1837060	1
20MM	
HW1837070	1
30MM	
HW1837080	1
40MM	

Security rating: 20mm, 30mm - Standard security. 40mm - High security, medium duty. "Keyed Alike"

LOCK IRON TRICIRCLE PACKED



HW1832336P	1
20MM 361	
HW1832409P	1
25MM 362	
HW1832476P	1
30MM 363	
HW1832549P	1
38MM 364	
HW1832611P	1
50MM 365	
HW1832697P	1
63MM 366	

All purpose every day use.

LOCK PAD STEEL LAMINATED MASTER L/S



HW1837150	1
38MM	

Security rating: High security, medium duty.

LOCK CORROSION RESISTANT MASTER



HW1837042	1
40MM	

Nickel plated brass lock. Stainless steel shackle. Corrosion resistant and can be used on boats and on harbours or were there is a great deal of rust.

LOCK PAD BRASS MASTER



HW1836990	1
20MM	
HW1837000	1
30MM	
HW1837010	1
40MM	
HW1837020	1
50MM	
HW1837030	1
60MM	
HW1837040	1
70MM	

Security ratings: 30mm-Standard security. 40mm-High security, medium duty. 50mm - High security, heavy duty. 60mm-Extra high security. 70mm-Ultra high security.

LOCK PAD BRASS MASTER 3 PACK KA



HW1837045	1
15MM	

Three locks in packaging. One key fits all three locks. Ideal for trailers.

LOCK PAD BRASS MASTER 6PACK KA



HW1837072	1
30MM	

LOCK COMBINATION BRASS MASTER



HW1837167	1

Brass combination lock. Set your own three digit combination. High security and can be used in or outside. It is mainly used were you don't want to carry any keys.

LOCK PAD IRON TRICIRCLE LS



HW1831471	1
40MM	

Iron padlock with hardened long shackle and three keys. Can be used indoors or were there is no or little rust. Can be used as a bicycle lock. Low security.

HINGE BUTT STEEL GALVANISED



HW1650238 38MM	10
HW1650378 50MM	10
HW1650505 65MM	10
HW1650645 75MM	10
HW1650939 100MM	10

This butt hinge is used to secure or to hang doors.

HINGE SCREEN DOOR SYDMORE



HW1651080 76MM	10

Used on gauze doors.

CLAMP SNAP GALVANISED



HW1690973	1

For securing lids. Heavy duty. Lockable.

GOGGLE SAFETY PLASTIC GREEN TINTED



HW2650096	1

Safety spectacle for impact protection. Polycarbonate lens and plastic side shields. Green for outdoor applications where sunlight and glare causes eye strain and fatigue.

MASK GAS DOUBLE



HW2650400	1

Suitable for chemicals and dust. Replaceable filters HW2650500P2 (dust) and HW2650600A1P2 (chemicals). Heavy duty.

MASK DUST FFP2 (20)



HW2650040	10

This disposable dust mask is extra light, resulting in very low breathing resistance. The mask can easily be worn with glasses, goggles or visors. This is a safety mask and it complies to the EN 149:2001 standard. CE certified and SABS compliant.

HELMET SAFETY



HW2650115	1

Safety cap. Comply to SABS standard. All working conditions where head protection is required. Widely used in the construction and mining environments.

SHIELD SAFETY FULL FACE



HW2650119	1

Flip up shield. General safety application - grinding, weed cutting.

VEST DAY GLOW KAUFMANN



HW2655520 LIME (MED)	1
HW2655530 LIME (L)	1
HW2655540 LIME (XL)	1
HW2655550 LIME (XXL)	1
HW2655560 LIME (XXXL)	1
HW2655570 ORANGE (MED)	1
HW2655580 ORANGE (L)	1
HW2655590 ORANGE (XL)	1
HW2655600 ORANGE (XXL)	1
HW2655610 ORANGE (XXXL)	1

Lightweight for comfort. Made from porous material to prevent heat build up. Reflective tape on back and front makes it ideal where high visibility is required in all weather conditions. Is fastened in front with a zip.

BARRIER TAPE RED / WHITE



HW2100010 75MM X 100M	1
HW2100015 75MM X 500M	1

A red and white protective tape to be used as a barrier to a area not to be entered or an open construction where no entry is allowed. Used for safety purposes.

CHALK POWDER REFILL STANLEY



HW1720350 BLUE/BLOU 115GR	1

Refill for chalk line HW1720370.

CHALK REEL + POWDER BLUE STANLEY



HW1720370 30M	1

Plastic casing with built in plumb line. Refill at code HW1720350 blue and HW1720360 red.

GUN TRIGGER FEED H/D SABS APP 40W STANLEY



HW2170540	1

Electric glue pistol. Glue sticks are melted by an element that heats up on pulling the trigger. Safety approved. Glue sticks at HW2170550, HW2170510 and HW2170520.

GLUE STICK 1 KG BULK (32) STANLEY



HW2170520 1KG	32

Use in hot melt glue gun at HW2170540. 100mm In length. Various applications. Can also glue electrical wire to walls. Use on walls, leather, wood, plastic, porcelain, etc.

MORTICE LOCK SET PRO SERIES MACKIE



HW1838570 2 LEVER	1
HW1838575 3 LEVER	1
HW1838580 4 LEVER	1

Utility door lock. Two lever locks for internal doors and three and four lever for external doors. Four lever locks are more secure.

HANDLE DIANA SUITE S/STEEL MACKIE



HW1838105	1

Handle for front door.

LATCH NIGHT BRASS CYLINDRS ONLY MACKIE

HW1838765	1

Lockset brass.

CLASSIC GABLE PLATE / SCROLL HANDLE



HW1838230 KEYHOLE	1
HW1838235 CYLINDER	1

Handle for front door.

LEVER HANDLE ONLY - KEYHOLE MACKIE



HW1838505 ALUMINIUM KEYHOLE	1
HW1838510 ALUMINIUM CYLINDER	1
HW1838515 CAST ALUMINIUM KEYHOLE	1

Handle keyhole.

LOCK WITH 2 KEYS & PLATE MACKIE



HW1838520 2 LEVER BRASS	1
HW1838525 3 LEVER BRASS	1
HW1838530 4 LEVER BRASS	1
HW1838535 2 LEVER CHROME	1
HW1838540 3 LEVER CHROME	1
HW1838545 4 LEVER CHROME	1

Lockset. Plated keyhole.

MORTICE LOCK SET PRO SERIES DIE CAST MACKIE

HW1838630 CHROME 2 LVR	1
HW1838635 CHROME 3 LVR	1
HW1838640 CHROME 4 LVR	1
HW1838645 ALUMINIUM 3 LVR	1

Lockset. Die cast. Keyhole.

HANDLE ISIS SUITE S/STEEL MACKIE



HW1838115	1

Handle for front door.

CLOSER DOOR DORMA MACKIE



HW1838755	1

Used to close doors slowly.

LATCH DIE CAST RIM NIGHT MACKIE



HW1838760	1

Used on internal doors.

STRAIGHT PLATE / SCROLL HANDLE



HW1838180	1
VICTORIAN KEYHOLE	
HW1838185	1
VICTORIAN PRO CYLINDER	
HW1838190	1
VICTORIAN KEYHOLE	
HW1838195	1
VICTORIAN PRO CYLINDER	
HW1838200	1
GEORGIAN KEYHOLE	
HW1838205	1
GEORGIAN PRO CYLINDER	

Handle for front door.

BOLT OPEN SLIDE BRASS MACKIE



HW1838220	1
150MM	
HW1838225	1
200MM	

Used on inside of front door.

CLASSIC FLAT OPEN BOLT S.N. MACKIE



HW1838275	1
150MM	
HW1838280	1
200MM	

Used on inside of front door.

CYLINDER PROFILE ONLY SOLID BRASS MACKIE



HW1838560	1
BRASS	

Lock cylinder.

CYLINDER PROFILE ONLY SOLID BRASS CHROME PLATED MACKIE



HW1838565	1
CHROME	

Lock cylinder.

SLOT DEADLOCK MACKIE

HW1838665	1
DBL CYLINDER BRASS	
HW1838670	1
TULIP COMBI STAINLESS STEEL	
HW1838680	1
BALL COMBI BRASS	
HW1838685	1
BALL COMBI STAINLESS STEEL	

Used on interior of doors. Pushed down into hole in concrete.

STAINLESS STEEL BALL BEARING HINGE

HW1838171	1

Hanging of front door.

VICTORIAN STRAIGHT PLATE/SCROLL HANDLE



HW1838305	1
2 LEVER	
HW1838310	1
3 LEVER	
HW1838315	1
4 LEVER	

Lockset for front door. Keyhole

LOCK CUPBOARD BRASS 2 LEVER & 2 KEYS MACKIE



HW1838465	1
50MM	
HW1838470	1
64MM	
HW1838475	1
75MM	

Lock cupboard 2 lever. Brass

LOCK PLASTIC & ESC & KEY MACKIE



HW1838480 20MM WHITE	1

Lock plastic with escutcheon. White.


LOCK METAL CASE CLOSE FOR SECURITY LOCK



HW1833637	1

Fits lock at HW1833626.

HINGE BUTT ST PIN & WASHER (2) BRASS



Hinge fitted onto doors.

HINGE S.B. BUTT & STEEL PIN & WASHER MACKIE



HW1640285 100 X 75MM	1

Solid brass.Used to hang doors to frames and supplied with screws. Steel pin and plastic washer.

HINGE PROJECTION SB MACKIE



HW1640305 100X150X4.5MM	1
HW1640310 100X178X4.5MM	1
HW1640315 100X200X4.5MM	1

Solid brass. Used to hang doors to frames where larger gap is required and supplied with screws.

HINGE SELF CLOSING ANTIQUE BRASS & SCREWS MACKIE



HW1640345	1

Self closing hindge, antique brass and supplied with screws.

HINGE BUTT STEEL & SCREWS MACKIE



HW1640350 25MM	1
HW1640355 38MM	1
HW1640360 50MM	1
HW1640375 64MM	1
HW1640380 75MM	1
HW1640385 100MM	1

Steel. Used to hang doors to frames and supplied with screws.

HINGE BUTT BRASS PLATED & SCREWS MACKIE



HW1640390 25MM	1
HW1640395 38MM	1
HW1640400 50MM	1
HW1640405 64MM	1
HW1640410 75MM	1
HW1640415 100MM	1

Plated brass. Used to hang doors to frames and supplied with screws.

HINGE PIANO 32MM EB & SCREWS MACKIE



HW1640445 2 X 1150MM	1
HW1640450 2 X 690MM	1

Plated brass. Used on kitchen and building cupboards.

HINGE SELF CLOSING WHITE / GOLD & SCREWS MACKIE



HW1640330	1

Used to hang doors to frames and supplied with screws.

HINGE BUTT SB & SCREWS MACKIE



HW1640250 25X19MM	1
HW1640255 38X22MM	1
HW1640260 50X29MM	1
HW1640265 63X35MM	1
HW1640270 75X41MM	1

Solid brass.Used to handg doors to frames and supplied with screws.

HINGE BACK FLAP ANTIQUE COPPER & SCREWS MACKIE



HW1640435 32MM	1

Antique brass. Used to hang doors to frames and supplied with screws.

HOOK & BAND GALVANIZED MACKIE



HW1640495 300MM	1
HW1640500 350MM	1

Heavy duty hinge for doors and gates.

HASP & STAPLE - HORIZONTAL BRASS MACKIE



HW1640630 55MM	1
HW1640635 75MM	1
HW1640640 90MM	1
HW1640650 152MM	1

Can be secured with lock. Brass.

HASP & STALE ELECTRO GALV SAFETY & SCREWS MACKIE



HW1640600 55MM	1
HW1640605 75MM	1
HW1640610 90MM	1
HW1640615 114MM	1
HW1640620 152MM	1

Can be secured with lock. Galvanised.

BOLT BARREL SOLID BRASS NECKED & SCREWS MACKIE



HW1640675 50MM	1
HW1640680 64MM	1
HW1640685 75MM	1
HW1640690 100MM	1

Brass. Fitted to internal doors, to lock with bolt. Fitted to inner doors to lock with bolt.The bolt has a neck and is used with a catch plate. Used mainly on heavy doors.

PAD BOLT OVAL & SCREWS 102MM MACKIE

HW1640540 102MM	1

External doors and gates. Can be locked with padbolt.

NUMBERS BRASS 150MM MACKIE

HW1631032 NO 0	1
HW1631036 NO 1	1
HW1631041 NO 3	1
HW1631047 NO 4	1
HW1631052 NO 5	1
HW1631062 NO 7	1
HW1631067 NO 8	1
HW1631070 NO 9	1

Solid brass. Prominent marking of houses and building. Supplied with screws.

NUMERAL PLASTIC WHITE 200MM MACKIE



HW1640150 NO 0	1
HW1640155 NO 1	1
HW1640160 NO 2	1
HW1640165 NO 3	1
HW1640170 NO 4	1
HW1640175 NO 5	1
HW1640180 NO 6	1
HW1640185 NO 7	1
HW1640190 NO 8	1
HW1640195 NO 9	1

White plastic. Prominent marking of houses and building. Supplied with screws.

CATCH GRIPPER PLASTIC MACKIE

HW1640900	1

Plastic used on inside of cupboard doors to keep them closed.

HOOK SMALL STORAGE MACKIE

HW1640765	1

Multi purposehook. Vital for any workshop.

HOOK LADDER STORAGE MACKIE

HW1640775	1

Multi purposehook. Vital for any workshop.

HOOK COAT SINGLE BRASS PLATED & SCREWS MACKIE

HW1640780	

Hook for hats and coats. Used with hat stand. Brass.

HOOK CLEAT BRASS MACKIE

HW1640840	1

Hook for hats and coats. Used with hat stand. Brass

TOOL CLIPS MACKIE

HW1641005 12MM	1
HW1641015 19MM	1
HW1641020 25MM	1

Used to hang tools in workshop.

VIEWER DOOR MACKIE



HW1838815 180 DEG - SOLID BRASS	1

Used to view person on other side of door.

DOOR STOP MACKIE



HW1641045 BRASS	1
HW1641050 SOLIEDE NIKKEL	1

Used to prevent door from opening too far.

DOOR WEDGES MACKIE



HW1641055 X 1	1
HW1641060 x 2	1

Used to prevent door from opening too far

BRACKET THRU MACKIE



HW1641235 19MM	1

Used to support 19mm chrome pipe

TUBING 19MM CP - MACKIE

HW1641240 1 METER	1
HW1641245 2 METER	1
HW1641250 3 METER	1

Used to hang clothing

CHAIN DOOR MACKIE



HW1838820 BRASS	1

Used as a security device on door.

KEY TAGS MACKIE



HW1838825	1
HW1838830	1

Used as key holder.

HOOK CABIN CHROME PLATED S & SCREWS - MAZAK MACKIE



HW1640755	1
150MM	

Hook and washer. Used mainly to keep doors and windows open. Chrome plated.

HOOK UTILITY MACKIE

HW1640760	1

Multi purposehook. Vital for any workshop.

HOOK ROBE DOUBLE CHROME PLATED MACKIE

HW1640795	1

Hook for hats and coats. Used with hat stand. Chrome plated.

HOOK HAT & COAT BRASS 150MM MACKIE

HW1640825	1
BRASS 150MM	

Hook for hats and coats. Used with hat stand. Brass

CATCH MAGNETIC BROWN & SCREWS MACKIE

HW1640915	1

Magnetic. Used on inside of cupboard doors to keep them closed.

CORNER MIRROR BRASS PLATED & SCREWS MACKIE

HW1640995	1
5MM	

Used to attach mirror to cupboard.

BRACE FLAT CORNER GALV & SCREWS MACKIE



HW1641160	1
50 X 50MM	
HW1641170	1
100 X 100MM	

Used for support of shelves.

BLOCKS CORNER PLASTIC



HW1640950	1
WHITE	
HW1640955	1
BROWN	

Used on inside corners of cupboards for more ridigity.

BRACKET CORNER & SCREWS GALV MACKIE



HW1641145	1
50 X 50MM	
HW1641155	1
100 X 100MM	

Used for support of shelves.

ADHESIVE HOTMELT GLUE GUN KAUFMANN



HW2170011	1

Electric glue pistol. Glue sticks are melted by an element that heats up on pulling the trigger. Safety approved. Included in the pack is two 100mm glue sticks. Glue sticks at HW2170004.

ADHESIVE HOTMELT STICKS 12 KAUFMANN



HW2170004	1

Use in hot melt glue gun at HW2170011. 100mm in length. Various applications. Can also glue electrical wire to walls. Use on walls, leather, wood, plastic, porcelain, etc.

TROWEL TILERS/GAUDING KAUFMANN



HW1700638	1
175MM	
HW1700642	1
150MM	

Through tang and capped. Wooden handle. Drop forged. Round point.


CUTTING WHEEL FOR TILE CUTTER KAUFMANN



HW1730465	1

Spare cutting wheel for tile cutter HW1730463.

TILE CUTTER 3 IN 1 KAUFMANN



HW1730463	1
450MM	

Versatile tile cutter for the professional and DIY. The capacity of this machine is 450mm floor and wall tiles. Can also be used to cut angles - also equipped with circle cutter. The circle cutter is useful when cutting circles into tiles for pipes and plumbing work.

TILE CUTTER KAUFMANN



HW1730460	1
400MM	

Tile cutter for the professional and the DIY. Can cut up to 400mm floor and wall tiles.


TILE CUTTING PLIERS COMBINATION KAUFMANN



HW1730469	1

This is the tile cutter for the DIY and for small jobs. Tiles can be cut and separated with the pliers. It can be used on floor and wall tiles.

STAPLES HEAVY DUTY KAUFMANN



HW2610024	1
8MM (1000)	
HW2610030	1
12MM	

Used with stapler gun HW2610001.

MESH GREEN METAL KAUFMANN



HW2731711	1
0.9M X 2.2M	
HW2731718	1
1.2M X 2.2M	

General purpose for use on doors for keeping out flying insects, mosquitoes etc. Manufactured in 2.2 meter lenghts to fit standard gauze doors.

WIRE BINDING



HW1441000	1
500GRM 2.00MM	
HW1441010	1
500GRM 1.60MM	
HW1441020	1
500GRM 1.25MM	
HW1441030	1
500GRM 0.90MM	
HW1441040	1
500GRM 0.71MM	
HW1441050	1
250GRM 2.00MM	
HW1441060	1
250GRM 1.60MM	
HW1441070	1
250GRM 1.25MM	
HW1441080	1
250GRM 0.90MM	
HW1441090	1
250GRM 0.71MM	

MESH ALUMINIUM KAUFMANN



HW2731722	1
0.9M X 2.2M	
HW2731731	1
1.2M X 2.2M	

General purpose for use on doors for keeping out flying insects, mosquitoes etc. Manufactured in 2.2 meter lenghts to fit standard gauze doors.

MESH FIBRE KAUFMANN



HW2731700	1
0.9M X 2.2M	
HW2731706	1
1.2M X 2.2M	

General purpose for use on doors for keeping out flying insects, mosquitoes etc. Manufactured in 2.2 meter lenghts to fit standard gauze doors.

MESH GALVANISED KAUFMANN



HW2731736	1
0.9M X 2.2M	
HW2731741	1
1.2M X 2.2M	

General purpose for use on doors for keeping out flying insects, mosquitoes etc. Manufactured in 2.2 meter lenghts to fit standard gauze doors.

ADHESIVE FOAM MULTI PURPOSE KAUFMANN



HW2195200	1
750ML	
HW2195205	1
500ml	

Sealing of cracks, holes and openings inany material. Can be finished and painted.

LOCK BRASS KAUFMANN



HW1830025 30MM	1
HW1830029 40MM	1
HW1830033 50MM	1
HW1830038 60MM	1

Brass padlock with hardened shackle and three keys. Can be used in or outdoors.

LOCK STEEL KAUFMANN



HW1830003 30MM	1
HW1830007 40MM	1
HW1830014 50MM	1
HW1830018 60MM	1

Iron padlock with hardened shackle and three keys. Mainly used indoors or where little or no rust occurs.

LOCK SET BRASS 3 PCE KAUFMANN



HW1830086 30MM	1
HW1830091 40MM	1
HW1830096 50MM	1

Three piece brass lock set with hardened shackles. E ach padlock has its own three keys that can unlock all the padlocks in this set. Can be used in or outdoors.

LOCK BRASS KAUFMANN K/A 50MM



HW1830320 KEY 3	1
HW1830330 KEY 4	1
HW1830340 KEY 5	1

Keyed alike. 50mm Brass.

LOCK SET STEEL 4 PCE KAUFMANN



HW1830059 30MM	1
HW1830063 40MM	1
HW1830067 50MM	1

Four piece iron padlock set with hardened shackles. Each lock has its own three keys, that fit all the locks in the set. Mainly used indoors or where little or no rust occurs.

LOCK BRASS KAUFMANN K/A 50MM KEY 1



HW1830300 KEY 1	1

Keyed alike. 50mm Brass.

GLOVE POLKA DOT KAUFMANN



HW2653936	1

General purpose gardening glove.

GLOVE PVC WITH KNITTED WRIST KAUFMANN



HW2653501	1

General purpose heavy duty construction glove.

GLOVE GENUINE LEATHER SOFT KAUFMANN



HW2653471	1

Ideal working glove for general purpose - for protection of hands and/or for cold. For the farmer, DIY or for labourer.

LIGHTER TRIPPLE FLINT KAUFMANN



070023	1

Triple flint lighter for use with cutting torch or gas welding. Replacement kit at code 070024.

CLAMP EARTH HEAVY DUTY KAUFMANN



HW2656014 300AMP	1
HW2656020 500AMP	1

Heavy duty. Excellent quality for professional and DIY use. Electrode holder at HW2656007.

OIL TONCO



391018 5L	1
391019 1L	1

Refill oil for Tonco welding machine.

ELECTRODE HOLDER HEAVY DUTY KAUFMANN



HW2656000 300AMP	1
HW2656007 500AMP	1

Heavy duty. Excellent quality for professional and DIY use. Earth clamp at code HW2656020.

CABLE LUG CRIMP KAUFMANN



HW2656037 25MMX10MM PER 4	1
HW2656038 35MMX12MM PER 4	1
HW2656039 50MMX12MM PER 4	1
HW2656040 70MMX12MM PER 4	1

Cable lugs are used to connect the welding cable to the welding machine. Especialy used with oil cooled welders. Available in different hole sizes and cable thickness.

WELDING ROD MILD STEEL KAUFMANN 5KG



330070018 2.50MM	1
330070019 3.15MM	1

A general purpose electrode for welding of mild steel. Recommended for welding mild steel sheets, plate, angles, bars and tubing which would be used to repair and manufacture items such as gates, burglar bars, bins, chutes, supportive steel frame work and to repair and build trailers.

WELDING GOGGLE BRAZING FLIP FRONT KAUFMANN



HW2650150	1

Brazing goggle with a flip front, it has a dark lens for brazing and a clear lens that is also a safety lens.

WELDING SKULL CAP KAUFMANN



HW2656049	1

For protection of the head and neck during welding.

BITUMEN SPRAY 500GR



AO800/5094	1

An aerosol liquid bitumen solution designed to penetrate and seal porous surfaces, protects bare metal surfaces from corrosion and act as an industrial waterproofing agent.

FILLER BODY POLYESTER



AO804/0500 500G	1
AO804/0501 1.5KG	1

Formulated mainly for use in the panel-beating trade and as a general filler for the plumbing, engineering and pattern-making trades. Mix one dessertspoon with 5 to 7 drops hardener (included). For bigger applications use same mixing ratio. Remove all rust, paint, grit and oils on surface and apply in smooth thin layers. After hardening it can be shaped and smoothed down.

CABLE TIE KAUFMANN



AO763/0001 92X2.6MM PT1	1
AO763/0002 140X3.6MM PT2	1
AO763/0003 197X9MM PT3	1
AO763/0004 267X4.8MM PT4	1
AO763/0005 381 X 4.9MM PT5	1

Black positive locking quality cable ties, various lengths, pre-packed.

NUT MILD STEEL HEX GALVANISED



10NUTMSEG 10MM	100
12NUTMSEG 12MM	50

Galvanised bolts and nuts are ideal for use in and around water because it has a high resitance to rust and decay. Top quality bolts and nuts manufactured locally and idealy suited to the South African market.

GLOBE PAR38 CHICKEN SICCA THERM



HW2675142 250W	1

Incandescent lamp, PAR 38 type screw in fitting, infra red for use as chicken brooder light.

FLUOR STARTERS



HW2675307 5
80W FSU4

Ignites the fluorescent tube by sending an electrical current through the fluorescent tube for the gases to burn.

CHOKE BALLAST



HW2675328 1
65W 5FT 1L

Used for rapid start fluorescent tubes and not switch start lamps, absorbs a electrical current and send a constant electrical current through the fluorescent tube for the gas to ignite.

LAMP GALLERY F/GLASS & F/G



HW2672045 1
BC 160MM

HW2672049 1
BC 200MM

Ceiling bayonet type Lamp holder mounting piece manufactured from fibre glass with fibreglass Lamp holder accommodating 40 to 100 W incandescent lamps.


LIGHT CEILING WITHOUT GLOBE



HW2672083 1
BC 60W 160MM

Ceiling lamp holder mounting piece manufactured from PVC with nylon Lamp holder accommodating 40 to 60 W incandescent lamps, complete with 60 W incandescent lamp. Functions when installed in a vertical position.

LIGHT RECTANGULAR ALUM BASE



HW2672148 1
BC 100W WHT

Modern industrial bulkhead light fitting. High visor, rectangular light. UV stabilised, polycarbonate lens with white die cast aluminium powder coated base. BC 220v lamp holder. Clear see through lens. Suitable for indoor, outdoor and industrial use. Ideal for agricultural application. Use with BC type globe. Splash proof. Complete with BC light fitting with a robust lens. SABS approved. IP55 Weather proof rating. Light size 235mm x 115mm. Should be fitted by an approved electrician. Bulkhead with polycarbonate lens can be used to burn continuously.

LIGHT ROUND ALUM BASE



HW2672140 1
BC 100W WHT

Modern industrial bulkhead light fitting. High visor round light. UV stabilised, polycarbonate lens with white die cast aluminium powder coated base. BC 220V lamp holder. Clear see through lens. Suitable for indoor, outdoor and industrial use. Ideal for agricultural application. Use with BC type globe. Splash proof. Complete with BC light fitting. SABS approved. Robust lens. IP55 Weather proof rating. Light size: 190mm x 115mm. Should be fitted by an approved electrician. Bulkhead with polycarbonate lens can be used to burn continuously.

LIGHT CENTURION



HW2672150 1
2D 16WT OPAL

Modern slimline multipurpose energy saver fitting. UV stabilised polycarbonate lens. 2D 16Watt lampholder. Opal colour. Suitable for indoor and outdoor use. Use with 2D globe HW2675130. Complete with stainless steel fixing screws. SABS approved. IP 65 weather proof rating. Lightfitting size 270mm x 60mm.

LIGHT BABY EMPEROR ES MATELEC OPAL



HW2672153 1

Energy saving light fitting ideal for outdoor use. Not reccomended for use in housing estates. Lamp can easily be removed without loosening screw's. Suited to all weather conditions. Suited for E27 energy saver lamp with screw base.

LIGHT CENTURION HIGH VISOR ES MATELEC CLEAR



HW2672155 1

Energy saving light fitting ideal for outdoor use. Stainless steel screws. Heavy duty construction. Suited for all weather conditions. Suited for E27 energy saver lamp with screw base.

LAMP GALLERY PVC & NYLON



HW2672059 1
BC 160MM

HW2672062 1
BC 200MM

Ceiling lamp holder mounting piece manufactured from PVC with nylon lamp holder accommodating 40 to 60W incandescent lamps.

LIGHT OUTDOOR FLOOD



HW2672123 1
2X18W 230V

Superior quality 36W 230V energy saving casted steel base outdoor flood light fitting. Uses two 18W 220-230V compact fluorescent lamps with PL11 base. Spare globe HW2675162. Globes not included. Matching globe at code HW2675159.

LIGHT EMPEROR MATELEC OPAL



HW2672158 1
2DX28W

Energy saving light fitting ideal for outdoor use. Suited for all weather conditions. Suited for 2D X 28 W energy saver lamp.

LIGHT MIRAGE VISOR ES MATELEC CLEAR



HW2672152 1

Energy saving light fitting ideal for outdoor use. Suited for all weather conditions. Suited for E27 energy saver lamp with screw base.

LAMP HOLDER BATTEN NYLON BC



HW2682121 1

Bayonet type 25mm Lamp holder accommodating 40 to 200 W incandescent lamps manufactured from nylon material - used for surface mount on various surfaces.

LAMP HOLDER PAR 38 DOUBLE WALL MOUNT



HW2682132 1

Lamp holder accommodating two Par 38 incandescent lamps (HW2675175, HW2675179)manufactured from nylon - used for surface mount on various surfaces.

LAMP HOLDER BRASS BC



HW2682125 1

Bayonet type 25mm Lamp holder accommodating 40 to 200W incandescent lamps manufactured from brass - used for surface mount on various surfaces.

LAMP HOLDER ILLUMINATION SABS BC



HW2681989 1

Edison type lamp holder accommodating 40 to 200W incandescent lamps manufactured from nylon material used directly with cord cable. Typically used with coloured globes. Cable at HW2679043 and HW2679043P.

SWITCH LIGHT 2L CBI



HW2682317 1

Flush mounted light switch to connect or disconnect a circuit.

LIGHT FITTING QIHAL.GLASS & SENSOR



HW2673130 1
150W

Weatherproof light fitting accommodating 150w QI halogen lamp, includes a movement detecting sensor with a integrated day night switch relay, switching the lamp on and off.

LIGHT SECURITY QI HALOGEN WITH GLASS



HW2672007 1
150W 118MM
HW2672018 1
500W 118MM

QI Halogen lamp fitting with protection glass, used for security lighting and available for various wattage. Halogen globes at HW2675103, HW2675121, HW2675176 (not included).

CONDUIT BOX 8 WAY PVC



HW2685218 1

Used to re-route electrical wiring to its required terminations. Loose.

SCRUITS



HW2685569 1
LARGE PP100

Porcelain wire connector from 1.5 to 6mm copper housewire.

CONDUIT NORMAL BEND SABS



HW2685469 1
20MM

Used to re-route electrical wiring to its required terminations. Loose.

CONDUIT INSPECTION ELBOW SABS



HW2685507 20MM	1

Used to re-route electrical wiring to its required terminations, with an inspection lid which can be removed to inspect the electrical wiring. Loose.

CONDUIT BOX 2 WAY ANGLE SABS



HW2685085 20MM	1

Used to re-route electrical wiring to its required terminations. Loose.

CONDUIT BOX 2-WAY THROUGH SABS



HW2685124 20MM	1

To further route the wiring to its required termination/s.

WALL BOX PAINTED



HW2684913 100X50MM	1
HW2684924 100X100MM	1

Flush mount wall box, manufactured from cold rolled sheets and painted silver, accommodates all flush mount switches and plugs.

WALL BOX PVC



HW2685023 100X50MM	1
HW2685027 100X100MM	1

Surface mount wall box, manufactured from PVC, accommodates all flush mount switches and plugs. Loose.

SWITCH BOX WATERPROOF (BOX ONLY)



HW2683556 100X50MM	1

Weatherproof box accommodating flush mount wall plug with switch to connect/disconnect a circuit for appliances with a maximum load of 15A.

COVER PLATE BLANK



HW2682861 100X50MM	1
HW2682867 100X100MM	1

Cover plate to protect a wiring termination point.


CIRCUIT BREAKER 2.5KA 3PHASE SAM



HW2684131 15A	1
HW2684136 20A	1
HW2684143 30A	1
HW2684148 40A	1
HW2684152 50A	1

Hydraulic magnetic mini circuit breaker for the protection of domestic appliances and distribution panel circuits. Loose.

CIRCUIT BREAKER 2.5KA 1PHASE SAM



HW2684103 10A	1
HW2684109 15A	1
HW2684112 20A	1
HW2684115 25A	1
HW2684118 30A	1
HW2684121 40A	1
HW2684123 45A	1
HW2684125 50A	1

Hydraulic magnetic mini circuit breaker for the protection of domestic appliances and distribution panel circuits. Loose.

CIRCUIT BREAKER 13MM 3KA 1PHASE LEAR



HW2682891 6A	1
HW2682893 10A	1
HW2682894 16A	1
HW2682895 20A	1
HW2682897 25A	1
HW2682898 32A	1

Single phase circuit breakers.Complies with SABS and NRCS regulations.

CIRCUIT BREAKER 19MM 3KA 1PHASE LEAR



HW2682880	1
16A	
HW2682881	1
20A	
HW2682882	1
25A	
HW2682884	1
32A	
HW2682885	1
40A	
HW2682886	1
50A	
HW2682888	1
63A	

Single phase circuit breakers. Complies with SABS and NRCS regulations.


MULTIMETER DIGITAL



HW2661023	1
AC DC 2-500V	

DT830 series multi function tester, complete with leads and free battery. Unit is protected with fuse. Auto polarity indicator, overrange indicator and low battery indicator. Use for DC current measurement, DC Voltage measurement, AC Voltage measurement, resistance measurement, temperature measurement, transistor testing, diode and continuity measurement, test signal output and battery measurement.

SWITCH DAY/NIGHT 15AMP



HW2684308	1

Used for the automatic control of lighting at predetermined light levels, thus eliminating the need for a time switch or manual switching.

SWITCH TIME PLUG 24 HOURS



HW2684316	1

Fits into a normal 16A switch socket, used for switching appliances such as lights, tv, radio at predetermined times. 220/250 volt AC 50/60 Hz power supply.

SENSOR MOVEMENT MICROWAVE MATELEC



HW2684309	1

Compact movement sensor for indoor use. Conveniently switches your light on and off for you by means of movement detection. Sensitivity adjustment from 2 to 16 M.

ISOLATOR GEYSER 1L 2PHASE D/PL



HW2684247	1
30A	

A non-automatic flushed circuit breaker and used as geizer disconnector. It is fully rated and carries the associated circuit breaker fault current for 10 ms.

ISOLATOR STOVE CBI



HW2684265	1
2POLE 4X4 WHITE	

A non-automatic flushed circuit disconnector and used as stove isolator.

EARTH LEAKAGE 38MM 3KA 2FASE



HW2682890	1
63A	

An automatic switching device capable of sensing earth leakage currents. Also capable of interrupting overloads after a defined time period.

ISOLATOR SWITCH 2PHASE 50 X 100 LEAR



HW2682847	1
60A	

A non-automatic flushed circuit breaker and used as geizer disconnector. It is fully rated and carries the associated circuit breaker fault current for 10 ms.

ISOLATOR INDUSTRIAL WITH BOX



HW2684256	1
30A 83MMX183MM	

A non-automatic circuit breaker and can be used as switch disconnectors. It is fully rated and carries the associated circuit breaker fault current for 10 ms. Complete with 75mm x 75mm x 50mm steel box.

ISOLATOR STOVE CRABTREE



HW2684241	1
60A	

A non-automatic flushed circuit breaker and can be used as stove disconnectors. It is fully rated and carries the associated circuit breaker fault current for 10 ms.

ISOLATOR GEYSER CBI



HW2684266	1
2POLE 4X2 WHITE	

A-non-automatic flushed circuit breaker and used as geyser disconnector. It is fully rated and carries the associated circuit breaker fault current for 10ms.

ISOLATOR SWITCH 2PHASE 100 X 100 LEAR



HW2682848	1
60A	

A non-automatic flushed circuit breaker and used as geizer disconnector. It is fully rated and carries the associated circuit breaker fault current for 10 ms.


CIRCUIT BREAKER ISOLATOR 38MM 4.5KA 2PHASE



HW2682904	1
63A	

A non-automatic flushed circuit breaker and used as geizer disconnector. It is fully rated and carries the associated circuit breaker fault current for 10 ms.

DISTRIBUTION BOARD SURFACE SAM



HW2684427	1
6MOD	
HW2684431	1
8MOD	
HW2684435	1
10MOD	
HW2684439	1
12MOD	
HW2684442	1
16MOD	

Surface mount distribution board accommodating electrical switchgear mounted on mini rail.

READY BOARD COMPLETE WITH LIGHT



HW2682360	1
13A	
HW2682361	1
16A	

Ready board complete with 3 switches, circuit breakers, earth leakage and light. Ideal for use in RDP housing projects as well as in garages, wendy houses, lapas and caravans. Available in 16A for RSA and 13A for Botswana.

METER BOX



HW2684375	1
305X460X230MM12X18X9	
HW2684457	1
460X460X230MM18X18X9	

General-purpose weatherproof steel enclosure, with a masonite equipment mounting board at the back. Used for the protection of equipment such as electrical meters.

FISH TAPE ELECTRICIANS



HW2660000	1
30M	

Tempered and hardened spring steel blade used for pulling electrical cable through conduit.

STRIP CONNECTOR



HW2660283	1
5 AMP 12WAY	
HW2660289	1
15 AMP 12WAY	
HW2660293	1
30 AMP 12WAY	

For connecting and termination of various cable sizes.

CABLE ELECTRIC PVC



HW2679183	100
RED 1.5MM 100 (PM)	
HW2679221	100
BLACK 1.5MM 100M (PM)	
HW2679232	100
BLUE 1.5MM 100M (PM)	
HW2679239	100
GREEN/YELL 1.5MM 100M (PM)	
HW2679245	100
WHITE 1.5MM 100M (PM)	
HW2679251	100
RED 2.5MM 100M (PM)	
HW2679258	100
BLACK 2.5MM 100M (PM)	
HW2679263	100
BLUE 2.5MM 100M (PM)	
HW2679270	100
GREEN/YELL 2.5MM 100M (PM)	
HW2679276	100
WHITE 2.5MM 100M (PM)	
HW2679282	100
RED 4.0MM 100M (PM)	
HW2679289	100
BLACK 4.0MM 100M (PM)	
HW2679293	100
BLACK 6MM 100M (PM)	
HW2679302	1
RED 1.5MM 20M	
HW2679309	1
BLACK 1.5MM 20M	
HW2679317	1
GRN/YELL 1.5MM 20M	
HW2679325	1
RED 2.5MM 20M	
HW2679331	1
BLACK 2.5MM 20M	
HW2679358	1
RED 1.5MM 50M	
HW2679359	1
BLACK 1.5MM 50M	
HW2679360	1
GREEN 1.5MM 50M	
HW2679363	1
BLUE 1.5MM 50M	
HW2679365	1
RED 2.5MM 50M	
HW2679369	1
BLACK 2.5MM 50M	
HW2679370	1
GREEN 2.5MM 50M	
HW2679371	1
BLUE 2.5MM 50M	

High conductivity annealed stranded copper wire, insulated with general purpose grade PVC in plain colours. General purpose house wire.

ELEMENT GEYSER HARD WATER KAUFMANN PP1



Single circuit heating elementspecially designed for areas where water supply is hard and corrosive and where standard copper sheathed elements are not suitable. The sheath material is Incoly 825, which has a corrosion resistance musch superior.


ELEMENT GEYSER WITH THERMOSTAT SOCKET



HW2682732	1
2KW 100L	
HW2682739	1
3KW 150L	
HW2682743	1
4KW 200L	

Single circuit heating element for domestic hot water cylinders. It incorporates a pocket to accept the VKF type thermostat. Used in "normal" or non-aggressive water. Available in bulk and prepacks.

PLUGTOP BOTSWANA



HW2681564	1
PLASTIC 3PIN 13A FUSED	

13A Three-pin appliance connector for international use. Manufactured from PVC, top screw fixed.

PLUGTOP CONVERTOR EUROMATE HEX 2X5A



HW2681573	1
23X5A	

Converting a two point 5A plug to a three pin connector.

PLUGTOP SNAPPER



HW2680827	1
16A	

16A three-pin appliance connector. Manufactured from PVC, top screwdriver-released.

PLUGTOP NYLON



HW2680831	1
16A	

16A three-pin appliance connector. Manufactured from nylon. Top screw fixed.

PLUGTOP MULTI EURO ADAPTOR ILLUMINATED 2X16A



HW2680824	1

Crabtree slimline compact plugtop for domestic use. The plugtop is used together with the adaptor HW2681529, HW2681530, HW2681531. This product is of high quality. Voltage: 220V. Product colour: exterior body white. SABS approved. The benefits of the new plug can be enjoyed with the matching range of adapters, without having to replace excisting wall sockets. In addition to its space-saving benefits and superior looks, the new compact 3-pin plug is very user-friendly.

PLUGTOP PVC



HW2680823	2
16A	

16A three-pin appliance connector. Manufactured from PVC, top screw fixed.


PLUG MULTI WITH CORD & O/L 5X16A+4X5A



HW2681519	1

New generation multiplug with 4 sunken Euro type 5A 2 pin, 1 5A 2 pin round lawnmower type and 5 normal 15A 3pin plug points. Total load limited to 16A. With 500mm cord.

PLUG MULTI SW WITH ILL&CORD+O/L 5X16A+5X5A+EU



HW2681528	1

New generation multiplug with 4 sunken Euro type 5a 2 pin, 1 5a 2 pin round lawnmower type and 5 normal 15a 3pin plug points. With illuminated on/off switches to activate power points individually. Total load limited to 16a. With 500mm cord.

PLUG MULTI WITH CORD & O/L 3X16A



HW2681439	1
3X16A + O\L	

Create the option to attach more than one appliance to a plug socket but limiting the total load to 16A. With cord of 200mm.

PLUG MULTI WITH CORD CRABTREE



HW2681531	1
2 X 16A 1SCH	

Create the option to attach more than one appliance to a plug socket but limiting the total load to 16A.

PLUGTOP MULTI DIRECT PLUG INN 2X16A



HW2680866 1
DIRECT PLUG IN

This multiplug creates the option to attach more than one appliance to a plug socket, but limits the total load to 16A. Direct plug-in.

PLUG MULTI WITH CORD & O/L 5X10A



HW2681493 1

Create the option to attach more than one appliance to a plug socket but limiting the total load to 16A.

COUPLER JANUS DOUBLE PVC 16A



HW2680847 1
WHITE

To create a customised extension lead and to attach more than one appliance.

COUPLER JANUS DOUBLE RUBBER



HW2680858 1
16A

To create a customised extension lead and to attach more than one appliance.

SWITCH LIGHT THROUGH



HW2684423 5

Ripcord switch to connect or disconnect the electrical circuit.

SWITCH LIGHT 4L CBI 1WAY



HW2682319 1
4X2 WHITE

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT 4L CBI 1WAY 4X4



HW2682320 1
WHITE

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT 3L HORISONTAL M.E.S



Versinkte ligskakelaar om 'n stroombaan aan of af te skakel.

SWITCH LIGHT 3L M.E.S



HW2682348 1
1WAY 4X4 WHITE

Versinkte ligskakelaar om 'n stroombaan aan of af te skakel.

SWITCH LIGHT 4L HORISONTAL M.E.S



HW2682344 1
1WAY 4X2 WHITE

Versinkte ligskakelaar om 'n stroombaan aan of af te skakel.

SWITCH LIGHT WITH COVER PLATE 1PACK



HW2682265P 1
1L 1WAY
HW2682419P 1
2L 1WAY
HW2682427P 1
1L 2WAY
HW2682559P 1
3L 1WAY

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT 1L CBI 1WAY



HW2682315 1

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT BLANK COVERPLATE CBI



HW2683745 1

Coverplate to protect a wiring termination point.

SWITCHPLUG BLANK COVERPLATE CBI



HW2683746	1

Coverplate to protect a wiring termination point.

SWITCH LIGHT 1L HORISONTAL M.E.S



Versinkte ligskakelaar om 'n stroombaan aan of af te skakel.

SWITCH LIGHT 1L M.E.S



Versinkte ligskakelaar om 'n stroombaan aan of af te skakel.

SWITCH LIGHT 4L M.E.S



HW2682349	1
1WAY 4X4 WHITE	

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT BLANK COVERPLATE M.E.S



Dekplaat om 'n draadafsluitingspunt te beskerm.

SWITCH LIGHT 1L 50 X 100 LEAR



HW2682843	1
1 WAY	
HW2682844	1
2 WAY	

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT 3L 50 X 100 LEAR



HW2682846	1
1 WAY	

Flush mounted light switch to connect or disconnect a circuit. 10 Year guarantee.

SWITCH SOCKET TELEPHONE CBI



HW2683806	1
4X2 WHITE	

Flush mounted telephone socket to connect your telephone with the external cable.

SWITCH PLUG HORIZONTAL CBI



HW2683766	1
4X2 WHITE	

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.

SWITCH PLUG SINGLE CBI



HW2683767	1
4X4 WHITE	

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.

SWITCH PLUG CRABTREE



HW2682699	1
100X50MM	
HW2682842	1
100X100MM	

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover not included.


SWITCH PLUG COVERPLATE SINGLE CRABTREE



HW2682842C	1
4X4	

Crabtree Classic range switchplug coverplate. How it works: the coverplate is used toghether with the switchplug HW2682842. This product is of high quality. Voltage: 220V to 250V. Product colour: white. Applications: domestic, light industrial. Complete with fitting screws. SABS approved. Product size: 100MM X 100MM.


SWITCH PLUG INDUSTRIAL



HW2683547	1
SINGLE 75X100MM	
HW2683551	1
DUO 75X100MM	

Surface mount double three-pin wall plug with switches to connect/disconnect a circuit for appliances with a maximum load of 15A.

SWITCH PLUG CRABTREE



HW2682853	1
100X100MM DBL	

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover not included

SWITCH PLUG SINGLE 50 X 100 LEAR



HW2682849	1

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.

NEXUS 10W SOLAR SECURITY LIGHT WITH MOTION SENSOR



NXS0024	1

10W Solar powered floodlight with PIR and day/night that will only activate with motion at night.

Specs:
- 600 Lumen COB Technology
- Aluminium Heavy Duty Construction
- 7.4V 2.2Ah Lithium Ion Battery
- 3W Poly Crystalline Solar Panel
- 5m Cable From Solar Panel To Light
- IP65 Waterproof Rating
- 5-7m Detection Range
- 5-7 Hours Charge Time In Direct Sunlight
- 120 Degree Detection Angle
- 200 x 30 Second Activations – This is purely a reference, the light will remain on for as long as there is movement up to a maximum of 1,6 hours.

NEXUS SOLAR SECURITY LIGHT TWIN WITH PIR SENSOR



NXS0006	1

Specs:
- 2 X LED
- Motion Sensor
- 3.7V 2AH Li-Ion Battery
- 100 Lumens When Activated
- Adjustable Time and Sensitivity
- 2W Solar Panel
- Easy DIY Installation
- 1 Year Warranty

SWITCH PLUG VERTICAL CBI



HW2683765	1
4X2 WHITE	

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.

SWITCH PLUG SINGLE 100 X 100 LEAR



HW2682850	1

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.

NEXUS SOLAR SECURITY LIGHT 54 LED INC REMOTE



NXS0008	1

Li-Ion 11.4V 4AH Battery. 54 x super bright LED's. 340 Lumens. Aluminium housing. 10W Solar panel. Day/Night sensor. Remote control included. 12 hours running time on full charge. Easy DIY installation. 1 Year warranty.

NEXUS EMERGENCY BACKUP LIGHT 40 SMD LED



NXL0100	1

Specs:
- Latest SMD LED technology
- 320 Lumens
- Up to 9 hours working time
- Can be wall mounted or stand alone
- Carry handle
- Two brightness settings
- Automatically switches on when power goes off
- Charges from 220V power


SWITCHPLUG COVERPLATE CRABTREE



HW2682699C	1
SGL 4X2	

Cover plate to cover a switchplug.HW2682699

GARAGE MOTOR SINGEL TIP UP ALPHA 500 DTS



Electronic motor designed to open and close single garage doors. Upwards action, mainly for wooden garage doors. Soft start and stop control. Anti crush meganism for the protection of vehicles and children. Emergency key release in case of power failure. Can be upgraded to a 12v system. Maximum door surface of 6m² and running distance of 3m. One year warranty. Two remotes included.

NEXUS EMERGENCY LANTERN 48 LED WITH USB



NXL0105	1

Specs:
• 390 Lumens
• Up to 8 hours working time
• Adjustable light output
• Can be wall mounted
• Carry handle and hanging hook
• Automatically switches on when power goes off
• Charges from 220V power
• USB output to charge cellphones

CIRCUIT BREAKER ISOLATOR 38MM 3KA 2PHASE



HW2682889	1
63A	

A non-automatic flushed circuit breaker and used as geizer disconnector. It is fully rated and carries the associated circuit breaker fault current for 10 ms.

CIRCUIT BREAKER 19MM 4.5KA 1PHASE 40A



HW2682899	1
40A	
HW2682900	1
50A	
HW2682901	1
63A	

Single phase circuit breakers.Complies with SABS and NRCS regulations.

EARTH LEAKAGE 2.5KA 1 PHASE SAM



HW2684204	1
60A 230V	

An automatic switching device capable of sensing earth leakage currents, also capable of interrupting overloads after a defined time period.

EARTH LEAKAGE 2.5KA 3PHASE SAM



HW2684209	1
60A 230V	

An automatic switching device capable of sensing earth leakage currents, also capable of interrupting overloads after a defined time period.

CIRCUIT BREAKER19MM 4.5KA 1PHASE+N(Combo)



HW2682903	1
63A	

Single phase circuit breakers.Complies with SABS and NRCS regulations. 10 year guarantee.

DISTRIBUTION BOX WEATHERPROOF SAMITE



HW2684461	1
6MOD	

Surface mount or semi-flush mount weatherproof distribution board accommodating electrical switchgear mounted on mini rail.

DISTRIBUTION BOARD FLUSH ADJUST SAM



hw2684445	1
8MOD	
HW2684446	1
12MOD	
HW2684449	1
16MOD	
HW2684453	1
20MOD	

Flush adjustable distribution board accommodating electrical switchgear mounted on mini rail.

DB READY BOARD WIRING ACC BULKHEAD CBI



HW2684456	1

Readyboard complete with switches and bulkhead light fitting. Switches have a glow-in-the-dark fluorescent insert. Compatible with prepayment meters. Suitable for many applications eg. residentail, commercial and industrial applications.

ELECTRIC FENCE BOBBIN DTS BLACK



HW2677000	1

Bobbins manufactured from plastic, are used for the free standing electric fencing, tied with binding wire to the Y-standard.

CABLE CABTYRE



HW2680702	1
3 CORE WHITE 1.0MM 50M (P/ROLL)	
HW2680708	1
3 CORE BLACK 1.0MM 50M (P/ROLL)	
HW2680713	1
3 CORE WHITE 1.5MM 50M (P/ROLL)	
HW2680719	1
3 CORE BLACK 1.5MM 50M (P/ROLL)	
HW2680724	1
3 CORE WHITE 2.5MM 50M (P/ROLL)	
HW2680728	1
3 CORE BLACK 2.5MM 50M (P/ROLL)	
HW2680751	100
3 CORE WHITE 1.5MM 100M (PM)	
HW2680803	100
2 CORE WHITE 1.5MM 100M (PM)	
HW2680807	100
3 CORE WHITE 1.0MM 100M (PM)	
HW2680807P	1
3 CORE WHITE 1.0MM 5M PACK	
HW2680815	100
3 CORE BLACK1.0MM 100M (PM)	
HW2680819	100
3 CORE WHITE 2.5MM 100M (PM)	
HW2680821	100
3 CORE BLACK 2.5MM 100M (PM)	
HW2680836	100
3 CORE BLACK 1.5MM 100M (PM)	
HW2680841	100
3 CORE WHITE 1.5MM 100M (PM)	
HW2680845	1
3 CORE BLACK 1.0MM 10M PACK	
HW2680849	1
3 CORE WHITE 1.0MM 10M PACK	

High conductivity bunched copper conductors, insulated and colour-coded with general-purpose flexible grade PVC. Cores are then twisted together for maximum flexibility and sheathed with soft flexible grade PVC in circular configuration.

CABLE EARTH BARE COPPER



HW2680274	1
2.5MM 5KG (P/ROLL=234m)	

High conductivity annealed stranded copper conductors, uninsulated. Used as earth wire by electrical contractors, electricians and municipalities.

CABLE FLAT



HW2679000	100
1.0MMX2+E 100M (PM)	
HW2679027	100
1.5MMX2+E 100M (PM)	
HW2679032	100
2.5MMX2+E 100M (PM)	
HW2680292	1
1.5MMX2+E 50M (PACK)	
HW2680293	1
2.5MMX2+E 50M (PACK)	
HW2680294	1
CABLE FLAT 1.5MMX2+E 20M (PACK)	

High conductivity solid or stranded plain copper wire. Insulated and colour-coded with general purpose grade PVC. These insulated cores together with a bare copper earth wire are then sheathed with flexible grade PVC in a flat parallel configuration.

EARTH LEAKAGE 38MM 4.5KA 2FASE



HW2682905	1
63A	

An automatic switching device capable of sensing earth leakage currents. Also capable of interrupting overloads after a defined time period.

CABLE RIPCORD



HW2680548	100
0.5MM WHITE 100M (PM)	
HW2680548P	1
0.5MM WHITE 5M (PACK)	
HW2680560	100
0.5MM CLEAR 100M (PM)	
HW2680567	100
0.5MM BLACK 100M (PM)	
HW2680567P	1
0.5MM BLACK 5M (PACK)	
HW2680572	100
0.5MM BROWN 100M (PM)	
HW2680572P	1
0.5MM BROWN 5M (PACK)	
HW2680581	1
0.5MM CLEAR 10M (PACK)	
HW2680593	1
0.5MM BROWN 10M (PACK)	

High conductivity bunched plain flexible copper wire, insulated in a parallel configuration with flexible grade PVC, with a colour stripe on one core for polarity indication. Plain white ripcord has a ridge for polarity indication. Price per 1m. Packsize

CABLE SURFIX ABERDARE



HW2680201	100
1.5MMX2+E 100M (PM)	
HW2680208	1
1.5MMX3+E 100M (PM)	
HW2680213	100
2.5MMX2+E 100M (PM)	
HW2680219	100
2.5MMX3+E 100M (PM)	
HW2680290	1
PACK 1.5MMX2+E 50M	
HW2680291	1
PACK 2.5MMX2+E 50M	

High conductivity solid or stranded plain copper wire. Insulated with hard grade PVC, covered in an aluminum foil in contact with the tinned earth wire and bonded to a sheath. Colour coded.

CABLE JOINING



HW2660342	1
MX1 METALPLAST	
HW2660349	1
MX2 METALPLAST	

Resin-based low-tension cable splicing kit. Used with cable size up to 4 x 16mm. Voltage rating 1,1 kV.

GATE WHEEL ROLLER SET DTS



HW2678072	1
60MM	
HW2678073	1
80MM	

V- grooved gate wheel set consisting of 2 x guide rollers complete with bolt & nuts and 2 x mild steel rollers on bearings fitted in bracket. The rollers can either be welded to the motor gate or fitted with 2 x bolts (7mm). Application mainly for motor gates. Comply with SABS standards. Product carries 1 year gaurantee. No maintenance required.

GARAGE MOTOR SINGLE ROLL UP DTS 12



HW2678077	1

Electronic motor designed to open and close single garage doors. It's mainly used for steel roll up garage doors. Smooth and quiet operation. Automatic safety reverse/automatic door stop. Manual override in case of power failure. Maximum of 50kg pulling force. One year warranty. Two remotes included.

GATE MOTOR RACK NYLON DTS



HW2678014	2
PER 1M	

The racks that the gate motor is mounted on to with which the driving gear on the gate motor move the gate. The racks are supplied in lenghts of 1m. Special high impact nylon are used for this.

GATE MOTOR REMOTE DTS



HW2678044	1
4 BUTT TX4 GREY	

Transmitter contains 4 buttons and can therefore be used for 4 different applications for example: 1 gate motor and 3 garage door motors.

NEXUS EMERGENCY BACKUP LIGHT 48 SMD LED



NXL0101	1

Specs:
- Latest SMD LED technology
- 390 Lumens
- Up to 12 hours working time
- Can be wall mounted or stand alone
- Carry handle and hanging hook
- Two brightness settings
- Automatically switches on when power goes off
- Charges from 220V power

NEXUS EMERGENCY BACKUP LIGHT 72 SMD LED



NXL0102 1

Specs:
• Latest SMD LED technology
• 600 Lumens
• Up to 12 hours working time
• Can be wall mounted or stand alone
•Carry handle and hanging hook
• Two brightness settings
• Pull string activation
• Automatically switches on when power goes off
• Charges from 220V power

NEXUS EMERGENCY LANTERN 39 SMD LED



NXL0104 1

Specs:
• Latest SMD LED technology
• 400 Lumens
• Up to 8 hours working time
• Adjustable light output
• Can be wall mounted
• Carry handle and hanging hook
• Automatically switches on when power goes off
• Charges from 220V power
• Backup AA battery compartment for additional light time

LIGHT GALAXY MATELEC



HW2672165 1
ES 60WT OPAL

Modern domed/oyster multipurpose lightfitting. Uv stabilised polycarbonate lens. ES lampholder. Opal colour. Suitable for indoor and outdoor use. Use with ES type globe. Complete with stainless steel fixing screws. SABS approved. IP 65 Weather proof rating. Light size 270mm x 112mm.


LIGHT EMPEROR MATELEC CLEAR



HW2672157 1
2DX28W

Energy saving light fitting ideal for outdoor use. Suited for all weather conditions. Suited for 2D X 28 W energy saver lamp.

NEXUS EMERGENCY BACKUP LIGHT 108 SMD LED



NXL0103 1

Specs:
• Latest SMD LED technology
• 900 Lumens
• Up to 9 hours working time
• Can be wall mounted
• Carry handle and hanging hook
• Two brightness settings
• Pull string activation
• Automatically switches on when power goes off
• Charges from 220V power

LIGHT BABY EMPEROR ES MATELEC CLEAR



HW2672154 1

Energy saving light fitting ideal for outdoor use. Not reccomended for use in housing estates. Lamp can easily be removed without loosening screw's. Suited to all weather conditions. Suited for E27 energy saver lamp with screw base.

LIGHT CENTURION DAY/NIGHT SWITCH



HW2672160 1
2D 16W OPAL

Modern slimline multi-purpose, daylight sensor energy saving light fitting. UV stabilised polycarbonate lens. 2D 16watt lampholder. Opal colour. Suitable for indoor and outdoor use. Use with 2D globe HW2675130. Complete with stainless steel fixing screw

LIGHT SQUARE ALUM BASE



HW2672145 1
BC 100W WHT

Modern industrial bulkhead light fitting. High visor, square light. UV stabilised, polycarbonate lens with white die cast aluminium powder coated base. BC 220V lamp holder. Clear see through lens. Suitable for indoor, outdoor and industrial use. Ideal for agricultural application. Use with BC type globe. Splash proof. Complete with BC light fitting. SABS approved. Robust lens. IP55 Weather proof rating. Light size 190mm x 190mm. Should be fitted by an approved electrician. Bulkhead with polycarbonate lens can be used to burn continuously.

LIGHT MIRAGE VISOR ES MATELEC OPAL



HW2672151 1

Energy saving light fitting ideal for outdoor use. Suited for all weather conditions. Suited for E27 energy saver lamp with screw base.

LIGHT CENTURION HIGH VISOR ES MATELEC OPAL



HW2672156 1

Energy saving light fitting ideal for outdoor use. Stainless steel screws. Heavy duty construction. Suited for all weather conditions. Suited for E27 energy saver lamp with screw base.

LIGHT FITTING WATER RESISTANT JAR



HW2682168 1
100W

Incandescent lamp fitting, water resistant, oval glass lamp shade, used as outside house light. Standard jamjar type.

LIGHT FITTING WATER RESISTANT PVC



HW2682191	1

Rectangular lamp fitting accommodating 60 W incandescent lamp. It is water resistant and is used as an outside house light.

LIGHT LEAD WITH CORD



HW2680882	1
220V	

220V. 2m Cable. Bayonet type globe not included. See electric range HW2675013 (60W) and HW2675021 (100W) for globe.

FIRE CEMENT



670001	1
800GRAM	

Stove putty is used to seal cracks on stoves. Can resist high temperatures - even 1200ºC. Suitable for adhesion at lower temperature.

LAMP HOLDER PORCELAIN BC



HW2681993	1

Lamp holder accommodating 40 to 200 W BC incandescent lamps, manufactured from porcelain, normally fitted onto a ceiling Lamp holder mounting piece.


LIGHT FITTING WATER RESISTANT PVC DAY/NIGHT



HW2682177	1
60W	

Rectangular lamp fitting accommodating 60 W incandescent lamp. It is water resistant and is used as an outside house light. Equipped with day/night sensor to automatically switch the light on and off.

LAMP HOLDER DIOCHROIC GU10 INTERNATIONAL LIGHTING



HW2672098	1
FOR 230V LAMP	

Downlamp holder bracket for 230V lamp.

LAMP HOLDER DIOCHROIC MR16 INTERNATIONAL LIGHTING



HW2687111	1
FOR 12V LAMP	

Replacement MR16 - 12V lamp holder - length 20cm.

GLANDS POLY



HW2660223	1
NO0	
HW2660228	1
NO1	

Used for various unarmored cable size terminations to maintain the sealing of enclosures of specific demanded IP ratings.

LAMP HOLDER CORD GRIP NYLON BC



HW2681986	1

Bayonet type 25mm Lamp holder accommodating 40 to 200 W incandescent lamps manufactured from nylon material used directly with cabtyre cable.

LAMP HOLDER PORCELAIN PLAIN



HW2681997	1
ES	

Lamp holder accommodating 40 to 200 W ES incandescent lamps, manufactured from porcelain, normally fitted onto a ceiling Lamp holder mounting piece. Standard Edison screw type fitting.

LAMP SHADE BALL GLASS



HW2672076	1
160MM	
HW2672079	1
200MM	

Ball type lamp shade, made of PVC, with thread to be used with ceiling lamp holder mounting piece manufactured from porcelain, PVC and fibre glass.

LAMPHOLDER BRASS



HW2682113	1
BC 10MM	

Lamp holder accommodating BC incandescent lamps manufactured from brass material used for pipemount.

LAMP HOLDER PAR 38 SINGLE WALL MOUNT



HW2682129 1

Lamp holder accommodating a single par 38 incandescent lamp (HW2675175, HW2675179) manufactured from nylon - used for surface mount on various surfaces.

LAMPFITTING CEILING FIBREGLASS & PORCELAIN



HW2672052 1
BC 160MM

Ceiling Lamp holder mounting piece manufactured from fibre glass with porcelainLamp holder accommodating 40W to 100W incandescent lamps.

PLUG MULTI WITH CORD 4X16A+2X5A+EUKO



HW2681501 1
4X16A-2X5A+EUKO

Create the option to attach more than one appliance to a plug socket but limiting the total load to 16A.

PLUG MULTI WITH CORD & O/L 3X16A+2X5A



HW2681513 1

New generation multiplug with 3 sunken Euro type 5a 2 pin and 3 normal 15a 3pin plug points. Total load limited to 16a. With 500mm cord.

PLUG MULTI WITH CORD 4X16A+2X5A+EUKO PP1



HW2681501P 1
4X16A-2X5A+EUKO

This multiplug creates the option to attach more than one appliance to a plug socket but limits the total load to 16A. Direct plug-in.

PLUGTOP MULTI DIRECT PLUG INN 1X16A+2X5A



HW2681404 1

Create the option to attach more than one appliance to a plug socket but limiting the total load to 16A.

PLUGTOP MULTI DIRECT PLUG INN 3X16A



HW2680873 1

Create the option to attach more than one appliance to a plug socket but limiting the total load to 16A.

PLUGTOP EUROMATE TOP ENTRY 5A



HW2681407 1
5A

Converting a two-point plug to a 16A three-pin connector.

PLUGTOP CONVERTOR EUROMATE ROUND TOP ENT



HW2681420 1

Change normal 16A 3 point plugtop to a euro style round 2 point plugtop.

PLUGTOP MULTI EURO DIRECT PLUG INN 3X5A



HW2681418 1

Multi plug, 3 in 1 Euro type coupling for use in cellphone chargers and other two pin plug 5A. Total load limited to 16A.

PLUGTOP MULTI EURO ADAPTOR CRABTREE



HW2681529 1
2 X 16A
HW2681530 1
4 X 16A

Crabtree slimline compact adaptor for domestic. The adaptor is used toghether with the plug HW2680824. This product is of high quality. Voltage: 220V. Exterior body white. SABS approved. The benefits of the new plug can be enjoyed with the matching range of adapters, without having to replace excisting wall sockets. In addition to its space-savings benefits and superior looks, the new compact 3-pin plug is very user-friendly.

CONDUIT ADAPTOR FEMALE SABS



HW2685357 5
20MM

Used to form a link between conduit pipe and a suitable accessory. Loose.

CONDUIT INSPECTION T PIECE SABS



HW2685558	1
20MM	

Used to re-route electrical wiring to its required terminations, with a inspection lid which can be removed to inspect the electrical wiring. Loose.

CONDUIT COUPLING SABS



HW2685418	10
20MM	

Used to link two pieces of conduit pipe together. Loose.

CONDUIT BOX 3 WAY SABS



HW2685167	1
20MM	

Used to re-route electrical wiring to its required terminations. Loose.

CONDUIT BOX LID SABS 20MMX50MM



HW2685264	5

Conduit box lid.

CONDUIT BOX 1 WAY SABS



HW2685078	1
20MM	

Used to re-route electrical wiring to its required terminations. Loose.

CONDUIT BOX 4 WAY SABS



HW2685213	1
20MM	

Used to re-route electrical wiring to its required terminations. Loose.

CONDUIT SADDLE GALVANISED



HW2685309	10
20MM	

Manufactured from galvanised sheets. Used to fix conduit on vertical and horizontal surfaces at predetermined points. Loose.

CONDUIT SADDLE SABS PVC



HW2685302	10
20MM	

Manufactured from PVC. Used to fix conduit on vertical and horizontal surfaces at predetermined points. Loose.

WALL BOX GALVANISED



HW2684929	1
100X50MM	
HW2684932	1
100X100MM	

Flush mount wall box, manufactured from galvanised sheets, accommodates all flush mount switches and plugs. Loose.

EXTENSION BOX WHITE



HW2684896	1
100X50MM	
HW2684900	1
100X100MM	

Surface mount wall box, manufactured from cold rolled sheets and painted white, accommodates all flush mount switches and plugs. Loose.

CONDUIT BENDING SPRING



HW2684839	1
20MM	

A spring with a outside diameter to fit inside a rigid conduit pipe with a 20mm diameter. Used to bend rigid conduit smoothly without folding the pipe.

CONDUIT PVC GLUE



HW2684841	1
200ML	

A glue designed to weld two pieces of PVC fittings together to make them weatherproof.

NEXUS SOLAR WALL LIGHT PIR S/S 200 LUMENS



NXS0020 1

Specs:
• 10 X Super Bright LED's
• Motion Activated
• Frosted Glass Lens
• 1 X 3.7V 2000mah Li-Ion Battery
• Standby - 10 Lumens
• Activated - 200 Lumens (200 x Brighter Than Traditional Garden Light)

NEXUS SOLAR LIGHT PIR PLASTIC 50 LUMENS



NXS0019 1

Specs:
• 3 X LED
• Motion Sensor
• 1 X 3.2V 250 MAH Li-Ion Battery
• 2,5 Lumens On Standby
• 50 Lumens When Activated
• 40 Hours On Standby
• 120 Minutes On 50 Lumens = 240 Activations Of 30sec
• 10m Activation Distance
• 1 Year Warranty

NEXUS SOLAR SECURITY LIGHT 108 LED INC REMOTE



NXS0009 1

Li-Ion 11.4V 8AH Battery. 108 x super bright LED's. 550 Lumens. Aluminium housing. 20W Solar panel. Day/Night sensor. Remote control included. 12 hours running time on full charge. Easy DIY installation. 1 Year warranty.

NEXUS SOLAR SECURITY LIGHT 60 LED PIR SENSOR



NXS0007 1

Specs:
• 60 X LED
• Motion Sensor
• 3.7V 2AH Li-Ion Battery
• 180 Lumens When Activated
• Adjustable Time and Sensitivity
• 2W Solar Panel
• Easy DIY Installation
• Wide angle
• 1 Year Warranty

DOOR GARAGE HANZA STD ROLL-UP



7600232 1
STANDARD GREEN

7600550 1
STANDARD GALV

7600555 1
STANDARD BROWN

Continuous 0,5mm galvanised round profile pressed steel sheets joined with full double lock. The 'curtain' is positioned by galvanised pressed steel side channels. Nyloflexislide stripping ensures a lubricant-free, smooth and silent operation. A functional rubber weather strip fitted to the bottom aluminium rail minimises rusting and dust. An exclusively manufactured six-lever lock operating on a gear, activating two linear gears is center positioned 1 000mm from the ground. Lockable from the inside and outside position, which works flanked solid locking bars for security. An aesthetic chrome-plated handle is provided for the lower rail, to maximise easy operation. Garage door fits into a plastered opening of 2450X2135MM.

SWITCH LIGHT DIMMER CBI 4X2 WHITE



HW2682876 1

Lightswitch with the option to adjust the brightness of lamps.

ISOLATOR STOVE CRABTREE PP1



HW2684241P 1
1L.30A SM PP1

A non-automatic flushed circuit breaker and used as stove isolator.

ISOLATOR STOVE COVERPLATE CRABTREE



HW2684241C 1

Crabtree Classic range switchplug coverplate. The coverplate is used together with the switchplug at code HW2684241. High quality product. Voltage: 220V to 250V. Product colour: white. Applications: domestic, light industrial. Complete with fitting screws. SABS approved. Product dimensions: 100MM X 100MM.

SWITCH LIGHT 1L CBI 2WAY



HW2682316 1

Flush mounted light switch to connect or disconnect a circuit. Used to switch light on or off at both ends of the passage.

SWITCH BELL CBI



HW2682310 1
4X2 WHITE

Flush mounted doorbell switch to to activate doorbell.

SWITCH LIGHT CRABTREE



HW2682265 1L 1WAY	1
HW2682419 2L 1WAY	1
HW2682427 1L 2WAY	1
HW2682559 3L 1WAY	1

Flush mounted light switch to connect or disconnect a circuit. Cover not included.

SWITCH LIGHT INDUSTRIAL 75X75MM



HW2683113 1L	1
HW2683117 2L	1
HW2683407 3L	1

Surface mounted switch to connect or connect or disconnect a circuit.

SWITCH LIGHT 2L 50 X 100 LEAR



HW2682845 1 WAY	1

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT COVERPLATE CRABTREE



HW2682265C 1LEVER 1WAY 4X2	1
HW2682419C 2LEVER 1 WAY 4X2	1

Cover plate to protect a wiring termination point.

SWITCH LIGHT 3L CBI 1WAY



HW2682318 4X2 WHITE	1

Flush mounted light switch to connect or disconnect a circuit.

SWITCH LIGHT 6L CBI 1WAY 4X4



HW2682321 WHITE	1

Flush mounted light switch to connect or disconnect a circuit.

SWITCH PLUG DOUBLE CBI



HW2683768 4X4 WHITE	1

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.


SWITCH PLUG WITH COVER PLATE DUO PP1 CRABTREE



HW2682853P 100X100MM	1

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A.

SWITCH PLUG COVERPLATE CRABTREE



HW2682853C DUO 4X4	1

Cover plate to cover a switchplug HW2682842.

SWITCH PLUG EURO HORIZONTAL CBI



HW2683785 4X2 WHITE	1

Flush mount three-pin and two euro wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.

SWITCH PLUG EURO VERTICAL CBI



HW2683786 4X4 WHITE	1

Flush mount three-pin and two euro wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.

SWITCH PLUG DOUBLE 100 X 100 LEAR



HW2682851	1

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A. Cover included.


CABLE TIES



AO763/0006 92MMX2.6MM (100)	1
AO763/0007 140MMX3.6MM (100)	1
AO763/0008 197MMX4.9MM (100)	1
AO763/0009 267MMX4.8MM (100)	1
AO763/0010 381MMX4.9MM (100)	1
AO763/0011 385MMX7.6MM (X50)	1

Multi-purpose use. Bulk pack cable ties.

INSULATION TAPE NITTO



HW2660124 BLACK 20M	1
HW2660129 BLUE 20M	1
HW2660132 YELLOW 20M	1
HW2660137 GREEN 20M	1
HW2660142 RED 20M	1
HW2660148 WHITE 20M	1

Is both a cold and weather resistant electrical tape, coated with an aggressive rubber resin adhesive with good aging characteristics. Extremely flexible, even in cold weather and unaffected by moisture and most chemicals. No flagging or deterioration even under temperatures between -18 and 80 °C.

SEALANT TREE SEAL GRAFTING ABE



7655736 1L	1
7655738 5L	1

Bituminous emulsion for sealing graft wounds.

TAP NYLON HOSE WITH HOSE CONNECTION



333208-15N 15MM	1
333208-20N 20MM	1

Complete with hose pipe connection, for domestic use.

WATERPROOF TAPE SUPER LAYKOLD ABE



7655902 2.5MX50MM	1
7655903 2.5MX75MM	1
7655904 2.5X100MM	1
7655905 2.5MX150MM	1
7655906 5MX100MM	1
7655907 5MX150MM	1
7655908 10MX75MM	1
7655909 10MX100MM	1
7655910 10MX150MM	1

A self-adhesive sealing tape for repairs to galvanised and fibre cement roofs.

WATERPROOF SUPER LAYCRYL WITH FIBRE ABE

7656216 RED 5L	1

Fibrated Super Laycryl is a highly flexible fibrous liquid-applied emultion to provide a seamless, professional waterproofing system. It is recommended for all types of stable flashing, parapet walls, flat roof waterproofing, re-waterproofing over existing waterproofing system. Can also be used for the sealing of joints and roofing screws on corrugated roofs. The system is designed for non-trafficable roofs.

WATERPROOF SUPER LAYCRYL KIT ABE



7655942 CHARCOAL 5L	1
7655943 GREY 5L	1
7655944 RED 5L	1
7656001 GREEN 5L	1
7656100 TERRACOTTA 5L	1
7656105 WHITE 5L	1

Super Laycryl is an advanced durable elastic waterproofing emulsion which has been designed to achieve the excellent waterproofing properties of a rubberised emulsion such as Super Laykold but with colour added. Must be used with ABE membrane. Its adhesion and wetting out properties are excellent. Super Laycryl is recommended for all types of flashing, parapet walls, flat roof waterproofing for areas not exceeding 500sgm, sealing of joints, laps and roofing screws on corrugated roofs. Pimer: 4-metal primer for metal surfaces at code 7655879.

COATING DURAFLEX GREY



7655988 5KG	1
7655989 15KG	1

Duraflex is a ready to use flexible waterproofing slurry. It is used for protection and repair of balconies. Waterproofing of new and old buildings.

COATING PROVONITE ABE



7655950 5L	1
7655951 25L	1

It is a coal tar multi-purpose coating which retards the rusting of metal and the degradation of wood. Should not come into contact with portable water.

COATING RAVENOL BLACK ABE



7653731 5L	1

A black bituminous paint used as a protective coating for metallic and cementitious surfaces. Suitable for drinking water tanks and piping. 4-Metal primer should be used on new surfaces (see code 7655879).

ADHESIVE ROCK BITUMEN ABE 12.5KG



7653299	1

Anti-corrosion protection of metal punchings and steel plate afillings used in marine keel ballast applications.

WATERPROOF SUPER LAYKOLD ABE



7654944 BLACK 1L	1
7655002 BLACK 5L	1
7655088 BLACK 20L	1

A rubberised bitumen emulsion which is used together with membrane at code 7655092 to provide a liquid waterproofing. Uses: flashing, flat roofs, parapet walls, etc. Can also be used as paint or sealer for koi ponds or any other fish pond. For protection against ultra violet direct sunlight, use ABE Silvakote at code 7654561.

SEALANT SILICONE MULTI PURPOSE ABE 310ML



7656297 CLEAR	1
7656299 WHITE	1
7656300 BLACK	1

Multipurpose is a one-component flexible acetoxy silicone sealant especially designed for internal and external sealing. Sealing of sanitary and kitchen fittings including baths, sinks, vinyl, ceramic tile joints, sealing gaps around doors and window frames. Excellent adhesion to metals, glass, ceramic, woods, tiles and painted surfaces. 100% Silicone rubber. Excellent weathering properties. Easy to apply, one-component sealant. Contains a fungicide to prevent mould growth. No maintenance required. High-gloss finish. Available in a wide colour range to match most popular sanitary furniture. Fast curing. Excellent adhesion to most other non-porous substrates. Non-slump. Joint movement capability ±25 % of original joint width.

ADHESIVE JOINERS MATE ABE



7656266 200ML	1

Joiners Mate Mitre Bond is a two part professional bonding system. Simple to use and bonds in 10 seconds. Bonds wood, rubber, metal and most plastics.

WATERPROOF MEMBRANE ABE



141018 1000MM X100M	1
141034 10MX100MM	1
141035 10MX250MM	1
141215 10MX200MM	1
141225 10MX50MM	1
141230 10MX75MM	1
141240 10MX300MM	1
141255 20MX100MM	1
141267 ROUND PATCHES 100 PP	1
7655092 2.5MX200MM	1
7655093 12.5MX200MM	1
7655094 10MX200MM	1

A polyester reinforcing membrane to be used with abe Super Laykold at code 7654944 and Super Laycryl at code 7655091 in waterproofing flat roofs, flashings, parapet walls etc.

SEALER WOODOC 20 INDOOR GLOSS POLY



920W201 1L	1
920W205 5L	1

Woodoc 20 is a clear high-gloss sealer that fills the surface grain of open-grained woods, such as pine, to give a smooth gloss finish. It is also suitable for the sealing of wooden floors or panelling.

SEALER WOODOC 25 FLOOR



920W251 1L SATIN	1
920W251MAT 1L MATT	1
920W255 5L SATIN	1
920W255MAT 5L MATT	1

Woodoc 25 is a clear, remarkably tough, wear resistant floor sealer. It protects against scratching and will not chip or flake. Recommended for all indoor wooden floors and stairs. Note that floors treated with Woodoc 25 should not be washed with water. Clean with Woodoc Penetrating Furniture Wax at code 920EPW375.

SEALER WOODOC ANTIQUE WAX



920WAX375 375ML	1

Woodoc antique wax is blended with selected maxes in white wax base that gives a polish second to none on all furniture and fine woodwork finishes, especially antiques. It cleans and refreshes the surface as it polishes leaving no residual build-up.

SEALER WOODOC DEEP PENETR WAX



920PW1 1L	1
920PW375 375ML	1
920PW5 5L	1

This product is a penetrating formulation of heavy and light waxes that will protect and stabilize wood from the inside in a safe and effective manner.

SEALER WEATHERPROOF WOODOC TOTIM



920TEX1MAH 1lL MAHOGANY	1
920TEX1PIN 1L PINE	1
920TEX1TEA 1L TEAK	1
920TEX5MAH 5L MAHOGANY	1
920TEX5PIN 5L PINE	1
920TEX5TEA 5L TEAK	1

New Totim Weatherproof sealer ticks all the boxes to make it a top seller. Buy and apply Totim with confidence to your exterior woodwork. Garage doors, gates, windows, house doors, patio furniture and any other woodwork exposed to the weather that needs reliable UV-protection and water resistance.

SEALER WOODOC 10 INDOOR VELVET WAX



920W1005 500ML	1
920W101 1L	1
920W105 5L	1

Woodoc 10 is a poly-wax wood sealer. It is unique in that the user actually controls the type of finish the wood ends up with. So, out of one simple and well-made product, they can produce a gloss, velvet or matt finish. It is recommend for the use on any wood indoors from furniture to rifle stocks, from knife handles to carvings.

SEALER WOODOC 40 STONE AND BRICK



920W401 1L	1
920W405 5L	1

Woodoc 40 is a clear sealer for use on brick, stone and slasto. Please note that Woodoc 40 is not recommended to be used on quarry tiles or slate.

SEALER WOODOC 5 INDOOR MATT WAX



920W051 1L	1
920W055 5L	1

Woodoc 5 creates an absolute matt, or natural looking surface. Apply Woodoc 5 to hardwood tables, chairs, other furniture and interior woodwork where the beauty of a natural "oiled" look is required, but with a tough heat, stain and scratch resistant finish.

SEALER WOODOC 50 GLOSS MARINE



920W5005 500ML	1
920W501 1L	1
920W505 5L	1

Woodoc 50 is a clear, gloss exterior sealer used extensively where a high build-up of sealer is required. It also contains a UV absorber and stabiliser and does not affect adhesives used on the sealer. This product is used extensively by boat builders.

BENZINE POWAFIX



6754419 750ML	12

Cleaning agent for clothes and machines. Not to use for thinning paint.

METHYLATED SPIRITS POWAFIX



6754412 750ML	12

Used in domestic burners and as a cleaning agent.

LIQUID SUGAR SOAP POWAFIX



6756020 1L	1

It is a neutral, general purpose detergent. Excellent cleaning abilities, plus being environmentally and user friendly. It is ideal for cleaning all types for surfaces prior to painting.


TERPS MINERAL POWAFIX



6730090 5L	4
6730095 750ML	12

For cleaning brushes and rollers.

SUGAR SOAP



6756000 500G	10

Powafix sugar soap 500gram, perfect for cleaning and preparing surfaces before painting. Contains no silicates and is non-caustic, non-abrasive, economical, low foaming. Sugar soap solutions should not be used on aluminium or timber surfaces.

THINNERS LACQUER A POWAFIX



6730045 5L	4
6730050 750ML	4

For thinning oil-based paints, spray-painting and cleaning brushes and rollers.

SEALANT CRACK FILLER POWAFIX



650621827 INT 500G	10
650621828 INT 2KG	1
650621830 INT/EXT 500G	10
650621831 INT/EXT 2KG	1
650621832 INT/EXT 10KG	1

Repairs all interior and exterior cracks and holes in plaster, wood and brickwork. Highly flexible, no cracking or shrinking. Quick setting, white when dry. Instant mix powder.

CRACKFILLER POWASKIM POWAFIX



6756022 500ML	1
6756023 1L	1
6756024 5L	1

Powaskim is a prepared resin filler. It is very flexible and can be used on plaster, stone and wood. Powaskim has extraordinary good clinging ability and can easily be sanded smoothly. It can safely be used inside and outside and is ultraviolet and rain resistant. No primer needed before it is painted. Powaskim is water-based which make cleaning up easy.

TILE ADHESIVE SUPERFLEX TYLON



777005 5KG	1
777006 2KG	1

Tylon Superflex paste tile adhesive is a ready mixed, thin bed tile adhesive for applications onto internal and external walls and floors. It is suitable for the fixing of ceramic, brick and clay tiles, to primed timber and chipboard, pre-primed corrosion-free metal surfaces, plaster, concrete, primed asbestos and chipped and primed gypsum plaster.

BRUSH STEEL WITH WOODEN HANDLE KAUFMANN 5ROW



HW2656043	1

For cleaning of welding joints.

CLAMP MAGNETIC KAUFMANN



HW2656024 11KG	1
HW2656031 33KG	1

This magnetic clamp is like an extra pair of hands with any project. It can hold the work piece in a 90 or 45 degree angle. Use it once on a welding project and you will not be able to do without it!

NOZZLE CLEANER KAUFMANN



070025	1

Cleaning set for welding and cutting nozzles.

LIGHTER FLINT REPLACEMENT (4) KAUFMANN



070024	1

Replacement flints for triple flint lighter at code 070023.

BRAZING FLUX DIN 8511 F-SH 2



HW2656041	1

Brazing flux is used when brass, bronze, copper, malleable steel and steel is brazed.

HAMMER CHIPPING KAUFMANN



HW0920045	1

Removal of slag.

WELDING ROD TRANSARC 6013



330072132 2.5MM X 1KG	1
330072133 3.15MM X 1KG	1
330075132 2.5MM X 5KG	1
330075133 3.15MM X 5KG	1

Excellent strike and restrike characteristics. Self lifting slag. Produces a very stable arc. Can be used with AC or DC.

WELDING ROD VITEMAX BULK AFROX



075001 2.0MM 4KG	1
075002 2.50MM 5KG	1
075003 3.15MM 5KG	1
075004 4.00MM 5KG	1

Vitemax is a general purpose electrode for all positional welding of mild steel. Applications: Vitemax is recommended for welding mild steel sheets, plate, angles, bars and tubing which would be used to manufacture and repair items such as gates, burglar bars, bins, chutes, supportive steel frameworks, trailers, etc.

BRAZING ROD ALU BRAZE 4047 KAUFMANN



070010 3.20MM (14)	1

Aluminium alloy, suitable for use with TIG or as an aluminium brazing rod with gas.

BRAZING ROD FLUXCOAT 402 KAUFMANN



070006 1.50MM (2)	1

Silver flux coated brazing rod for use in the refrigeration and air conditioning industry.

BRAZING ROD M15 KAUFMANN



070004 2.50MM (10)	1
070005 3.20MM (6)	1

Bronze flux-coated rod for general purpose brazing.

WELDING ROD MILD STEEL CCR KAUFMANN



070007 2.50MM (10)	1
070008 3.20MM (10)	1

General-purpose copper-coated steel rod for gas welding mild steel sheet metal.

GLOVE CHROME LEATHER AFROX



875HP6110 100MM CUFF	1

General purpose work gloves with reinforced leather palm and thumb.

APRON WELDING LEATHER KAUFMANN



HW2650216 90X60CM	1

Leather welding apron for the protection of the operator and his clothing. Fits comfortably around the neck with buckle fastener at the back. Size: 90cm x 60cm.

WELDING HELMET AUTO DARK KAUFMANN WH4000



3910100	1

Solar and lithium powered automatically darkening welding helmet, ideal for ARC/MIG and TIG welding. Helmet high strength nylon with clear view filter 110x80x8mm. Lens sensitivity control and variable delay from dark to light state.

GLOVE PVC RED AFROX ELBOW LENGHT



875303L	1

General purpose heavy duty construction glove.

SPECTACLE WELDING/SAFETY GREEN KAUFMANN SHADE 5



HW2656048	1

Safety spectacles can be used by people helping at the welding site eg. The person helping to hold the steel or cleaning the steel. Not suitable for wearing while welding directly.

OVERALL BLUE DENIM TWO PIECE



1650015 NO 32	1
1650016 NO 34	1
1650017 NO 36	1
1650018 NO 38	1
1650021 NO 44	1
1650022 NO 46	1
1650023 NO 48	1

These two piece denim overhalls are made from 12 oz heavy duty denim which are then laundered to make them softer and more fashionable. Probably the best value for money garment on the market as the denim get better with age.

RAINSUIT RUBBERISED NYLON REFLECTIVE LIME



888LI LARGE	1
888MI MEDIUM	1
888SI SMALL	1
888XLI X LARGE	1
888XXLI XX LARGE	1
888XXXLI XXX LARGE	1

Rainsuit is rubberised and 100% waterproof. Jacket zip with hood. Colour lime with reflective tape that makes you visible escpecially in the dark.

RAINSUIT RUBBERISED NYLON REFLECTIVE ORANGE



889LI LARGE	1
889MI MEDIUM	1
889SI SMALL	1
889XLI X LARGE	1
889XXXLI XXX LARGE	1

Rainsuit rubberised 100% waterproof. Jacket zip with hood. Colour orange with reflective tape that makes you visible escpecially in the dark.

RAINSUIT RUBBERISED NYLON



886LI LARGE	1
886MI MEDIUM	1
886SI SMALL	1
886XLI X LARGE	1
886XXLI XX LARGE	1
886XXXLI XXX LARGE	1

Rainsuit rubberised. 100% Waterproof. Jacket zip with hood. Available in yellow, sizes S-XXXL.

GUMBOOTS KNEE LENGTH BLACK



V1107014 NO 6	1
V1107025 NO 7	1
V1107036 NO 8	1
V1107047 NO 9	1
V1107059 NO 10	1
V1107070 NO 11	1
V1107081 NO 12	1

An economical general-purpose lightweight boot made of flexible PVC materials for maximum comfort and durability. Knee length.

GUMBOOTS LADIES SLIP-ON



V1710004 SWART NO 4	1
V1710008 SWART NO 8	1

Comfortable polyurethane slip-on clogs, bound edge, PVC sole. Easy to wash and clean. Cushioned inner-sole. Suitable for gardening, agriculture and wet areas. Available in green, white and black.

GUMBOOTS LADIES BLACK



V1107172 NO 4	1
V1107173 NO 5	1
V1107174 NO 6	1
V1107175 NO 7	1
V1107176 NO 8	1
V1107177 NO 3	1
V1107178 NO 9	1

An economical general purpose lightweight boot made of flexible PVC materials for maximum comfort and durability. Half length.

GUMBOOT BLACK KING



V1106406 NO 6	1
V1106407 NO 7	1
V1106411 NO 11	1

Mens black PVC gumboot. Slip resistant and 100% recyclable.

GUMBOOTS HALF LENGTH WAYNE WHITE



V1106002 NO 4	1
V1106013 NO 5	1
V1106024 NO 6	1
V1106035 NO 7	1
V1106046 NO 8	1
V1106057 NO 9	1

Ladies plain white PVC. General purpose- not suitable for use in the food and dairy industry.

THREAD BAR GALVANISED MACKIE



08ROD3000 M8 X 3M	30
10ROD3000 M10 X 3M	20
12ROD3000 M12 X 3M	15
AO706/6208 M06 X 1M	6
AO706/6209 M08 X 1M	6
AO706/6210 M10 X 1M	6

Threaded bar is used in a myriad of applications where studs of different lengths are required. You can cut it to the required size.

NUT GALVANISED MACKIE



AO706/6051 M04 40 STUK	6
AO706/6052 M05 40 STUK	6
AO706/6053 M06 40 STUK	6
AO706/6054 M08 30 STUK	6
AO706/6055 M10 20 STUK	6
AO706/6056 M12 10 STUK	6

Galvanized nuts are used to fasten mechanical parts together. Galvanized for longer lifespan when used in water applications.

WASHER SPRING EG MACKIE



AO706/6073 M05 30 STUK	6
AO706/6074 M06 30 STUK	6
AO706/6075 M08 30 STUK	6
AO706/6076 M10 20 STUK	6
AO706/6077 M12 20 STUK	6
AO706/6078 M14 10 STUK	6
AO706/6079 M16 10 STUK	6

Spring washers are used with a nut where vibration exists.

GUMBOOTS MENS BLACK PULL-ON



V160006 NO 6	1
V160007 NO 7	1
V160008 NO 8	1
V160009 NO 9	1
V160010 NO 10	1
V160011 NO 11	1
V160012 NO 12	1

Tug, the wet boot option for men. Wear Tugs in the wet times of your day. This pull-on boot is available in black and in sizes 6 to 11. It is manufactured in South Africa from locally produced PVC compound.

BOLT PLOUGH RIPPER CSK



DW33016050X01-1 16X50MM 1KG	1

Topgehalte staal ripper bout met vergrote kop. Voorkeur produk in die landbou sektor.

BOLTS & NUTS EG MACKIE



AO706/6000 M06X020MM 6 PIECE	6
AO706/6001 M06X030MM 6 PIECE	6
AO706/6002 M06X050MM 6 PIECE	6
AO706/6003 M06X075MM 6 PIECE	6
AO706/6004 M08X020MM 6 PIECE	6
AO706/6005 M08X030MM 6 PIECE	6
AO706/6006 M08X050MM 6 PIECE	6

Bolts and nuts are mainly used to fasten mechanical parts together. Electrogalvanized to enhance lifespan when used in water applications.

WASHER BONDED



AO706/5200 6X19 (300) BULKPACK	1
AO706/5205 6X26 (125) BULKPACK	1

Used with roofingscrews, has a seeling action to prevent leekages.

SCERW POZI CHIPBOARD



AO706/5090 3.5X40 (500) BULKPACK	1
AO706/5095 4X20 (500) BULKPACK	1
AO706/5100 4X25 (500) BULKPACK	1
AO706/5105 4X30 (500) BULKPACK	1
AO706/5110 4X50 (250) BULKPACK	1
AO706/5115 4X60 (250) BULKPACK	1
AO706/5120 5X30 (500) BULKPACK	1
AO706/5125 5X40 (250) BULKPACK	1
AO706/5130 5X50 (250) BULKPACK	1

Hardened and used to fasten wood panels together.

SCR WOOD CSK SB MACKIE



AO706/6166 3.5X16MM 30 STUK	6
AO706/6167 4.0X20MM 20 STUK	6
AO706/6168 4.0X30MM 24 STUK	6
AO706/6169 4.0X40MM 24 STUK	6
AO706/6170 4.5X30MM 20 STUK	6
AO706/6171 4.5x40MM 20 STUK	6

Wood screws are used in the manufacturing of wooden furniture where corrosion may present a problem. Brass plated for longivity.

SCREW CHIPBOARD MACKIE 3.5MM



AO706/6090 3.5X16MM 60 STUK	6
AO706/6091 3.5X16MM 120 STUK	6
AO706/6092 3.5X25MM 60 STUK	6
AO706/6093 3.5X25MM 100 STUK	6
AO706/6094 3.5X25MM 400 STUK	6
AO706/6095 3.5X30MM 60 STUK	6
AO706/6096 3.5X40MM 40 STUK	6
AO706/6097 3.5X40MM 80 STUK	6
AO706/6098 3.5X50MM 36 STUK	6
AO706/6099 3.5X50MM 100 STUK	6

Chipboard screws are used in the manufacturing of timber/chipboard items like cupboards.

SCREW CHIPBOARD MACKIE 4MM



AO706/6100 4.0X16MM 80 STUK	6
AO706/6101 4.0X16MM 120 STUK	6
AO706/6102 4.0X25MM 60 STUK	6
AO706/6103 4.0X25MM 120 STUK	6
AO706/6104 4.0X30MM 60 STUK	6
AO706/6105 4.0X30MM 120 STUK	6
AO706/6106 4.0X40MM 40 STUK	6
AO706/6107 4.0X40MM 100 STUK	6
AO706/6108 4.0X50MM 50 STUK	6
AO706/6109 4.0X50MM 100 STUK	6
AO706/6110 4.0X60MM 30 STUK	6

Chipboard screws are used in the manufacturing of timber/chipboard items like cupboards.

SCREW CHIPBOARD MACKIE 5MM



AO706/6111 5.0X30MM 30 STUK	6
AO706/6112 5.0X40MM 40 STUK	6
AO706/6113 5.0X50MM 30 STUK	6
AO706/6114 5.0X60MM 20 STUK	6
AO706/6115 5.0X75MM 20 STUK	6

Chipboard screws are used in the manufacturing of timber/chipboard items like cupboards.

CHIPBOARD SCREW



AO706/6226 M3.5X16MM	2000
AO706/6227 M3.5X25MM	1000
AO706/6228 M3.5X30MM	1000
AO706/6229 M3.5X40MM	1000
AO706/6230 M4.0X16MM	1000
AO706/6231 M4.0X25MM	1000
AO706/6232 M4.0X30MM	1000
AO706/6233 M4.0X40MM	500
AO706/6234 M4.0X50MM	500
AO706/6235 M4.0X70MM	250
AO706/6236 M5.0X50MM	250
AO706/6237 M5.0X60M	250

Chipboard screws are used in the manufacturing of timber/chipboard items like cupboards.

SCREW MACHINE MACKIE



AO706/6138 EG M4X16MM 10 STUK	6
AO706/6139 EG M4X30MM 10 STUK	6
AO706/6140 EG M4X50MM 10 STUK	6
AO706/6141 STEEL M4X20MM 40 STUK	6
AO706/6142 STEEL M5X20MM 30 STUK	6
AO706/6143 STEEL M5X30MM 20 STUK	6
AO706/6144 STEEL M5X50MM 20 STUK	6

Machine screws are used to fasten finer mechanical componets together.

SELF DRILLING SCREW



AO706/6254 12X40MM	300
AO706/6255 12X50MM	200
AO706/6256 12X65MM	200
AO706/6257 12X75MM	100
AO706/6271 12X20MM	500
AO706/6272 12X25MM	500

Self-drilling screws are predominantly used for roofing and manufacturing of heavy timber furniture.

SELF DRILLING SCREW



AO706/6267 12X50MM	600
AO706/6268 12X65MM	400

Self-drilling screws are predominantly used for roofing and manufacture of heavy timber furniture.

SCREW SELFTAPPING



AO706/5135 4X20 (300) BULKPACK	1
AO706/5140 4X25 (300) BULKPACK	1
AO706/5145 5X16 (300) BULKPACK	1
AO706/5150 5X20 (300) BULKPACK	1
AO706/5155 5X25 (300) BULKPACK	1

Hardened and used to fasten wood panels together.

NAIL WIRE



SO559025160-3 25MM X 1KG	1
SO559032160-3 32MM X 1KG	1
SO559040200-3 40MM X 1KG	1
SO559050250-3 50MM X 1KG	1
SO559065280-3 63MM X 1KG	1
SO559075355-3 75MM X 1KG	1
SO559090355-3 90MM X 1KG	1
SO559100400-1 100MM X 1KG	25
SO559125500-3 125MM X 1KG	1
SO559150560-3 150MM X 1KG	1

Wire nails are made from hard-drawn wire and is round-headed. Commonly used in the building industry. Available in 25kg, 1kg and 500g packages.

WIRE STAPLES



SO56132315 32MM	25

PINS PANEL



SO56232160-3 32MM X 1KG	1

Panel pins are made from hard-drawn wire and is round-headed. Commonly used in the building industry. Available in 25kg, 1kg and 500g packages.

NAILS CLOUT MACKIE



AO706/6033 032MM 40 STUK	6
AO706/6034 040MM 40 STUK	6

Clout nails are mainly used to secure ceiling board to battons.

RIVETS BLIND ALUMINIUM MACKIE



AO706/6202 3.2X10MM 40 STUK	6
AO706/6203 3.2X15MM 100 STUK	6
AO706/6204 4.0X10MM 40 STUK	6
AO706/6205 4.0X15MM 100 STUK	6
AO706/6206 4.8X10MM 40 STUK	6
AO706/6207 4.8X15MM 100 STUK	6

Rivets are used to secure sheet metals to one another.

NAILIN ANCHOR



AO706/5065 6X45 (100) BULKPACK	1
AO706/5070 5X36 (100) BULKPACK	1
AO706/5075 6X55 (100) BULKPACK	1
AO706/5080 8X75 (100) BULKPACK	1

Used to fasten shelving, for example to a wall.

COACH SCREW



AO706/6260 M08X60MM	150
AO706/6261 M10X50MM	100

Coach screws are used in heavy timber construction as well as securing medium load items to concrete.

WALL PLUG NYLON



AO706/6265 10MM	250
AO706/6266 12MM	150

Plugs are used in conjunction with screws to secure lightweight items in concrete.

BOLT AND NUT SET HEX



AO706/0198 M12X50 2PACK	1

HOOKS CUP SQUARE BRASS



NUT GALV



NYLON WALL PLUGS



SCREW ANCHOR &8MM PLUG



SCREW SELFTAPPING & PLUG



MESH METAL GREEN (PM)



HW2731177 900MMX30M	30
HW2731220 1200MMX30M	30

General purpose but mainly on windows and doors for keeping out flying insects, mosquitoes included.

SHELF BRACKETS STAYLESS



HW1690124 150X200 BLACK	1
HW1690264 200X250 BLACK	1
HW1690418 250X300 BLACK	1
HW1690558 300X350 BLACK	1

Supports shelves.

BRACKET WHITE SHELF MACKIE



HW1641095 150 X 200MM	1

Used for support of shelves.

BRACKET SHELF B.J. MACKIE

HW1641120 125 X 150MM	1

Used for support of shelves.

BRACKET WHITE SHELF 125 X 150MM MACKIE



HW1601090	1

Used to support shelving when attached to walls.

T-BRACE GALV & SCR MACKIE



HW1641175 76 X 76MM	1
HW1641180 100 X 100MM	1

Used for support of shelves.

SCREW SELF TAPPER MACKIE



AO706/6155 3.5X16MM 70 STUK	6
AO706/6156 4.0X20MM 70 STUK	6
AO706/6157 4.0X40MM 20 STUK	6
AO706/6158 4.0X40MM 40 STUK	6
AO706/6159 5.0X16MM 50 STUK	6
AO706/6160 5.0X20MM 30 STUK	6
AO706/6161 5.0X30MM 50 STUK	6
AO706/6162 5.0X40MM 20 STUK	6

Self tapper screws are used to secure a variety of materials together.

SCREW WOOD CSK BP MACKIE



AO706/6163 3.5X16MM 70 STUK	6
AO706/6164 3.5X25MM 60 STUK	6
AO706/6165 4.0X30MM 60 STUK	6

Wood screws are used in the manufacturing of wooden furniture where corrosion may present a problem. Brass plated for longivity.

SCR WOOD CSK STEEL MACKIE



AO706/6172 3.5X16MM 70 STUK	6
AO706/6173 3.5X25MM 60 STUK	6
AO706/6174 4.0X30MM 60 STUK	6
AO706/6175 4.0X40MM 40 STUK	6
AO706/6176 4.0X50MM 40 STUK	6
AO706/6177 4.0X60MM 20 STUK	6

Wood screws are used in the manufacturing of wooden furniture.

ANCHOR EXPANSION BOLT IKA



HW0851844 5MM 12L	1
HW0851855 6MM 10L	1
HW0851866 8MM 10L	1
HW0851877 10MM 25L	1
HW0851888 12MM 25L	1
HW0851896 16MM 30L	1
HW0851899 20MM 100L	1

Loose bolt type. Masonry drill bit for hole: 5mm = 9mm drill bit at HW0850489, 6mm = 12mm drill bit at HW0850705, 8mm = 14mm drill bit at HW0850716, 10mm = 16mm drill bit at HW0850721, 12mm = 20mm drill bit at HW0850748, 16mm = 25mm drill bit at HW0850756, 20mm = 32mm drill bit at HW0850759.

SCREW TEK



AO706/5175 12X20 (250) BULKPACK	1
AO706/5180 12X25 (250) BULKPACK	1
AO706/5185 12X30 (250) BULKPACK	1
AO706/5190 12X40 (200) BULKPACK	1
AO706/5195 12X50 (150) BULKPACK	1

Has a selfdrilling point and is used to fasten roofs to steel stuctures.

BOLT+NUT GUTTER



AO706/5025 6X40 (100) BULKPACK	1
AO706/5030 6X50 (100) BULKPAK	1
AO706/5035 6X60 (100) BULKPACK	1

Bolt and nut set, are used to fasten gutters.

ANCHOR HAMMERSCR IKA TRADE PACK



HW0862140 5X35 (25)	1
HW0862150 6X40 (20)	1
HW0862160 6X60 (20)	1
HW0862170 8X60 (10)	1
HW0862180 8X80 (10)	1
HW0862190 8X100 (10)	1
HW0862200 8X120 (8)	1

Masonry drill bit for hole: 4mm = HW0850101, 5mm = HW0850144, 6mm = HW0850284, 8mm = HW0850438.

BOLT AND NUT GUTTER



DVG616 6X16 MINIFIX (50)	1
DVG620 M6X20 MINIFIX (50)	1
DVG625 M6X25 MINIFIX (50)	1
DVG630 M6X30 MINIFIX (50)	1
DVG640 M6X40 MINIFIX (50)	1
DVG650 M6X50 MINIFIX (50)	1

SCREW CHIPBOARD MACKIE 3MM



AO706/6088 3.0X12MM 50 STUK	6
AO706/6089 3.0X16MM 50 STUK	6

Chipboard screws are used in the manufacturing of timber/chipboard items like cupboards.

SCREW DRYWALL CRSE MACKIE



AO706/6133 3.5X25MM 60 STUK	6
AO706/6134 3.5X40MM 40 STUK	6
AO706/6135 4.0X25MM 60 STUK	6
AO706/6136 4.0X30MM 60 STUK	6
AO706/6137 4.0X40MM 40 STUK	6

Drywall screws are used in the erection of drywalling and ceiling boards.

DRYWALL SCREW



AO706/6258 M3.5X32MM	2000
AO706/6259 M3.5X41MM	1500

Hardened and used in wooden applications like fastening dry walling together.

CLAMPS WIRE ROPE CROSBY



HW1810103 5MM	1
HW1810243 6MM	1
HW1810383 8MM	1
HW1810529 10MM	1
HW1810812 12MM	1
HW1810960 16MM	1
HW1811118 20MM	1
HW1811258 22MM	1
HW1811398 25MM	1

Galvanised.

CABLE STEEL CUT P/M



2950251 3MM GALV 6X19	1
2950260 4MM GALV 6X7	1
2950332 5MM GALV 6X19	1
2950391 6MM GALV 6X19	1
2950393 8MM GALV 6X19	1
2950472 10MM GALV 6X19	1
2950537 13MM GALV 6X19	1

Galvanised steel cable in different thicknessess for game fences, shadow net shelters, hoisting pulleys etc.

NAIL WIRE



AO706/5055 75MM (300G) BULKPACK	1
AO706/5060 100MM (300GR) BULKPACK	1
SO559090355-1 90MM 1KG (P/KG)	25
SO559100400-3 100MM 25KG (P/KG)	1
SO559150560-1 150MM 25KG (P/KG)	25

Wire nails are made from hard-drawn wire and is round-headed. Commonly used in the building industry. Available in 25kg, 1kg and 500g packages.

NAIL WIRE



SO559032160-1 32MMX25KG (P/KG)	25
SO559065280-1 63MMX25KG (P/KG)	25
SO559075355-1 75MMX25KG (P/KG)	25
SO559125500-1 125MMX25KG (P/KG)	25

Wire nails are made from hard-drawn wire and is round-headed. Commonly used in the building industry. Available in 25kg, 1kg and 500g packages.

NAILS CLOUT



SO56325250-3 25MM X 1KG	1
SO56332280-3 32MM X 1KG	1
SO56340280-1 40MM X 25KG	25
SO56340280-3 40MM X 25KG (P/KG)	1
SO56350280-3 50MM X 1KG	1

Clout nails are made from hard-drawn wire and is round-headed. Commonly used in the building industry. Available in 25kg, 1kg and 500g packages.

NAILS WIRE MACKIE



AO706/6043 025MM 100 STUK	6
AO706/6044 032MM 100 STUK	6
AO706/6045 040MM 100 STUK	6
AO706/6046 050MM 100 STUK	6
AO706/6047 063MM 250 STUK	6
AO706/6048 075MM 250 STUK	6

Wire nails are mainly used in the construction of timber items.

WASHERS RIVETS BLIND STEEL KAUFMANN



HW2622513 3.3MM	1
HW2622564 4.1MM	1
HW2622602 4.9MM	1

Used with rivets to prevent them from pulling through. Rivets from code HW2621517.

WASHER FLAT EG MACKIE



AO706/6067 M04 40 STUK	6
AO706/6068 M05 40 STUK	6
AO706/6069 M06 40 STUK	6
AO706/6070 M08 40 STUK	6
AO706/6071 M10 40 STUK	6
AO706/6072 M12 40 STUK	6

Washers are used as a fender between the nut and the substrate being fastened.

NAIL SHELF MACKIE

HW1640960 WHITE	1

Supports shelves.

NAILS MASONARY MACKIE



AO706/6035 025MM 50 STUK	6
AO706/6036 032MM 50 STUK	6
AO706/6037 040MM 50 STUK	6
AO706/6038 050MM 50 STUK	6
AO706/6039 065MM 20 STUK	6
AO706/6040 075MM 15 STUK	6

Masonary nails are used to secure metal or timber flashings to walls.

WASHER ROOF EVA BONDED MINIFIX



DVMFEVA1950 6X19MM (50)	1
DVMFEVA2650 6X26MM (50)	1

Bonded washers are the modern way to seal holes from water leaks. Available on outside diameter 19mm and 26mm. The 19mm is normaly used on corrugated sheeting and 26mm on IBR sheeting.

HINGE S.B. BUTT & S.B. PIN & NYLON WASH



HW1640280 100 X 75MM	1

Solid brass.Used to hang doors to frames and supplied with screws. Brass pin and plastic washer.

RIVETS BLIND ALUMINIUM KAUFMANN



HW2620200 3210 3.2X10	1
HW2620340 3206 3.2X06	1
HW2620375 3208 3.2X08	1
HW2620405 3212 3.2X12	1
HW2620480 3215 3.2X15	1
HW2620483 3218 3.2X18	1
HW2620561 4006 4.0X06	1
HW2620634 4010 4.0X10	1
HW2620774 4008 4.0X08	1
HW2620790 4012 4.0X12	1
HW2620928 4015 4.0X15	1
HW2620934 4018 4.0X18	1
HW2621207 4810 4.8X10	1
HW2621363 4812 4.8X12	1
HW2621495 4815 4.8X15	1
HW2621517 4818 4.8X18	1
HW2621525 4821 4.8X21	1

Aluminium rivet used for securing any item to metal, plastic, rubber wood. Quick and neat. Drill hole to the same diameter as rivet. Riveters at codes HW2622483 and HW2621789. Washers at code HW2622602.

NAILS PANEL PINS MACKIE



AO706/6041 016MM 100 STUK	6
AO706/6042 025MM 100 STUK	6

Panel pins are used to secure timber window strips within the frame or picture frame.

NAIL IN ANCHORS



DVN536 M5X36 MINIFIX (50)	1
DVN635 M6X35 MINIFIX (50)	1
DVN655 M6X55 MINIFIX (50)	1
DVN670 M6X70 MINIFIX (50)	1
DVN857 M8X57 MINIFIX (50)	1
DVN880 M8X75 MINIFIX (25)	1

NAIL ANCHOR



AO706/6239 5X036MM	100
AO706/6240 5X045MM	100
AO706/6241 6X035MM	100
AO706/6242 6X045MM	100
AO706/6243 6X055MM	100
AO706/6245 8X045MM	100
AO706/6246 8X057MM	50
AO706/6247 8X075MM	50
AO706/6248 8X100MM	50

Nail in plugs are used to secure lightweight products to concrete i.e. plumbing fixtures, electrical fixtures, picture frames etc.

WALL PLUG NYLON



AO706/6249 08MM	200
AO706/6269 10MM	100
AO706/6270 12MM	50

Plugs are used in conjunction with screws to secure lightweight items in concrete.

SCREW ANCHOR MACKIE



AO706/6184 4.0X40MM +PLUG 10 STUK	6
AO706/6185 4.0X40MM +PLUG 30 STUK	6

Anchor screws are used to secure lightweight items such as curtain rails in concrete.

NAIL IN PLUG MACKIE



AO706/6026 M06X035MM 6 STUK	6
AO706/6027 M06X035MM 30 STUK	6
AO706/6028 M06X055MM 30 STUK	6
AO706/6029 M06X070MM 10 STUK	6
AO706/6030 M06X055MM 8 STUK	6
AO706/6031 M06X055MM 16 STUK	6
AO706/6032 M08X075MM 8 STUK	6

Nail in plugs are used to secure lightweight products to concrete i.e. plumbing fixtures, electrical fixtures, picture frames etc.

PLUG NYLON MACKIE



AO706/6080 M06 20 STUK	6
AO706/6081 M08 18 STUK	6
AO706/6082 M10 5 STUK	6
AO706/6083 M10 10 STUK	6
AO706/6084 M12 10 STUK	6

Plugs are used in conjuntion with screws to secure lightweight items in concrete.

NAIL ANCHOR



AO706/6262 6X055MM	300
AO706/6263 6X070MM	250
AO706/6264 8X100MM	150

Nail in plugs are used to secure lightweight products to concrete i.e. plumbing fixtures, electrical fixtures, picture frames etc.

NUMERAL PLASTIC WHITE 75MM MACKIE



HW1640000 NO 0	1
HW1640005 NO 1	1
HW1640010 NO 2	1
HW1640015 NO 3	1
HW1640020 N0 4	1
HW1640025 NO 5	1
HW1640030 NO 6	1
HW1640035 NO 7	1
HW1640040 NO 8	1
HW1640045 NO 9	1

White plastic. Prominent marking of houses and building. Supplied with screws.

NUMERAL PLASTIC BLACK 75MM MACKIE



HW1640050 NO 0	1
HW1640055 NO 1	1
HW1640060 NO 2	1
HW1640065 NO 3	1
HW1640070 NO 4	1
HW1640075 NO 5	1
HW1640080 NO 6	1
HW1640085 NO 7	1
HW1640095 NO 9	1

Black plastic. Prominent marking of houses and building. Supplied with screws.

NUMERAL PLASTIC BLACK 200MM MACKIE



HW1640200 NO 0	1
HW1640205 NO 1	1
HW1640210 NO 2	1
HW1640215 NO 3	1
HW1640220 NO 4	1
HW1640230 NO 6	1
HW1640235 NO 7	1
HW1640240 NO 8	1
HW1640245 NO 9	1

Black plastic. Prominent marking of houses and building. Supplied with screws.

NUMBERS BRUSHED ALUMINIUM SATIN 200MM MACKIE



HW1640105 NO 1	1
HW1640110 NO 2	1
HW1640115 NO 3	1
HW1640120 NO 4	1
HW1640125 NO 5	1
HW1640130 NO 6	1
HW1640135 NO 7	1
HW1640140 NO 8	1
HW1640145 NO 9	1

Top quality Aluminium. Prominent marking of houses and building. Supplied with screws.

HOOK CUP BP MACKIE



AO706/6019 025MM 20 STUK	6
AO706/6020 040MM 5 STUK	6
AO706/6021 040MM 15 STUK	6

Cup hooks are used mainly in kitchens to hang coffee cups or light kitchen utensils.

DOOR STOPS & SCREWS MACKIE



HW1641035 x 1	1
HW1641040 x 2	1

Used to prevent door from opening too far

HOOK COAT DOUBLE MACKIE

HW1640855	1

Hook for hats and coats. Used with hat stand.

LATCH GATE GALVANISED



HW1672258	10

Ideal for swimming pool gates, can be secured with a lock.

LOCK NIGHT LATCH SECURITY



HW1837295	1

All purpose every day use.

HOOK CABIN BRASS PLATED & SCREWS - MAZAK MACKIE



HW1640740 100MM	1
HW1640745 150MM	1

Hook and washer. Used mainly to keep doors and windows open. Brass plated.

HOOK CABIN DOUBLE SWIVEL MACKIE

HW1640870 100MM	1

Used to keep doors and wooden windows open.

HOOK COAT DECORATIVE MACKIE

HW1640880 2.25	1

Hook for hats and coats. Used with hat stand.

HOOK ROBE DOUBLE BRASS PLATED MACKIE

HW1640790	1

Hook for hats and coats. Used with hat stand. Brass.


HASP AND STAPLE HD BJ SYDMORE



HW1660098 90MM	10
HW1660233 115MM	10
HW1660373 150MM	10

Can be secured with a lock.

LOCK METAL BOX FOR SECURITY LOCK



HW1833630	1

Fits lock at HW1833626.

CATCH DOUBLE ROLLER & SCREWS MACKIE

HW1640905	1

Drag hook with double rollers. Used on inside of doors to keep them closed.

BOLT BARREL CHROME PLATED STRAIGHT & SCREWS MACKIE



HW1640695 50MM	1
HW1640700 64MM	1
HW1640705 75MM	1
HW1640710 100MM	1

Chrome plated. Fitted to internal doors, to lock with bolt.

TOGGLE & CATCH - MACKIE



HW1641195 LARGE	1

Drag hook. Used on inside of cupboard doors to keep them closed.

BOLT BARREL SOLID BRASS STRAIGHT & SCREWS MACKIE

HW1640655 50MM	1
HW1640660 64MM	1
HW1640665 75MM	1
HW1640670 100MM	1

Brass. Fitted to internal doors, to lock with bolt.

LOCKSET MACKIE



HW1838595 BRASS CYLINDER	1
HW1838600 STAINLESS STEEL CYLINDER	1
HW1838605 CHROME 2 LVR KEYHOLDER	1
HW1838610 CHROME 3 LVR KEYHOLDER	1
HW1838615 CHROME 4 LVR KEYHOLDER	1
HW1838625 CHROME H/D CYLINDER	1

Lockset.

GEORGIAN PLATE/SCROLL HANDLE



HW1838345 GABLE 2 LEVER	1
HW1838350 GABLE 3 LEVER	1
HW1838355 GABLE 4 LEVER	1
HW1838365 STRAIGHT 2 LEVER	1
HW1838370 STRAIGHT 3 LEVER	1
HW1838375 STRAIGHT 4 LEVER	1

Lockset for front door. Keyhole

CAM LOCK MACKIE

HW1838455 NICKLE	1

Lock for cupboard. Nickle plated.

HASP AND STAPLE GALV SYDMORE



HW1661360 55MM	1
HW1661365 89MM	1

Can be secured with a lock.


HASP AND STAPLE BRASS SYDMORE



HW1661515 90MM	10

Can be secured with a lock.

PAD BOLT ELECTRO GALVANISED



HW1670107 100MM	10
HW1670247 150MM	10
HW1670395 200MM	1
HW1670530 250MM	1

For external doors and gates. Can be secured with a lock.

BOLT BREL BLACK JAPAN



HW1680110 100MM	10
HW1680404 200MM	10

Used on inside doors and doors not requiring high security.

BOLT BARREL GALVANISED & SCREWS MACKIE



HW1640545 102MM	1
HW1640550 150MM	1
HW1640555 100MM	1
HW1640560 152MM	1

Used on inside of doors and doors not requiring high security.

BOLT BARREL CHROME PLATED NECKED & SCREWS MACKIE



HW1640715 50MM	1
HW1640720 64MM	1
HW1640725 75MM	1
HW1640730 100MM	1

Chrome plated. Fitted to internal doors, to lock with bolt. Fitted to inner doors to lock with bolt. The bolt has a neck and is used with a catch plate. Used mainly on heavy doors.

RIM LOCK INCL. 3 KEYS & 1 PAIR OF KNOBS MACKIE



HW1838740	1

Used on internal doors.

GABLE PLATE / SCROLL HANDLE MACKIE



HW1838210 GEORGIAN KEYHOLE	1
HW1838215 GEORGIAN PRO CYLINDER	1

Handle for front door.

LOCK PLASTIC & ESC & KEY MACKIE



HW1838485 20MM BROWN	1

Lock plastic with escutcheon. Brown.

LOCK CYLINDER PROFILE & CYLINDER ONLY SOLID BRASS

HW1838550	1
HW1838555	1

Lockset brass cylinder.

VICTORIAN GABLE PLATE/SCROLL HANDLE & LOCK



HW1838285 2 LEVER	1
HW1838290 3 LEVER	1
HW1838295 4 LEVER	1

Lockset for front door. Keyhole

LOCKSET PROFILE CYLINDER MACKIE



HW1838650 ALUMINIUM HANDLE	1

Lockset. Cylinder.

DEAD BOLT CYLINDRICAL MACKIE



HW1838655 BRASS PLATED	1
HW1838660 ANTIQUE PLATED	1

Used on interio rof doors. Pushed down into hole in concrete.

VICTORIAN STRAIGHT PLATE/STRAIGHT HANDLE



HW1838325 2 LEVER	1
HW1838330 3 LEVER	1
HW1838335 4 LEVER	1

Lockset for front door. Keyhole

CAM LOCK MACKIE

HW1838460 BRASS PLATED	1

Lock for cupboard. Brass plated.

HINGE BLACK JAPAN SCREEN DOOR & SCREWS MACKIE



HW1640505 76MM	1

Used on screendoors.

HINGE FLUSH EB & SCREWS MACKIE



HW1640420 50MM	1
HW1640425 64MM	1
HW1640430 100MM	1

Plated brass.Used to hang doors to frames and supplied with screws.

HINGE TEE GALV & SCREWS MACKIE



HW1640475 102MM	1
HW1640480 150MM	1
HW1640485 200MM	1
HW1640490 250MM	1

Galvanised. Used on wooden doors and lids were the wood is thong and groove, like stable doors.

HINGE EASY FIT BRASS PLATED & SCREWS MACKIE



HW1640320 55MM	1

Plated brass.Used to hang doors to frames and supplied with screws.

HINGE PARLIAMENT S.B. MACKIE



HW1640300 125 X 125MM	1

Solid brass.Used to hang doors to frames where larger gap is required and supplied with screws.

HINGE BULLET



HW1653355 70X12	2
HW1653366 70X16	1
HW1653377 70X20	1
HW1653388 100X20	2
HW1653399 100X25	2
HW1653410 120X30	1

Permanently welded hinge. Male and female fittings.


HINGE BULLET (2) PACKED



HW1653360 70 X 16	1
HW1653370 70 X 20	1
HW1653380 100 X 20	1

Permanently welded hinge. Male and female fittings.

HINGE T BLACK JAPAN LD



HW1651528 100MM	10
HW1651668 150MM	10
HW1651803 200MM	10
HW1651943 250MM	10
HW1652095 300MM	10

The "T" hinge is mainly used on wooden doors or lids were the wood is thong and groove, like stable doors.

HINGE TEE BLACK JAPAN & SCREWS MACKIE



HW1640455 102MM	1
HW1640460 150MM	1
HW1640465 200MM	1
HW1640470 250MM	1

Black painted. Used on wooden doors and lids were the wood is thong and groove, like stable doors.

HINGE PIANO 32MM EB MACKIE



HW1640440 1 x 3.5 MTR	1

Plated brass. Used on kitchen and building cupboards.

HINGE SELF CLOSING BRASS PLATED & SCREWS MACKIE

HW1640335	1

Plated brass.Used to hang doors to frames and supplied with screws.

HINGE EASY FIT BRASS PLATED & SCREWS MACKIE



HW1640336 64MM	1

Plated brass. Used to hang doors to frames and supplied with screws.


HINGE SELF CLOSING ANTIQUE COPPER & SCREWS MACKIE



HW1640340	1

Self closing hindge, antique copper and supplied with screws.

BOLT LOCK AND STAPLE SYDMORE



HW1672118	10
102MM	

For external doors and gates. Can be secured with a lock.

BOLT PAD GALVANISED MACKIE



HW1640520	1
100MM	
HW1640525	1
150MM	
HW1640530	1
200MM	
HW1640535	1
250MM	

External doors and gates. Can be locked with padbolt.

ESCUTCHEON S/STEEL MACKIE

HW1838130	1
KEYHOLE	
HW1838135	1
P/CYLINDER	

Decoration of door keyhole

LOCK PATIO HASP MACKIE

HW1838770	1
2.5	
HW1838775	1
3.0	
HW1838780	1
4.0	

Lockset for sliding doors.Chrome plated.

LATCH GATE GALVANISED AUTO & SCREWS MACKIE

HW1640565	1

Ideal for swimming pool gates, and can be secured with lock.

HASP & STALE BLACK JAPAN & SCREWS MACKIE



HW1640575	1
55MM	
HW1640580	1
75MM	
HW1640585	1
89MM	
HW1640590	1
114MM	
HW1640595	1
152MM	

Can be secured with lock. Painted black.

CLASSIC ESCUTCHEON S.N. MACKIE



HW1838270	1

Decoration of door keyhole

LOCK INSURANCE BRASS MASTER



HW1837110	1
76MM	
HW1837120	1
85MM	

Maximum security rating.

LOCK INSURANCE BRASS SECURITY



HW1837270	1
60MM	

All purpose every day use.

LOCK COMBINATION MASTER



HW1837163	1

Case-hardend 7mm steel shackle. Double armed construction with an automatic locking lever. Secure three number dialing. High security and is used on lockers, bikes and sport bags.

LOCK COMBINATION MASTER BRASS



HW1837162	1
20MM	

Manufactured from brass. High security. Used on lockers, bikes and sport bags.

LOCK PAD STEEL DISC MASTER



HW1837160 70MM	1

Standard security rating.

LOCK PAD BRASS MASTER 3PACK KA



HW1837086 50MM	1

LOCK BIKE CABLE MASTER



HW1837195 1.8M	1

1.8 m x 8mm Self coiling cable bike lock with vinyl coating. Two keys.

LOCK BRASS TRICIRCLE



HW1830915 20MM 261	6
HW1830961 25MM 262	6
HW1831259 30MM 263	6
HW1831399 38MM 264	6
HW1831400 50MM 265	1
HW1831402 60MM 266	1

All purpose every day use.

LOCK PAD BRASS TRICIRCLE LS



HW1831456 30MM	1
HW1831460 40MM	1
HW1831463 50MM	1

Brass padlock with hardened long shackle and three keys. Can be used in or outdoors. Also used as a bicycle lock. Low security.

LOCK BRASS TRICIRCLE PACKED



HW1830915P 20MM 261	1
HW1830961P 25MM 262	1
HW1831259P 30MM 263	1
HW1831399P 40MM 264	1
HW1831400P 50MM 265	1
HW1831402P 60MM 266	1

All purpose every day use.

LOCK SET STEEL 6 PCE KAUFMANN



HW1830071 30MM	1
HW1830076 40MM	1
HW1830082 50MM	1

Six piece iron padlock set with hardened shackles. Each lock has its own three keys, that fit all the locks in the set. Mainly used indoors or where little or no rust occurs.

LOCK IRON TRICIRCLE



HW1832409 25MM 362	6
HW1832476 30MM 363	6
HW1832549 40MM 364	6
HW1832611 50MM 365	1
HW1832697 60MM 366	1

All purpose every day use.

LOCK PAD STEEL DISC SECURITY



HW1837280 70MM	1

All purpose every day use.

LOCK PAD STEEL LAMINATED MASTER



HW1837130 44MM	1
HW1837140 51MM	1

Security rating: 44mm - High security medium duty. 51mm - High security heavy duty.

LOCK PAD BRASS 6PCE MASTER KA



HW1837082 40MM	1
HW1837088 50MM	1

Security rating: Standard security. All the locks in this pack are "Keyed Alike". That means that the keys in this pack can open any lock in the pack.

LOCK PAD BRASS MASTER L/S



HW1837090 40MM	1

Security rating: 40mm - High security, medium duty.

LOCK PAD BRASS 2PCE MASTER KA



HW1837075 40MM	1
HW1837085 50MM	1

Security rating: Standard security. All the locks in this pack are "Keyed Alike". That means that the keys in this pack can open any lock in the pack.

LOCK SET BRASS 4 PCE KAUFMANN



HW1830102 30MM	1
HW1830108 40MM	1
HW1830111 50MM	1

Four piece brass lock set with hardened shackles. Each padlock has its own three keys that can unlock all the padlocks in this set. Can be used in or outdoors.

LOCK SET BRASS 6 PCE KAUFMANN



HW1830118 30MM	1
HW1830123 40MM	1
HW1830127 50MM	1

Six piece brass lock set with hardened shackles. Each padlock has its own three keys that can unlock all the padlocks in this set. Can be used in or outdoors.

LOCK SET STEEL 3 PCE KAUFMANN



HW1830042 30MM	1
HW1830047 40MM	1
HW1830053 50MM	1

Three piece iron padlock set with hardened shackles. Each lock has its own three keys, that fit all the locks in the set. Mainly used indoors or where little or no rust occurs.

LOCK PAD IRON KAUFMANN



HW1830130 L/S 40MM	1

Iron padlock with hardened shackle and three keys. Long shackle. Mainly used indoors or where little or no rust occurs.

LOCK PAD BRASS KAUFMANN



HW1830140 L/S 40MM	1
HW1830145 L/S 50MM	1

Braas padlock with hardened shackle and three keys. Long shackle. Can be used in or outdoors.

CLASSIC STRAIGHT PLATE HANDLE



HW1838240 SCROLL KEYHOLE	1
HW1838245 SCROLL CYLINDER	1
HW1838250 STRAIGHT KEYHOLE	1
HW1838255 STRAIGHT CYLINDER	1

Handle for front door.

CLASSIC BALL MORTICE KNOB SET - S.N. MACKIE

HW1838260 57MM	1

Handle for front door.

CLASSIC FLAT MORTICE KNOB SET - S.N. MACKIE

HW1838265 57MM	1

Handle for front door.

HANDLE JUNO SUITE S/STEEL MACKIE



HW1838100	1

Handle for front door.

HANDLE KEYHOLE S/STEEL MACKIE



HW1838160	1
VESTA SUITE	
HW1838165	1
CERES SUITE	
HW1838170	1
VICTORIAN GEUWEL	

Handle for front door. Keyhole.

HANDLE VENUS SUITE S/STEEL MACKIE



HW1838110	1

Handle for front door.

HANDLE S/STEEL MACKIE



HW1838120	

Handle for front door.

HANDLE S/STEEL MACKIE



HW1838125	1
CERES SUITE	

Handle for front door.

SOCKET MAGNETIC 3/8 POSIFAST MINIFIX



DVMAG3/8	1

Magnetized holder for 3/8 inch teks self drill screws for use with electric/battery operated drills.

SOCKET MAGNETIC 5/16 SELFDRILL



DVMAG5/16	1

Magnetized holder for 5/16 inch top speed roofing screws for use with electric/battery operated drills.

HELMET WELDING SELF DARKENING OHE350 TRANSARC AFRO



430053219	1

High quality electronic welding helmet. Lightweight and comfortable to wear. Darkens in 0.005 seconds to a 4/9-13 shade. Powered by solar cells with an enclosed back uo lithium battery.

WELDER INVERTER AFROX



330034140	1
140 Amp	
330034160	1
160 Amp	

Portable inverter welder for DIY and light duty welding around the home. Fitted with a VRD. Single phase 240V(15 AMP). Twelve months warranty.

WELDER INVERTER AFROX



430034140	1
140A	
430034160	1
160A	

Portable inverter welder for DIY and light duty welding around the home. Fitted with a VRD. Single phase 240V(15 AMP). Twelve months warranty.

HAMMER CHIPPING AFROX



430053020	1

Featuring hardened steel head with pointed and chisel edges. Spring handle reduces jarring.

WELDING HELMET GLASS ONLY KAUFMANN



HW2650200	1
GLASS DARK	
HW2650205	1
GLASS CLEAR	
HW2650210	1
PLASTIC CLEAR	

Replacement lens for Kaufmann welding helmet.

WELDING CABLE KAUFMANN



391101	1
GREEN 16MM 160AMP 6M	
391102	1
GREEN 16MM 160AMP 12M	
391103	1
BLUE 25MM 250AMP 6M	
391104	1
BLUE 25MM 250AMP 12M	
391105	1
GREY 35MM 300AMP 6M	
391106	1
GREY 35MM 300AMP 12M	

An in-and outdoor flexible welding cable. Covered by soft, flexible PVC. Voltage: 600-1000V. Available in 6m and 12m lengths.

WELDING CABLE KIT KAUFMANN



391107 GREEN 140-160AMP	1
391108 BLUE 250AMP	1

The 140-160A kit consists of: 2 x 2.5m flexible welding cable and a 300A electrode holder with a 300AMP earth clamp. The 250A kit consists of: 500A electrode holder and a 500A fitted earth clamp.

WELDING YOLK KAUFMANN LEATHER



HW2656051	1

For protection of the shoulders and arms during welding.

WELDING HELMET FLIP FRONT KAUFMANN



HW2650126	1

Flip front welding helmet, spare glasses, dark at code HW2650200, clear glass HW2650205 and clear plastic HW2650210.

WELDING SPATS KAUFMANN LEATHER



HW2656045 P/PAIR	1

Used to protect your shoes during welding.

WELDING ROD STAINLESS ST 316L KAUFMANN



070012 2.50MM (8)	1

Welding rod containing chrome, nickel and molybdenum. Recommended for welding a wide variety of stainless steels.

WELDING ROD CAST IRON KAUFMANN



070009 3.15MM (2)	1

Nickel alloy welding rod for welding cast iron to cast iron and to steel.

WELDING ROD DISSIMILAR ST 312 KAUFMANN



070013 2.50MM (6)	1

High tensile chromium nickel steel welding rod for welding carbon and low alloy steels together or to stainless steel.

WELDING ROD MILD STEEL KAUFMANN



070001 2.00MM (12)	1
070002 2.50MM (10)	1
070003 3.15MM (8)	1

A general purpose electrode for welding of mild steel.

WELDING ROD VITEMAX 1KG AFROX



072001 2.00MM	1
072002 2.50MM	1
072003 3.15MM	1
072004 4.00MM	1

Vitemax is a general purpose electrode for all positional welding of mild steel. Vitemax is recommended for welding mild steel sheets, plates, angles, bars and tubing which would be used to manufacture and repair items such as gates, burglar bars, bins, chutes, supportive steel frame work, trailers.

WELDING ROD TRANSARC 6013



430072132 2.5MM X 1KG	1
430072133 3.15MM X 1KG	1
430075132 2.5MM X 5KG	1
430075133 3.15MM X 5KG	1
430075134 4.0MM X 5KG	1

Excellent strike and restrike characteristics. Self lifting slag. Produces a very stable arc. Can be used with AC or DC.

ADHESIVE POWER TAPE 5M PATTEX



HW2160200 5M BLACK	1

No need for scissors, Pattex Power Tape can be cut with hands! And not only is Pattex Power Tape suitable for 1001 uses indoor and outdoor but it is also super strong and water and air pressure resistant. Pattex Power Tape is available in silver and black.

SILICON TAPE ALCOLIN 3M



HW2160100 WHITE	1
HW2160110 BLACK	1
HW2160120 RED	1
HW2160130 GREEN	1

This is a self fusing repair tape that only sticks tp itself. Stretches upto 3 times its own length. Handles temperature up to 260 °C, 8000 volt, 700psi and is watertight.

ADHESIVE RUBBER TAPE PRATLEY



HW2180799 4 X 1,6M ROLLS PER PACK	1

Pratley rubber tape is "self- fusing". It fuses(amalgamates) to itself once wrapped amd has 1001 uses. The self fusing property prevents it from coming loose and renders it useful for fixing low pressure leaking pipes. Making handle grips and the like. It is also a high voltage electrical insulator.

ADHESIVE PLIOBOND



HW2170035 100ML	1
HW2170175 50ML	1
HW2170310 500ML	1

Water proof contact adhesive.

ADHESIVE CLEAR PATTEX



HW2191555 50ML 14550	1

Dries clear. Suitable for rigid and flexible PVC.

ADHESIVE PATTEX NO MORE NAILS



HW2191600 50ML	1
HW2191605 250ML	1
HW2191610 400GR	1

A strong adhesive that eliminates the need for hammers, nails and screws in many DIY and general repair jobs. It contains no solvents and is non-toxic. Paintable and sandable and dries white. It will bond most common household materials including: wood, c

ADHESIVE SUPERGLUE PATTEX



HW2191482 3G 14380	1

Bonds in seconds. Suitable for rubber, metal, glass and most plastics.

ADHESIVE PATTEX CHEMICAL ANCHOR CF850 HENKEL



HW2199060	1

Styrene-free polyester resin. For a strong, safe and clean application. For all building applications: carpentry, hydraulics, woodwork and masonry. Use for installation of satellite dishes, security doors, shelving and kitchen cupboards.

GLUE STICK ALL PURPOSE CLEAR STANLEY



HW2170510 100MM	6

Use in hot melt glue gun at HW2170540. 100mm In length. Various applications. Can also glue electrical wire to walls. Use on walls, leather, wood, plastic, porcelain, etc.

ADHESIVE CLEAR EPOXY PATTEX REPAIR



HW2180362	1

Quick setting. Water resistant. Fills gaps and sets clear.

ADHESIVE PUTTY PRATLEY STANDARD



HW2180472	1

Various applications, including repair of leaking petrol and water tanks.

ADHESIVE PUTTY STEEL PRATLEY



HW2180813 125G	1

Putty. Can be moulded on steel and other metals.

ADHESIVE WOOD FAST SET ALCOLIN



HW2190940 250ML	1
HW2190958 500ML	1

Multi purpose wood glue. Quick setting.

OVERALL KHAKI TWO TONE TWO PIECE



1650025 NO 34	1
1650026 NO 36	1
1650027 NO 38	1
1650028 NO 40	1
1650029 NO 42	1
1650030 NO 44	1
1650031 NO 46	1
1650032 NO 48	1
1650033 NO 50	1
1650060 NO 52	1
1650061 NO 54	1

Two piece two tone garments are made from hard wearing polyester cotton 65/35 and are proving to be very popular with the farmers as the light colour on the top of the garment makes it cooler to wear whilst out in the sun.

OVERALL BLUE PREMIUM TROUSERS



1770001 NO 34	1
1770002 NO 36	1
1770003 NO 38	1
1770004 NO 40	1
1770005 NO 42	1
1770006 NO 44	1
1770007 NO 46	1
1770008 NO 48	1
1770010 NO 52	1
1770012 NO 32	1

This premium trouser is 65/35 poly cotton. Ykk zipper. Trousers with swing pockets. Fully triple stitched. 7 Belt loops and comfortable full cut.

OVERALL BLUE TWO PIECE REFLECTIVE TAPE



1650102 NO 32	1
1650104 NO 34	1
1650105 NO 36	1
1650106 NO 38	1
1650107 NO 40	1
1650108 NO 42	1
1650109 NO 44	1

Conti suit pen pocket division, chest pocket with press-stud, lime and silver reflective tape on arms, legs and back. Trousers has half elasticated waistband and swing pocket.

RAINSUIT 2 PIECE PVC 200G



875C30CHCTEL LARGE	1
875C30CHCTEM MEDIUM	1
875C30CHCTES SMALL	1
875C30CHCTEXL X LARGE	1
875C30CHCTEXXL XX LARGE	1

Rainsuit PVC/nylon taffeta. Yellow jacket with hood and buttons.

RAINSUIT RUBBERISED NYLON



876001 SMALL NAVY BLUE	1
876002 MEDIUM NAVY BLUE	1
876003 LARGE NAVY BLUE	1
876004 XLARGE NAVY BLUE	1
876005 XXLARGE NAVY BLUE	1
876006 XXXLARGE NAVY BLUE	1

Rainsuit rubberised. 100% Waterproof. Jacket zip with hood. Available in navy blue, sizes S-XXXL.

GUMBOOTS KIDDIES PINK AND PURPLE



V1111306 NO 6	1
V1111307 NO 7	1
V1111308 NO 8	1
V1111309 NO 9	1
V1111310 NO 10	1
V1111311 NO 11	1
V1111312 NO 12	1
V1111313 NO 1	1
V1111314 NO 2	1

Kiddies gumboots are manufactured in South Africa from locally produced PVC compounds. This colourful gumboot style features a hardy and practical tread design for wet fun.

GUMBOOTS KNEE LENGTH BLACK EGOLI STC



V11270710 NO 10	1
V11270711 NO 11	1
V11270712 NO 12	1
V1127075 NO 5	1
V1127076 NO 6	1
V1127077 NO 7	1
V1127078 NO 8	1
V1127079 NO 9	1

Egoli pvc black upper with nitrile/pvc toffee coloured sole and steel toe cap.This gumboot is ideal where there may be injury risk caused by heavy falling objects. SABS approved.

GOGGLE EYE 2000 SAFETY CLEAR



HW2650093	1

Safety spectacle for impact protection. Four position adjustable temple arm for comfort. Fashionable wrap around spherical lens. Clear for indoor use.

GOGGLE EYE 2000 SAFETY GREEN TINTED



HW2650090	1

Safety spectacle for impact protection. 100% Ultra-violet ray block (green). Four position adjustable temple arm for comfort. Fashionable wrap around spherical lens.

MASK GAS SINGLE



HW2650300	1

Suitable for chemicals and dust. Replaceable filters HW2650500P2 (dust) and HW2650600A1P2 (chemicals). Heavy duty.

MASK WELDING FFP2 VALVED



HW2656055	1
10 PER BOX	

Contoured, moulded non-woven material impregnated with activated carbon. Integrated exhalation valve. Elasticated straps. Protection factor 10. Complies with EN 149:2001 & AZ/2008/46. Active carbon for welding fumes asbestos, nuisance, organic gasses and vapours.

EAR PLUGS DISPOSABLE



HW2650107	5

Low cost protection against noise. Disposable or washable for longer term use.

BIB SAFETY WITH REFLECTIVE TAPE KAUFMANN



HW2655500	1
ORANGE	
HW2655510	1
LIME	

Lightweight for comfort. Made from porous material to prevent heat build up. Reflective tape on back and front makes it ideal where high visibility is required in all weather conditions. One size fits all. Is fastened on the sides with a string.

GLOVE COTTON WITH DOUBLE LEATHER PALM



HW2653013	1

General purpose heavy duty construction glove.

GLOVE COTTON WITH LEATHER PALM KAUFMANN



HW2653463	1

General purpose heavy duty construction glove.

GLOVE WELDING DOUBLE PALM KAUFMANN



HW2656044	1
BLUE 40CM	

Welding glove with cotton lining and reinforced palm.

GLOVE WELDING KAUFMANN



HW2653782	1
27CM	
HW2653841	1
40CM	

Fire-protective chrome leather. Can be hanged up. Bar-coded.

GLOVE CHROME LEATHER KAUFMANN



HW2653000	1

General purpose handling glove for use in dry conditions. Unlined with double palm for added strength.

GLOVE COTTON KAUFMANN



HW2653983	1

General purpose, made of 100% cotton. Mainly used in the packing industry, specially in the fruit industry. Can be washed.

GLOVE PVC OPEN CUFF KAUFMANN



HW2653551 27CM	1
HW2653622 40CM	1

General purpose heavy duty construction glove.

GLOVES LATEX HOUSE HOLD



HW2653510 MEDIUM	1
HW2653520 LARGE	1
HW2653530 X/LARGE	1

Household gloves. Unique fluted cuff design allows glove to "breathe". Lining for added comfort.

GLOVE WELDING TIG KAUFMANN GOATSKIN



HW2656054	1

Goat grain leather with extended split leather (goatskin) cuff. TIG welding and general handling. Softer than pig leather.

COATING BITUSEAL LIQUID ABE



7653573 1L	1
7653662 5L	1

A heavy-duty coating for almost all situations. Contains no inhibitive pigments against corrosion of steel, so it should be applied over a primer in these circumstances. Use 4-metal primer at code 7655879.

ADHESIVE PLASTER-GRIP PRIMER PRATLEY



7660010 5L	1

Pratley Plaster-Grip renders almost any surface plasterable, even glass. It also saves paint by bonding and sealing porous surfaces prior to painting.

POWABOND POWAFIX



6752770 5L	4
6752775 1L	6

Powafix Powabond is a modified acrylic based product used for the bonding of plaster, cement screeds and renderings to various types of surfaces. It can also be used to strengthen plaster mixes, tile adhesive and grouts.

H2O WATER BASED RED OXIDE ANTI CORROASIVE STEE &GALVANISED IRON PRIMER



Z18417135L 5L RED	1

A specially formulated water-based primer for use on mild steel surfaces and exceptional adhesion to properly weathered or degreased galvanized sheeting.
It also contains anti-corrosive pigments to prevent rust.
It can be top-coated with water-based emulsion paint and decorative enamel paints once cured properly(not to be top-coated with epoxy or automotive enamels).
Spreading rate: 8-10m2 per l.

PAINT BONDING LIQUID ROCKGRIP



658R41408001L 1L	1
658R41408005L 5L	1

Bonding liquid. Used as a sealer on new dry gypsum plaster, cement, brickand other types of composition boarding. If used as a primer product must be thinned with 10-15% terps. Spreading rate: approximately 11-13sqm/L.

PAINT UNDERCOAT ALL SURFACES DULUX



658D19607631L 1L WHITE	1
658D19607635L 5L WHITE	1

A general purpose undercoat for use under decorative topcoats for interior and exterior use. Oil-base undercoat but any type of paint can be used for topcoating. Spreading rate: approximately 10sqm/L.

PAINT UNDERCOAT SUPERGRIP DULUX WHITE



658D18908001L 1L	1
658D18908005L 5L	1

Waterbase versatile undercoat that is compatible with Dulux decorative topcoats. Suitable for interior and exterior use. Can prime anything (wood, ceramic tiles, glass, pvc, melamine) except floors and steel. Spreading rate: approximately 8sqm/L.

PAINT UNDERCOAT UNIVERSAL DURAGRIP



658M371210020L 20L	1
658M37121005L 5L	1

A universal undercoat for interior and exterior use. Can be used on cement, wood and metal. Oil-base. Spreading rate: approximately 10sqm/L.

PAINT PRIMER CORROCOTE 1 DULUX



658D19308395L 5L	1

Ideal pre-treatment primer for new steel surfaces which have been sandblasted and clean galvanised steel. Quickdry oil-based red oxide primer. Spreading rate: approximately 7sqm/L.

PAINT PRIMER CORROCOTE 3 DULUX



658D18410545L 5L RED	1

Water based red oxide primer for use on metal and galvanised iron. Spreading rate: approximately 6sqm/L.

PAINT PRIMER NEW PLASTER DULUX



658D19208021L 1L WHITE	1
658D19208025L 5L WHITE	1

Primer for new and dry interior and exterior surfaces. Alkali resistant. Oil-base. Spreading rate: approximately 10sqm/L.

EXCELSIOR QD PRIMER RED OXIDE PAINT



Z18417105L 5L RED	1
Z18417205L 5L GREEN	1

A rust prevention, oil based oxide primer. Suitable for steel structures, window- and door frames as well as steel poles. Can be applied by brush or spray gun. Covers approximately 6 square metres per litre. Dries within four hours.

EXCELSIOR UNIVERSAL UNDERCOAT PAINT



Z18417011L 1L WHITE	1
Z18417015L 5L WHITE	1

A general purpose oil based undercoat. For use under decorative topcoats for interior and exterior use. Any type of paint can be used for top coating. Spreading rate: approximately 10-15sqm/l.

PAINT BONDING LIQUID DURABOND



658M37123005L 5L	1

Bonding liquid. Used as a sealer on new dry gypsum plaster, cement, brickand other types of composition boarding. If used as a primer product must be thinned with 10-15% terps. Spreading rate: 11-13sqm/L.

PRIMER HYPERCRETE FLASH HARRY



F9400600001 1LT	1
F9400600005 5LT	1

Hypercrete is a synthetic latex cement and mortar modifier, which is ideal for promoting adhesion of acrylics onto concrete or plastered surfaces.

PAINT PRIMER ETCH STEEL CLADD



658SC118001 1L BLACK	1
658SC118005 5L BLACK	1
658SC118020 20L BLACK	1
658SC119001 1L RED OXIDE	1
658SC119005 5L RED OXIDE	1
658SC119020 20L RED OXIDE	1
658SC120001 1L GREY	1
658SC120005 5L GREY	1
658SC120020 20L GREY	1

A rust prevention, oil based oxide primer. Suitable for steel structures, window- and door frames as well as steel poles. Can be applied by brush or spray gun. Covers approximately 6 square meters per liter. Dries within four hours. Thin with ETCH thinners.

PAINT QUICK DRY PRIMER STEEL CLADD



658SC150001 1L RED OXIDE	1
658SC150005 5L RED OXIDE	1
658SC150020 20L RED OXIDE	1
658SC152001 1L GREY	1
658SC152005 5L GREY	1
658SC152020 20L GREY	1

Ideal pre-treatment primer for new steel surfaces and clean galvanised steel. Quick dry oil-based primer. Spreading rate: approximately 7sqm/L.

PAINT ALUMINIUM ROCKGRIP



658R42015031L 1L	1
658R42015035L 5L	1

For interior and exterior use on primed metal and wooden surfaces where an aluminium finish is required. Can also be used as a roofpaint - reflects the heat and inside temperature of house is reduced. Not to applied to bare metal - use a primer - use Primer for Steel at code 658D19310291L. Oil-base. Spreading rate: approximately 10-12sqm/L.

Construction

05/10/2016

PAINT GLOSS ENAMEL ROCKGRIP



658R416120020L 20L WHITE	1
658R41612005L 5L WHITE	1

Enamel for interior and exterior use. Recommended for plaster, metal and woodwork. Appropriate primers and undercoats must always be used. Primers for cement - use Primer for New Plaster at code 658D19208021L. For wood use Primer for Wood 658R41412101L. For metal use primer for steel 658R41412601L and for Galvanised Iron use Calsium Plumbate Primer 658R41412201L. Oil - base. Spreading rate: approximately 10sqm/L.

PAINT ALUMINIUM REFLECTIVE BITUMEN DULUX



658D28109525L 5L	1

Can be applied directly to bituminous surfaces, "malthoid" roof sand creosoted timber without priming. Reflects heat. Oil-base. Spreading rate: approximately 10-12sqm/L.

EXCELSIOR ALL PURPOSE EGGSHELL



Z18417055L 5L WHITE	1

A high quality interior eggshell enamel. Ideal for kitchens, bathrooms and children's playrooms. Used on walls, wood and metal. Oil-based. Spreading rate: approximately 8 - 9sqm/l.

PAINT FLOORCOTE ENAMEL DULUX



658M33104465L 5L RED OXIDE	1
658M33106385L 5L DARK SEAGR	1
658M33107705L 5L BLACK	1
658M33108965L 5L OXIDE GREE	1
658M33113425L 5L BRIL GREEN	1

Direct application to new, already dry, cement or concrete floors. May also be applied to previously painted or old cement surfaces provided the surface is clean and free from wax polish. Interior and exterior use. Oil-base. Spreading rate: approximately 10-12sqm/L.

PAINT SPRAY SPRAYON 390ML ULTRA HIGH TEMPERATURE



658UHT1 BLACK	1
658UHT2 SILVER	1
658UHT6 GUNMETAL	1

Sprayon Ultra High Temperature spray paint is able to withstand temperatures in excess of 650 ºC. This unique spray paint provides a durable finish of the highest professional quality . Ideal for fireplaces, braais, manifolds and many other applications.

PAINT QUICKDRY ENAMEL DULUX



658D52120711L WHITE 1L	1
658D52120721L BLACK 1L	1
658D52120731L BATTLESHIP GREY 1L	1
658D52120741L DARK ADMIRAL GREY 1L	1
658D52120751L GOLDEN YELLOW 1L	1
658D52120761L CATERPILLAR YELLOW 1L	1
658D52120771L INTERNATIONAL ORANGE 1L	1
658D52120781L MIDNIGHT BLUE 1L	1
658D52120791L MID BRUNSWICK GREEN 1L	1
658D52120801L PO RED 1L	1
658D52120811L SIGNAL RED 1L	1
658D52120821L PWD BROWN 1L	1
658D52120845L WHITE 5L	1
658D52120855L BLACK 5L	1
658D52120865L BATTLESHIP GREY 5L	1
658D52120875L DARK ADMIRAL GREY 5L	1
658D52120885L GOLDEN YELLOW 5L	1
658D52120895L CATERPILLAR YELLOW 5L	1
658D52120905L INTERNATIONAL ORANGE 5L	1
658D52120915L MIDNIGHT BLUE 5L	1
658D52120925L MID BRUNSWICK GREEN 5L	1
658D52120935L PO RED 5L	1
658D52120945L SIGNAL RED 5L	1
658D52120955L PWD BROWN 5L	1

Formulated for protecting interior and exterior steel surfaces with exceptionally high gloss for lang lasting finish e.g, steel cabinets, shelves, tools and garden sets. Spreading rate: approx. 7m2/l.

PAINT QUICK DRY STEEL CLADD



658SC159001 1L WHITE	1
658SC159005 5L WHITE	1
658SC159020 20L WHITE	1
658SC160001 1L BLACK	1
658SC160005 5L BLACK	1
658SC160020 20L BLACK	1
658SC161001 1L MATT BLACK	1
658SC161005 5L MATT BLACK	1
658SC162001 1L FIAT ORANGE	1
658SC162005 5L FIAT ORANGE	1
658SC163001 1L FIAT BROWN	1
658SC163005 5L FIAT BROWN	1
658SC164001 1L FIAT TERRACOTTA	1
658SC164005 5L FIAT TERRACOTTA	1
658SC165001 1L JD YELLOW	1
658SC165005 5L JD YELLOW	1
658SC166001 1L JD GREEN	1
658SC166005 5L JD GREEN	1
658SC167001 1L FORD BLUE	1
658SC167005 5L FORD BLUE	1
658SC168001 1L FORD GREY	1
658SC168005 5L FORD GREY	1
658SC169001 1L MF GREY	1
658SC169005 5L MF GREY	1
658SC170001 1L MF RED	1
658SC170005 5L MF RED	1
658SC171001 1L IH RED	1
658SC171005 5L IH RED	1
658SC172001 1L CAT YELLOW	1
658SC172005 5L CAT YELLOW	1
658SC173001 1L LANDINI BLUE	1
658SC173005 5L LANDINI BLUE	1
658SC174001 1L MERC CREAM	1

PAINT BLACKBOARD EXCELSIOR BLACK



Z18610181L 1L	1
Z18610185L 5L	2

Special formulated paint for use on blackboards. Matt finish. 12 Square meter per liter.

PAINT SPRAY SPRAYON 250ML



658SPP2501 IVORY	1
658SPP2503 CREAM	1
658SPP2504 MAIZE YELLOW	1
658SPP2505 SUNSHINE YELLOW	1
658SPP2506 GUNSTON ORANGE	1
658SPP2507 TANGERINE	1
658SPP2508 CARMINE	1
658SPP2509 SIGNAL RED	1
658SPP2510 MAROON	1
658SPP2511 NURSERY PINK	1
658SPP2513 MIST GREY	1
658SPP2514 MACHINERY GREY	1
658SPP2515 FLAT WHITE	1
658SPP2516 GRECIAN WHITE	1
658SPP2517 APPLIANCE WHITE	1
658SPP2518 GLOSS BLACK	1
658SPP2519 MATT BLACK	1
658SPP2520 SATIN BLACK	1
658SPP2521 SKY BLUE	1
658SPP2522 AZURE BLUE	1
658SPP2523 ELECTRIC BLUE	1
658SPP2524 ROYAL BLUE	1
658SPP2525 MIDNIGHT BLUE	1
658SPP2526 VIOLET	1
658SPP2527 PURPLE	1
658SPP2528 SEASPRAY GREEN	1
658SPP2530 MAGIC GREEN	1
658SPP2531 EMERALD GREEN	1
658SPP2532 SHAMROCK GREEN	1
658SPP2534 GOLDEN BROWN	1
658SPP2535 BROWN	1
658SPP2536 NEW GREY PRIMER	1
658SPP2537 ZINC CHROMATE PRIMER	1

PAINT SPRAY SPRAYON 250ML METALLIC



658MET2543 RED	1
658MET2544 SILVER	1
658MET2545 CHROME ALUMINIUM	1
658MET2546 PALE GOLD	1
658MET2547 COPPER	1
658MET2548 BRONZE	1
658MET2549 BLUE	1
658MET2550 GROTTO BLUE	1
658MET2551 GREEN	1
658MET2552 CAST IRON	1
658MET2553 PURPLE	1
658MET2554 FINE SILVER	1

Sprayon's Metallic range consists of 12 attractive metallic finishes. Metallic paints are manufactured from the finest ground metallic compounds for the most professional finish and all colours are lead free and contain a rust inhibitor.

PAINT SPRAY ENGINE ENAMEL SPRAYON 250ML



658EE1 WHITE	1
658EE12 MIST GREY	1
658EE17 CLEAR	1
658EE18 FORD BLUE	1
658EE19 CAST IRON	1
658EE2 GLOSS BLACK	1
658EE3 MATT BLACK	1
658EE4 MIRROR CHROME	1
658EE5 METALIC SILVER	1
658EE6 SIGNAL RED	1
658EE9 GROTTO BLUE	1

Sprayon Engine Enamel is a specially formulated lacquer spray with heat resistant properties up to 200ºC. Engine Enamel is available in 19 deep, rich durable colours which are resistant to peeling and cracking and guarantee long life.

PAINT PEARLGLO DULUX WATER BASED



658D19007351L 1L WHITE	1
658D19007355L 5L WHITE	1
658D19065981L 1L BASE 8	1
658D19065995L 5L BASE 9	1

Very durable non-drip waterbase eggshell finish washable paint. Interior and exterior use. Non Yellowing and exterior wont easyily chalk. Can be used on metal, cement, wood and galv iron. Ideal for childrensrooms, bathrooms, kitchens and garagedoors. Spreading rate: approximately 10sqm/L. White and bases available in oil-base.

PAINT ROCKGRIP SUPER ACRYLIC PVA



658R401109020L 20L WHITE	1
658R40110905L 5L WHITE	1

Interior matt finish that hides minor surface imperfections. Easy application by brush or roller. Good over-coating properties. Good alkali resistance. 6-10m/2 p/l.

PAINT LOWSHEEN DURA 100



658M370130020L 20L WHITE	1
658M37013005L 5L WHITE	1
658M370559720L 20L BASE 7	1
658M370559920L 20L BASE 9	1

PVA for interior and exterior use on all properly prepared wall surfaces such as concrete, cement and gypsum boarding. Water-base. Spreading rate: approximately 9-12sqm/L.

PAINT ROCKGRIP PVA MAXICOVER



658R403270020L 20L WHITE	1
658R40327005L 5L WHITE	1

Water base PVA for indoor and outdoor use. Covers 8 square metres per litre. Ideal for walls, plaster work and ceilings.

PAINT WASH&WEAR LUX SILK DULUX



658D17307351L 1L WHITE	1
658D173073520L 20L WHITE	1
658D17307355L 5L WHITE	1
658D17311295L 5L IVORY	1
658D17311331L 1L NATURAL CALICO	1
658D17311335L 5L NATURAL CALICO	1
658D17311351L 1L SOFT PEACH	1
658D17311355L 5L SOFT PEACH	1
658D17311371L 1L SOFT STONE	1
658D17311375L 5L SOFT STONE	1
658D17311395L 5L NATURAL HESSIAN	1
658D17365961L 1L BASE 6	1
658D17365965L 5L BASE 6	1
658D17365971L 1L BASE 7	1
658D173659720L 20L BASE 7	1
658D17365975L 5L BASE 7	1
658D17365981L 1L BASE 8	1
658D173659820L 20L BASE 8	1
658D17365985L 5L BASE 8	1
658D17365991L 1L BASE 9	1
658D173659920L 20L BASE 9	1
658D17365995L 5L BASE 9	1

Silky finish. 100% Acrylic, 100% washable wall finish. Can also be used on metal and wood. Interior and exterior use. Can be directly applied to unprimed surfaces. Not to be used on bare metal unless primed with Primer for Steel at code 658D19310291L. Water-base. Spreading rate: approximately 10-12sqm/L.

PAINT PVA OPTICOVER EXCELSIOR



Z184134020L 20L WHITE	1
Z18413405L 5L WHITE	1

Economical PVA used as first coat on newly plastered walls. Also used for painting of ceilings. For indoor and outdoor use. Dries quickly (4 hours). Water base paint. Spreading rate approximately 8 square sqm/l.

LIMEWASH WHITE GLUEX



6700144V 10KG	150
6700705V 25KG	60

Used as an interior and exterior coating for houses, factories, compounds, garages, stables, boundary walls, etc.

SUGAR SOAP FIXIT POWDER



658F6843809500G	12

Fixit Sugar soap is a powerful pre-paint cleaner suitable for preparing any surface. It degreases the surface and creates a key to promote adhesion and give a better paint finish.

PAINT CLEANER GALV IRON DULUX



658D64108095L 5L	1

For cleaning galvanised iron and removing oil, grease and soot. Suitable for removing stubborn grease and grime from garage floors and drains. Spreading rate: approximately 4-5sqm/L.

CLEANER GALV STEEL FROGSKIN FLASH HARRY



F9400810005 5 LITER	1

Frogskin Galvanised Iron Primer is a new generation water based non-toxic, anti-corrosive metal primer, for use in conjunction with Frogskin Roof Paint. Frogskin Galvanised Iron Primer is a very effective anticorrosive primer for use on, degreased and/or weathered galvanised steel, rust free, clean, dry mild steel; Sandblasted steel degreased galvanised metal and aluminum. Coverage of 7m2 /L.

ACETONE POWAFIX



6752771 500ml	1
6752772 1L	1

A fast evaporating solvent for general cleaning and thinning of polyester resin.

SPIRITS OF SALT POWERFIX



6730105 5L	1
6730110 1L	1

A powerful masonry cleaner and concrete / cement etching acid. Recommended uses: cleans cement, tile adhesives, grouts and plaster. Cleans and etches cement and concrete floors.

PAINT STRIPPER



6756004 5L	1
6756005 1L	1
6756006 500ML	6

Removes all types of household paint and varnishes. It is fast acting and non-flamable.

RUST REMOVER DEOXIDENE 750ML



6756100 750ML	1
6756105 5L	1

Deoxidene is a powerful, ready to use phosphoric acid based rust remover and cleaner for iron and steel articles.

FILLER FIXIT SMOOTHOVER EXTERIOR AND INTERIOR



658F684070015K 1.5KG	1

Smooth Over Skimming Plaster is used to create a perfectly smooth finish on rough and uneven plaster. Easy to apply, super adhesive, no primer required, easy to sand and weather resistant. For interior and exterior use.

CRACK FILLER FILL-A-FIX POWAFIX



6756017 500ML	1
6756018 1L	1
6756019 5L	1

Fill 'n fix all purpose filler is a ready mixed filler for both inside and outside repairs which dries to a tough, weather resistant surface that is smooth and easy to sand.

CRACK FILLER EXTERIOR PERMOSEAL



HW2195220 2 KG	1

Filling of cracks in exterior walls.

FILLER MULTI PURPOSE CRACKFILLER FIXIT



658F684310010K 10KG	1
658F68431002K 2KG	6
658F6843100500G 500G	12

Versatile crack filler for interior and exterior use. Set in 60min to a white weatherproof finish and will not shrink or crack.

FILLER MULTI PURPOSE CRACKS FIXIT READYMIX



658F6842200500G 500G	12

Versatile crack filler for interior and exterior use. Ready mixed for easy, mess free application. Set in 60 minutes to a white weatherproof finish and will not shrink or crack.

FIBREGLASS MATT



HW2790060 200GRM	1
HW2790070 400GRM	1

Used for repair of fibreglass products.

FIBREGLASS RESIN + CATALYST



HW2790000 500GRM	1
HW2790010 1KG	1
HW2790020 5KG	1

Used for repair of fibreglass products.

SEALER FACE BRICK 5L FLASH HARRY



F9412400005 5L CLEAR	1

Face Brick and Masonry sealer is an invisible, deep penetrating, weather resistant, water and dirt repellent, which seals brick, stone, concrete and mortar surfaces against penetrating rain, water from garden irrigation systems, taps or down pipes. On any porous, such as pre-cast concrete walls, it will prevent algae growth and subsequent discoloration. On raw plaster surfaces, it will dramatically improve the adhesion and coverage of decorative paints. Coverage: 4m2 – 6m2 per liter.

SILICONE KAUFMANN



HW2160710 280ML BLACK	1
HW2160712 280ML WHITE	1
HW2160718 280ML CLEAR	1

One-part acetic cure silicone sealant. A strong, fast curing multipurpose 100% RTV silicone. It is unaffected by rain, sunlight and extreme temperature variations. Adheres to: glass, ceramics, most plastics, frames, solar panels, door and window frames, aluminium, gutters, tiles and many more.

SILICONE 280ML BOSTIK



HW2160340 BATH WHITE	1
HW2160350 CAR BLACK	1
HW2160360 HOME CLEAR	1
HW2160370 MARINE CLEAR	1
HW2160375 SHOWER CLEAR	1

General purpose sealant. See description for typical application. See code HW2160380 for grey and bronze colours. Caulking guns at HW2160749, HW2160760 and HW2160767.

THINNER E TYPE POWAFIX



6751190 5L	4
6751195 750ML	12

Can be used with enamel paints. Slow drying solvent in dip tanks. Use as a thinner for enamel paints when spray painting.

THINNERS QUICK DRY EXCELSIOR



6730046 5L	4
6730047 750ML	12

Deurskynende oplosmiddel vir gebruik in Kaufmann sneldroog emaljeverf. Word gebruik om verf te verdun wanneer aangespuit word. Verleen 'n hoë glans afwerking aan die oppervlak. Verf beskikbaar by kode Z18510175L.

TILE GROUT TYLON



777015 5KG DOVE GREY	1
777016 5KG IVORY	1
777017 5KG NAMIB	1
777018 5KG WHITE	1
777028 2KG WHITE	1
777029 2KG IVORY	1
777032 2KG NAMIB	1
777033 2KG BEIGE	1
777034 2KG MID BROWN	1
777035 5KG LIGHT GREY	1
777036 5KG MID BROWN	1
777038 5KG OATS	1
777040 5KG DARK BROWN	1
777042 5KG MAPLE	1
777047 2KG LIGHT GREY	1
777049 2KG DOVE GREY	1
777050 5KG STONE	1

Tylon cement-based tile grout is designed to point the joints on walls and floors up to a maximum width of 8mm, both interior and exterior. It has ingredients to assist in water resistance, workability and has a shrink resistance.

LINSEED OIL RAW POWAFIX



6730060 5L	1
6730065 750ML	1

To seal wood if you don't want to use varnish. For first application on raw wood use one part oil and one part turpentine. Results in a light amber colour on the wood. Dries within 3-4 hours.

PAINT TIMBAPRESERVE WOODGARD



658G12608331L 1L CLEAR	1
658G12608335L 5L CLEAR	1
658G12608341L 1L MAHOGANY	1
658G12608345L 5L MAHOGANY	1
658G12608351L 1L TEAK	1
658G12608355L 5L TEAK	1
658G12608511L 1L LIGHT OAK	1
658G12608515L 5L LIGHT OAK	1
658G12608521L 1L DARK OAK	1
658G12608525L 5L DARK OAK	1

Oil, wax and preservative base protection for wood. It will not flake, crack or disintegrate on timber. A durable waterproof eggshell dressing for interior and exterior wooden surfaces. Oil-Base. Spreading rate: approximately 10sqm/L.

PAINT PRIMER WOOD ROCKGRIP



658R41412101L 1L	1

General purpose oil-based pink wood primer for interior and exterior use. It is not recommended for the use on highly resinous timber. Spreading rate: approximately 10sqm/L.

STAIN CONCENTRATE WOODOC 100ML



920WSORE OREGON 100ML	1
920WST100EBO EBONY 100ML	1
920WST100IMB IMBUIA 100ML	1
920WST100MER MERANTI 100ML	1
920WST100OAK OAK 100ML	1
920WST100ORE OREGAN 100ML	1
920WST100ROS ROSEWOOD 100ML	1
920WST100TEA TEAK 100ML	1
920WST100YEL YELLOW WOOD 100ML	1
920WST20EBO EBONY 20ML	1
920WST20IMB IMBUIA 20ML	1
920WST20MER MERANTI 20ML	1
920WST20OAK OAK 20ML	1
920WST20ORE OREGON 20ML	1
920WST20ROS ROOSHOUT 20ML	1
920WST20TEA TEAK 20ML	1
920WST20YEL YELLOW WOOD 20ML	1

Woodoc Stain Concentrate Colour Enhancers put you in charge of the colour of the wooden product. Simply decide what colour you want, choose one of the bottles of colour concentrate, and add it to any product in the Woodoc range. Test on a piece of paper to determine if the colour is what you have in mind. If you are satisfied with the colour, apply the Woodoc product as you would normally. Colour can be lightened or darkened by adding less or more of concentrate.

PAINT RUBBOL WOODGARD



658G68410681L 1L LIGHT BROWN	1
658G68410685L 5L LIGHT BROWN	1
658G68410695L 5L MID BROWN	1
658G68411281L 1L CLEAR	1
658G68411285L 5L CLEAR	1

It is not a varnish - it will not flake, crack or disintegrate on timber. For exterior use on wooden surfaces such as doors, windows and fascias where a durable waterproof dressing is required.


PAINT EXT DOUBLE LIFE TIMBAVARNISH W/G



658G13308201L 1L	1
658G13308205L 5L	1

For interior and exterior use on all woodwork where only the best quality varnish is required . Not suitable for floor areas use Woodgard Floorgard - (658G13308395L). Oil-base. Spreading rate: approximately 12sqm/L.

PAINT INT DOUBLE LIFE TIMBAVARNISH W/G



658G13308801L 1L GLOSS	1
658G13308805L 5L GLOSS	1
658G13308811L 1L EGGSHELL	1
658G13308815L 5L EGGSHELL	1
658G13308821L 1L MATT	1
658G13308825L 5L MATT	1

For all interior wooden surfaces such as furniture, built-in cupboards, panelling, skirting boards and doors. Not suitable for floor areas. Use Woodgard Floorgardat code 658G13308395L. Durable heat resistant polyurethane varnish. Oil-base. Spreading rate: approximately 15sqm/L.

PAINT INT/EXT TIMBAVARNISH W/G



658G13308101L 1L CLEAR	1
658G13308105L 5L CLEAR	1
658G13308121L 1L TEAK	1
658G13308125L 5L TEAK	1
658G13308131L 1L MAHOGANY	1
658G13308135L 5L MAHOGANY	1
658G13308141L 1L DARK OAK	1
658G13308145L 5L DARK OAK	1
658G13308191L 1L LIGHT OAK	1
658G13308195L 5L LIGHT OAK	1

For all types of interior wood where colouring/staining is required. Not for use on floors - rather use Floorgard - at code 658G13308395L. Dries to a high gloss finish. Oil-base. Spreading rate: approximately 12sqm/L.

SEALER WOODOC 30 OUTDOOR WAX CLEAR



920W3005 500ML	1
920W301 1L	1
920W305 5L	1

Woodoc 30 is clear, semi-gloss exterior sealer containing a wax fraction and a UV absorber. The wax fraction feeds the wood and combats fungus growth and the UV absorber protects the wood against the rays of the sun.

OXIDE POWDER POWAFIX



6751903 YELLOW 500GR	1
6752128 RED 500GR	1
6752330 GREEN 500GR	1
6752543 BLACK 500GR	1
6752610 BLUE 500GR	1
6752615 BROWN 500GR	1

Used as a reductant in glass, colourant in sement, filler in rubber and exothermic in mixtures.

FLASHPACK MEMBRANE FLASHPACK ABE



7656225 10MX1M	1
7656227 10MX1.3M	1

Flashpack bidim is a rugged material and can be placed upon most soil or stone surfaces around the home within reason. Can be used for drainage behind retaining walls. Seperation of clean aggregate on driveways, paths, storage and other similar applications. As a waterproofing membrane when saturated with rubberised bitumen.

WATERPROOF BITUMEN WATERBLOCK



7660001 5LIT	1
7660002 1LIT	1
7660003 20LIT	1

This is a mineral filled emulsion of a refined grade of bitumen which contains a high percentage of rubber latex.It is a multi-purpose waterproofing and sealing compound. Is a water based emulsion and requires no heating. The product has the consistency of soft porridge and is thixotropic. Easy to apply.

WATERPROOF HYDROPROOF KIT ABE



7656250 RED 5L	1
7656251 WHITE 5L	1
7656252 GREY 5L	1
7656253 CHARCOAL 5L	1
7656255 GREEN 5L	1
7656256 BURGUNDY 5L	1
7656257 TERRACOTTA 5L	1

Hydroproof is a flexible water based acrylic compound, used together with ABE membrane to provide a seamless liquid waterproofing system. It is recommended for the waterproofing of flashing, parapet walls, sealing of joints and roofing screws on corrugated roofs and gutters.

WATERPROOFING DRIP STOP FIBRE FLASH HARRY



F9402100001 1L BLACK	1
F9402100005 5L BLACK	1

Drip Stop Fibre is an economical easy to use sealer that does not require the use of membrane. Drip Stop Fibre is ideal for underwater applications and is non-toxic. Coverage: 1L can; 1 square meter, 5L can; 5 square meters, 25L can, 25 square meters.

SEALER WATERPROOFING DULUX



658D52136385L GREY 5L	1
658D52136395L RED 5L	1
658D52136505L TERRACOTTA 5L	1
658D52136515L WHITE 5L	1
658D52136525L BLACK 5L	1
658D52136535L CHARCOAL 6	1
658D52136545L GREEN 5L	1

An acrylic waterproofing paint developed to be used with a mesh membrane. This product can be used on flashing, roof joint, roof screws, parapets and chimney capping. Dulux waterproofing is not suitable for areas of long term ponding. Excellent adhesion, water resistance, flexible, can be applied with brush or roller. coverage-approx 2-3m2/l.

WATERPROOFING ONE SHOT 1L+5M MEM FLASH HARRY



F9400431001 BLACK	1
F9400432001 BROWN	1
F9400433001 BURGANDY	1
F9400435001 GREEN	1
F9400436001 GREY	1
F9400437001 RED	1
F9400438001 TERRACOTTA	1
F9400439001 WHITE	1

One-Shot is an easy to use acrylic waterproofing system, used in conjunction with S.B.P. (Stitch Bonded Polyester) membrane. It is ideal for all contractual and DIY applications. One-Shot is suitable for waterproofing on metal, iron, tiled and timber pitched roof applications. This product is not designed for permanent bonding. Coverage: 1L kit; 100mm x 5m (0,5 square meters) S. B .P. membrane included, 5L kit; 200mm x 10m (2 square meters) S. B .P. membrane included. Available in red, grey, black, brown, burgundy, terracotta, white and green.

SEALER DAMPSHIELD FIXT



658F68406001L 1L	6
658F68406005L 5L	1

Dampshield is water based and has a low V.O.C providing low odour and easy cleanup. Excellent adhesion to cementitious substrates. Quick drying - topcoat can be applied during the same day. Protects against paint peeling caused by damp. Can be applied to damp cementitious substrates containing up to 50% moisture level. Prevents the effect of penetrating and rising damp.

WATERPROOFING FAST FLASH FLASH HARRY



F9413000100 100MM x 15MT	1
F9413000150 150MM x 15MT	1
F9413000200 200MM x 15MT	1

The uncoated industrial version of Roof Plasters. A band aid for leaking roofs. A no mess, no fuss, self adhesive roll, suitable for all roofing details such as flashings, lap joints, chimneys, gutters, valleys, skylights and roof screw bolts. Fast Flash is not pre saturated with an acrylic waterproofing. For additional waterproofing this product may be over coated with Flash Harry acrylic waterproofing products (Liquid Plastic, Fibre Flex, One Shot) and for aesthetic purposes may be over-coated with a good quality acrylic roof paint. Coverage 100mm x 15m, 150mm x 15m, 200mm x 15m, 300mm x 13m and 600mm x 15m. Colours uncoated, exposed SBP.

ADHESIVE DIT-SIT BOSTIK



HW2180103 50MMX2M	1

Self-adhesive aluminium backed sealing tape for water proofing.

WATERDINGTING BAND ALU FLASH FLASH HARRY



F9407020050 50mmx2.5m	1
F9407020075 75mmx2.5m	1
F9407020100 100mmx2.5m	1
F9407030050 50mmx10m	1
F9407030075 75mmx10m	1
F9407030100 100mmx10m	1

Alu Flash waterproofing tape is an aluminum backed self-adhesive bitumen sealing strip, for patching corrugated iron roofs and 101 other waterproofing details. Alu flash has many other uses around the house and garden.

KITCHEN UNIT IN BOX POWDER COATED



LZDK754 750X400MM	1
LZDK915 915X460MM	1

Steel kitchen unit in box with slide door. No power tools needed. Single bowl sink included.

SINK DROP IN DOUBLE BOWL



LZS0103A 1200X480MM	1

Stainless steel sink grade 304. Bowl size is 2.0l. Used with large waste at code LZS0109A.

SINK WASTROUGH SINGLE BOWL



LZS0301A 545X450MM	1

Stainless steel sink grade 304. Supplied without a waste and plug. Bolted to a wall.

SINK DROP IN SINGLE BOWL



LZS0101A 1000X480MM	1

Stainless steel sink grade 304. Bowl size is 1.5L. Used with large waste at code LZS0109A.

SINK SIT ON BRACKET



LZS0209A	1
400X200X200MM	

Electroplated bracket to support sit on sinks.

FRANKE RDX610-34 PREP BOWL



820064	1
340mm	

The Rondo prep bowl evolves the kitchen into a co-ordinated and efficient workplace in the home.

VALVE BRASS ISOL STRAIGHT CXC



LCD0101A	1
15X15MM	
LCD0102A	1
22X22MM	

C = Fitting can be used on either copper or Polycop pipe.

VALVE BRASS ISOL S/STRAIGHT CXC



LCD0301A	1
15X15MM	

C = Fitting can be used on either copper or Polycop pipe.

VALVE BRASS ISOL WASHING MACHINE CXC



LCD0401A	1
15MMX3/4	

C = Fitting can be used on either copper or Polycop pipe. Washing machine type coupling.

VALVE ANGLE



LCD0902A	1
1/2X1/2	

Wall mounted valve supplied with flange. Round, easily adjustable handle.


SHOWER ARM PLUS FLANGE



LSA2001A	1
1/2 15MM	

Connects shower head with water pipe in wall. Flanged to cover hole in wall. Shower head at code LSH2002A.

SHOWER HEAD



LSH2002A	1
1/2	

Replacement shower head for a rose pattern spray. Ball joint allows swivel action. Chrome-plated. Shower arm at code LSA2001A.

TAP STAR BASIN FLANGED



LTB1012A	1
1/2	

Star series is durable and attractive. Suitable for washing basins and baths.

TAP PILLAR BASIN COBRA LEDIMO



LCL0018A	1

Pillar tap is suitable for washing basins and baths. DZR brass and chrome plated. 1/2 Inch male inlet. Includes flanged backnut.

TAP PILLAR BASIN COBRA METSIE



LCM0012A	1

Tap pillar is suitable for washing basins and baths. DZR brass and chrome plated. 1/2 Inch male inlet. Includes flanged backnut.

MIXER STAR SINK WALL



LMS4001A	1
1/2	

Star series is durable and attractive. Tap mounted against wall. Spout swivels to serve a double washing basin. Single spout allows for water to reach temperature preferred.

MIXER STAR BASIN



LMB1001A 1/2	1

Star series is durable and attractive. Mixer can be fitted onto any wash-basin. Single spout allows for water to reach temperature preferred.

TAP STAR STOP UNDERTILE



LUS0001A FXF 15MM	1

Star series is durable and attractive. Connection for stop cock of a bath or shower is covered with tiles.

TAP BATH MIXER COBRA METSI



LCM0018A	1

Bath mixer with diverter and handshower. 1/2 Inch BSP male inlet. DZR brass chrome plated.

PROCLOSE GARDEN TAP 15MM WITH STAND PIPE COMPLETE



PC15SP 15MM x 3/4" WITH STANDPIPE	10
PC22SP 15MM x 3/4" WITH STANDPIPE	10

Value for money PPR plastic garden tap SABS approved. The tap has a clutch function that prevents the over tightening of the tap damaging the washer. The tap also have a pressure release function that releases water at 23 bar pressure, this release is also applicable when pipes are freezing. Theft is also eliminated as there are no brass. With standpipe complete

SINGLE LEVER KITCHEN MIXER CONTINENTAL



LIS0004A CONTINENTAL SINK MIXER TAP	1

Deck type single lever kitchen tap for hot and cold water mixing.

SINGLE LEVER WASH BASIN MIXER CONTINENTAL



LIS0002A CONTINENTAL BASIN MIXER TAP	1

Deck type single lever basin tap for hot and cold water mixing.

SINGLE LEVER UNDER-TILE SHOWER MIXER CONTINENTAL



LIS0001A CONTINENTAL UNDERTILE MIXER TAP	1

Single lever tap for the installation under tile mostly for shower or a bath without hand shower.

MANHOLE COVER AND FRAME



LZZ5010A 265X265MM	1
LZZ5020A 450X450MM	1
LZZ5030A 450X600MM	1

Used to close drain holes, manufactured from quality cast iron. Light duty product.

BASIN FIXATION SET COMPLETE



LZT0309A	1

Complete plug and bolt set to mount basin.

HOLDERBATT ALUMINIUM



9904020 40MM	10
9905020 50MM	10
9911020 110MM	1

Mounted to wall supporting waste pipe.

HOLDERBATT MASTERBATT



LTZ0301A 15MM	10
LTZ0302A 22MM	10

Anchors copper or polycop pipe. Enhances appearance of construction. Polycop pipe at code LTP0101A.

TEE BRASS CXCXC



LCT0101A 15X15X15MM	10
LCT0102A 22X22X22MM	10
LCT0201A 22X22X15MM	10
LCT0301A 22X15X22MM	10
LCT0401A 22X15X15MM	10
LCT0501A 15X15X22MM	10

C = Fitting can be used on either copper or Polycop pipe.

ELBOW BRASS 90D CXFI



LCE0501A 15MMX1/2	1
LCE0502A 22MMX3/4	10
LCE0601A 15MMX3/4	10

C = Fitting can be used on either copper or Polycop pipe. FI = Female BSP thread for galvanized pipe or similar.

RING SPARE CONEX



701D65XS-015 15MM	10

Original "CONEX" compression fittings, manufactured in accordance with EN 1254-2 and 4.DZR fittings are marked with the "CR" symbol. Can be used with copper- or polycop pipe. SABS tested and approved. C=Copper, M=Male, F=Female, I=BSP. Easy to work with and no soldering required.

CAP END BRASS



LCZ0101A 15MM	10
LCZ0102A 22MM	10

C = Fitting can be used on either copper or polycop pipe.

NUT CAP BRASS



LCZ0301A 15MM	10
LCZ0302A 22MM	10

C = Fitting can be used on either copper or polycop pipe.

ELBOW BRASS 90D CXC



LCE0101A 15X15MM	1
LCE0102A 22X22MM	10
LCE0202A 22x15MM	10

C = Fitting can be used on either copper or Polycop pipe.

ELBOW BRASS 90D CXMI



LCE0701A 15MMX1/2	10
LCE0702A 22MMX3/4	10
LCE0801A 15MMX3/4	10

C = Fitting can be used on either copper or Polycop pipe. MI = Male BSP thread for galvanized pipe or similar.

COUPLER COPPER BEND CXFI



LSP0101A 15MMX1/2	10
LSP0103A 22MMX3/4	10

C = Copper pipe with solder connection. FI = Female BSP thread for galvanized pipe or similar.

COUPLER COPPER CXFC



LSC0901A 22X15MM	10

C = Copper pipe with solder connection. FI = Female BSP thread for galvanized pipe or similar.

COUPLER COPPER CXFI



LSC0401A 15MMX1/2	10
LSC0402A 22MMX3/4	10
LSC0501A 15MMX3/4	1

C = Copper pipe with solder connection. FI = Female BSP thread for galvanized pipe or similar.

COUPLER COPPER CXMC



LSC0802A 22X15MM	10

C = Copper pipe with solder connection. MI = Male BSP thread for galvanized pipe or similar.

TEE COPPER CXCXFI



LST0601A 15MMX15MMX1/2	10
LST0602A 22MMX22MMX3/4	10

C = Copper pipe with solder connection. FI = Female BSP thread for galvanized pipe or similar.

ELBOW COPPER 45D CXC



LSE0101A 15X15MM	10
LSE0102A 22X22MM	10

C = Copper pipe with solder connection.

ELBOW COPPER 90D CXC



LSE0301A 15X15MM	10
LSE0302A 22X22MM	10
LSE0402A 22X15MM	10

C = Copper pipe with solder connection.

ELBOW COPPER 90D CXMI



LSE0701A 15MMX1/2	10
LSE0702A 22MMX3/4	10
LSE0801A 15MMX3/4	10

C = Copper pipe with solder connection. MI = Male BSP thread for galvanized pipe or similar.

ELBOW COPPER 90D CXFI



LSE0501A 15MMX1/2	10
LSE0502A 22MMX3/4	10
LSE0602A 15MMX3/4	10

C = Copper pipe with solder connection. FI = Female BSP thread for galvanized pipe or similar.


NIPPLE GALVANISED RUNNING



LZZ1001A 15MM	10
LZZ1002A 20MM	10

Threaded from end to end for use where measurements are difficult to estimate.

UNITWIST TEE CENTRE



UT2045R 15 x 15 x 22MM CXCXC CENTER	10

Unitwist fittings is manufactured with high quality PPR plastic, SABS approved and carries a 25 year guarantee used in conjunction with Unitwist Monogold pipe. This is the only South African alternative pipe system. The system has a 50 year life expectancy. The system is unique in that it combines a push-fit and compression application. Unitwist is suitable for both hot and cold water applications. No special tools is required and the installation is so user friendly it can be done by virtually anyone.

SOCKET DUBBLE RING UG SABS



9811034 110MM	1

Double sockets are used for joining two pipes. Rubber rings fitted on both ends of the socket. Pipe just pushes in. Sewer and drain fittings are designed for the conveyance of sewerage and intended for use in buried applications.

SOCKET KIMBERLEY SABS UG



9811033 110MM	1

Kimberley sockets are used to join two broken pipes. Equipped with two rubber rings each side, which can be lubricated with soap and just pushed into the pipe. Sewer and drain fittings are designed for the conveyance of sewerage and intended for use in buried applications.

GRID CP PLASTIC FOR SHOWER TRAP



LZZ3030A	1

Replacement grid for shower trap.

WASTE TEE JUNCTION IE 87.5 DEGREE UG 110MM



9811025	1

Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications.

WASTE TEE JUNCTION 45 DEGREE UG SABS



9811026 110MM	1

Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications. Tee's are used when vertical and horizontal lines are joined into one line.

WASTE GULLY ROUND COMPLETE UG SABS



9811030 110MM	1

Sewer and drain fittings are designed for the conveyance of sewerage. Intended for use in buried applications. Loose grid at code 9811031.

WASTE SOCKET DUBBEL/VENT/RING UG SABS



9811024 110MM	1

Sewer and drain fittings are designed for the conveyance of sewerage. Intended for use in buried applications.

WASTE CONNECTOR PAN SV



9911003	1
110MM	

Pan connectors are used to join the toilet outlet with the waste pipe. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE BEND IE CONNECTOR PAN SV



9911012	1
110MM	

The pan bend is used between the toilet outlet and the drain pipe. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE TEE JUNCTION IE 87.5 DEGREE SV



9904011	10
40MM	
9905014	5
50MM	

Junctions are used when vertical and horizontal lines are joined into one line. Inspection eye fitted to remove blockage. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE BEND INSPECTION VENT HORN SV



9911004	1
110MM	

Vent horn bends are used where a vent valve needs to be mounted. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

TEE JUNCTION IE REDUCED 87.5DEG



9911016	1
110X50MM	

Waste junctions are used to combine two individual pipe lines into one line. Inspection lid fitted to remove waste. Soil, vent and waste fittings are designed for use above ground, in direct sunlight as well as for the conveyance of waste water.

WASTE BEND 87.5 DEGREE PL SV SABS



9904005	10
40MM	
9905005	5
50MM	

Bends are used to get a 90 degree angle when joining pipes. Soil, vent and waste fittings are designed for use above ground. Use in direct sunlight and for the conveyance of waste water.

MAGICFLEX D40 MONOBLOC FM-FM



79008008	1
WHITE	

Magicflex D40 flexible connector for installations in difficult angles. 0 – 180 Degrees.

WASTE SOCKET SOLVENT WELD SV



9911005	1
110MM	

Socket to join two pipes or fittings. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE ADAPTOR FEMALE SV 50X1-1/2 SABS



9905011	10
50X1-1/2	

Female adaptors are used when female thread is required on one end. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE BEND IE 87.5 DEGREE SV SABS



9904007	10
40MM	
9905007	5
50MM	

These bends are solvent weld on both ends. Used between two pipes to achieve a 90 degree angle. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE BEND 87.5 DEGREE PL SV L



9911006	1
110MM	

Bends are used to create a 90 degree angle between two pipes. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE TEE JUNCTION IE 87.5 DEGREE SV G



9911010	1
110MM	

Junctions are used when vertical and horizontal lines are joined into one line. Inspection eye fitted to remove blockage. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE VENT VALVE SABS 50MM



9905002	1
2 WAY ECONO	

Vent valves were designed as replacement for vent pipe used to ventilate drainage systems. Reduces the expense of the vent pipe and roof flashing. The one-way valve acts as a vacuum relief valve by letting air in. Internal or external use. The two-way valve lets air in and out. External use only.

WASTE CAP END FEMALE SV SABS



9905015	10
50MM	

End caps are used to close the end of a pipe. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

ELEMENT GEYSER THERMOSTAT SOCKET PP1



Single circuit heating element for domestic hot water cylinders. It incorporates a pocket to accept the VKF type thermostat. Used in "normal" or non-aggressive water. Available in bulk and prepacks.

THERMOSTAT GEYSER



HW2682751	1
VKF7 650W-1KW	
HW2682759	1
VK11 2-4KW	

Designed to control the temperature of a domestic electric water heater. It incorporates a built-in fuse link to ensure that the safe, maximum temperature for hot water cylinders cannot be exceeded.

FLANGE GASKET FOR SPIRAL ELEMENT



FLG-337	1
GASKET	

Flange gasket for Kwikot geysers with a spiral element.

ELEMENT GEYSER SPANNER



HW2682749	1

Spanner specifically designed to easily install and maintain single circuit heating elements used normally with warm water geysers.

VALVE LATCO 100KPA PC LAT25



LCV0103A	1
100KPA LAT25	

Pressure control valve with adjusting nut that turns clockwise to give a better flow of water to taps and showers. Twin pack at code LCV0101A.

VALVE LATCO 100KPA TWINPACK LAT27



LCV0101A	1
100KPA LAT27	

Consists of one pressure control valve and one relief valve. Place the relief valve 300mm above the geyser. Pressure valve alone at code LCV0103A.

VALVE TEMPERING INLINE 15MM FOR SOLAR GEYSER.



LSV0101A	1

Inline tempering valve temp preset to 43°C. Inner diameter changed to 15mm to allow for easy connection.

VALVE NEPTUNE RELIEF



LCV0205A	1
100KPA LAT11BLUE	
LCV0305A	1
400KPA LAT17 RED	

Relief valve must be fitted 300mm above geyser. Release air and drip from time to time due to the expansion of water reheating. Twin pack at code LCV0201A.

VALVE PACK BRASS GEYSER



LSG0007A	1
400KPA	

Supplied with 400kPa pressure valve, 2 vacuum valves and stop tap.

KWIKOT 15MM CXC PRESSURE CONTROL VALVE 400KPA



KHN3-204 PCV 15MM 400KPA	1

This is a water pressure control valve fitted to the cold water supply to the geyser. The purpose of the pressure control valve is to “balance” the water pressure of the hot and cold water supply to baths, showers and basins. For a balanced system the cold water supply to baths, basins, showers etc must be taken off the supply between the pressure control valve and the geyser. The pressure control valve reduces the cold water pressure to the same pressure of the hot water coming from the geyser. Sometimes plumbers will locate the pressure control valve outside of the house – where the cold water supply enters the house. This is fine. Mostly however the multi-valve will be found in close proximity to the geyser. The pressure control of the multi-valve is designed to release excess pressure and may therefore drip when water is drawn through the valve. Each geyser must also be fitted with a pressure control valve. As most geysers have a maximum working pressure it is vital that the pressure is controlled in order for the geyser to have a longer life span. If no pressure control valve has been fitted then the geyser guarantee will likely not be honoured.


KWIKOT FI TEMP AND RELIEF SAFETY VALVE 20MM 400KPA



KH1.404CX T&P VALVE FI X 400KPA	1
KH1.404CXM T&P VALVE MI X 400KPA	1

Mounted on the geyser towards often on the opposite side to the drain cock. This is a vital componen. This valve should have a 20 mm metal (copper) pipe connected to it and the pipe must lead directly out the building. This vent an important safety feature of the whole system. It must be made of copper – not plastic. The pressure rating valve must match the pressure rating on the geyser.

GEYSER BLANKET UNIVERSAL KIT



LSB1010A 3.5M x 1.25M	1

Geyser blankets are made with aluminium laminated SABS material and is recommended by Eskom. This blanket fits all makes and sizes for inside and outside use. Can also be used with cold- or hot water pipes. Material is UV treated. No special tools required. Dimensions: 3.4 m x 1.25 m plus 5 m alumuminium adhesive tape.

COPPER PIPE INSULATION



LPI0001A 2M 15MM	1
LPI0002A 2M 22MM	1
LPI0005A 2M 42MM	1
LPI0006A 2M 54MM	1

Protects copper pipe against temperature changes. Wall thickness of 15mm and work temperature of -40 to 90 degrees celcius. Supplied in 2m lengths with quick zip seal. When used outdoors, it must be painted with acrylic PVA for protection.

PIPE POLYCOP



LTP0101A 15MMX6M	1
LTP0103A 22MMX6M	1
LTP0105A 15MMX100M PER ROLL	1
LTP0107A 22MMX100M PER ROLL	1

Polycop pipe can only be used for a cold water application and can handle 16 bar pressure. This product has a UV stabiliser in and can be used outside on outside taps. Pipe is flexible and easy to install. Can be stored in rolls. NON SABS R36 - 5 year guarantee. Holderbat at code LTZ0301A.

WASTE PIPE SWV SABS



9904014 40MMX6M	1
9905018 50MMX6M	1
9911014 110MMX6M	1

Soil, vent and waste pipes are designed for use above ground and in direct sunlight, for the conveyance of waste water from sanitary fixtures and as vent pipes for the admittance or expulsion of air in drainage systems. Plain ended and white in colour. The SABS pipes are made to SABS 967 standards. Masonry pipe drill available at codes HW0850900 and HW0850910.

PVC WELD LOW PRESSURE GLUE DEVIL



LGL0100A 100ML	1
LGL0200A 200ML	1
LGL0500A 500ML	1

High quality PVC glue for low pressure applications as water waste and drainage.

PVC WELD HIGH PRESSURE GLUE DEVIL



LGH0100A 100ML	1
LGH0200A 250ML	1
LGH0500A 500ML	1

High quality PVC glue for high pressure applications like water supply MPVC/UPVC pipes.

VALVE FLOAT SUPA FLUSH FP10F



LZZ9002A	1

Replacement float for high, low and closed couple cisterns.

FOAM RING FOR FLUSHPIPE



LZZ6004A 10

Ring for replacement on close couple toilet sets.

JOLLYFIL / TOPY DIAPHRAGM WASHER



19066001 1

Replacement diaphragm washer for the "Jollyfill/Topy" inlet valves.

FLUSHPIPE CONNECTOR BUNG TYPE BLACK



LZZ9012P 1
1 PACK

Bung rubber for flush pipe.


WASHER SEALING SUPAFLUSH



LZZ9008P 1
2 PACK

Washer for FP10 outlet. Toilet cistern with bottom inlet.

WASHER FLAT BETA VALVE 32MM HOLE



LZZ5002A 10

Replacement washer for Beta valve.

NEW BETA VALVE WASHER FLAT



LZZ9024A 1

Flat washer for Beta valve.

CISTERN HANDLE AND LEVER ARM



LZZ9017P 1
1 PACK

Handle and arm for toilet cistern.

WASHER DIAPHRAM KLEENFLO



LZZ9006A 1

Internal washer for inlet valves (FP3, FP2, FP049, FP050, FP288). Toilet cistern with top inlet.

JOLLYFILL TELESCOPIC BTTM INLET VALVE .1-16BAR 3/8



1610011 1
3/8 INCH

Universal telescopic (adjustable) bottom inlet valve that can handle pressures from 0.1 - 16 bar with a 3/8" connection.

BALL FLOAT ORANGE 80MM



LZZ9016P 1
1 PACK

Float ball for toilet cistern.

CISTERN STOPPER CP



LZZ9014P 1
1 PACK

Stopper to close holes in toilet cistern.


FLUSH PIPE CONNECTOR BLACK RUBBER



LZZ9011A 1
1 PACK

Rubber for flush pipe.

STOPPER CISTERN CP



LZZ9014A	1
1 PACK	

Stopper to close holes in toilet cistern.

CISTERN HANDLE AND LEVER ARM



LZZ9017A	1
1 PACK	

Handle and arm for toilet cistern.

WASHER HI-FLO



LZZ5004A	10

Replacement washer for Hi-flo valve.

VALVE FLOAT KLEENFLO BOTTOM INLET FP2



LZZ9005A	1

Replacement valve with a straight bottom inlet without a float. Fits most old 11 and 13.5L cisterns.

BOTTOM INLET KLEENFLO STRAIGHT



LZZ9005P	1
1 PACK	

Straight inlet for toilet cistern.

FLUSH PIPE CONNECTOR BLACK RUBBER



LZZ9011P	1
1 PACK	

Rubber for flush pipe.

SEAT NOZZLE WASHER KLEENFLO / STILFLO



LZZ9007A	1

Washer for inlet valves (FP3, FP2, FP049, FP050, FP288). Toilet cistern with bottom inlet.

GREY DUAL FLUSH CBL ASS (3PK) 354MM



89998034	1
354MM	

Dual flush cable set. 354mm Universal.

MW2 DUAL FLUSH BUTTON CP



89998143	1

MW2 double flush button chrome plated.

PREMIER DUAL FLUSH LL SISO



59998001	1

Premier dual flush with top flush mechanism. White plastic. Water saving.

CLASSIC FRONT FLUSH CISTERN LL SISO



59998002	1

Classic front flush cistern, economic.

COUPLER FLEXIBLE FIXFI



LCZ1402A	10
1/2X1/2X350MM	
LCZ1405A	1
1/2X1/2X450MM	

FI = Female BSP thread for galvanized pipe or similar. Tested up to 80 BAR.

PLUG BASIN



LZZ4030A WHITE	10
LZZ4040A BLACK	10

Standard basin plug manufactured in plastic.

BATH PLUG



LZZ9019P 2 PACK	1

Black plastic bath plugs.

UNIVERSAL BASIN / SINK PLUG



39224001 GREY	1

Universal plugs for numerous applications ranging from basins, sink and bath, ideal for camping and non-standard size wastes.

UNIVERSAL BASIN/SINK PLUG



39224101 BLUE	1

Universal plugs for numerous applications ranging from basins, sink and bath, ideal for camping and non-standard size wastes.

UNIVERSAL BASIN/SINK PLUG



39224201 ORANGE	1

Universal plugs for numerous applications ranging from basins, sink and bath, ideal for camping and non-standard size wastes.


WASHER TAP FIBRE 15MM



LCZ1201A	10

Fibre washer for replacement on hot water taps.

WASHER TAP FIBRE 22MM



LCZ1202A	10

Fibre washer for replacement on hot water taps.

STAG



LAH0002A 500G	1

For quick and efficient sealing of flanged and screwed metal joints. Resistant to oil, petrol, steam and water.

SONATA THERMODUR SEAT 2.7KG SS HINGE T/F



CMESSO15WH WHITE	1

Luxury Thermodur seat with stainless steel hinge. 2.7kg. White.

TOILET PIT TYPE



09625510	1

Black polyethelene moulded toilet, tough and durable. Also chemical and corrosion resistant.

TOILET SEAT ONLY



SO09625512	1

Polyethelene toilet seat used in pit toilets e.g. at building sites.

CLUB TOILET SEAT



29998006 1.6KG	1

Club toilet seat with plastic hinge. White. Other colours also available on request.

TWISTO SQ 90MM S/STEEL GRID



34040401 1
90MM

Twisto waste and trap square grid. 90mm.

SINK WASTE LARGE STRAINER AND PLUG



LZS0109A 1
90MM

Large waste strainer and plug for Superior range sinks.

TRAP RUBBER MINI



9713838 1
38X38MM

Mini rubber traps are fitted under hand basins in the bathroom to trap solids and release water into the drainage system.

WASTE BATH-SINK PVC



LZZ2030A 1
40MM

Waste PVC with PVC back nut used in a bath or sink.

WASTE BATH-SINK CP



LZZ2020A 1
40MM

Waste with chrome finish and PVC back nut used in a bath or sink.

WASTE BASIN SLOTTED CP



LZZ2040A 1
32MM

Waste with chrome finish and PVC back nut used in a basin.

TOURBILLON SQ SS HIGH FLOW SH WST TRAP



30933016 1

Tourbillon high flow shower waste and trap.

ALL IN ONE UNIVERSAL BOTTLE TRAP WHITE



39998005 1

Universal bottle trap that can be used on both 32mm and 38mm waste fittings. White ABS plastic.

ESPACE SINGL SINK TRAP + W/M CONN



39998007 1

Universal sink trap that is adjustable, space saving with an integrated washing machine connection.

GUTTER PVC D-SHAPE CORNER



GA20D 1
CORNER

The main purpose of an angle is to enable the installer to do an installation where it is required that the gutter must continue around a corner of the roof.

GUTTER PVC D-SHAPE OUTLET ROUND



GPEOUT.100 1
OUTLET ROUND

The purpose of an outlet is to connect the drain part of the gutter to the offset which is connected to the downpipe.


GUTTER PVC D-SHAPE BRACKET



GPEBRA.095B 1
BRACKET

The purpose of a gutter bracket is to hold the gutter against the roof. Fitting the correct number of brackets ensures that the gutter can hold the volume of water it was designed for.

GUTTER PVC D-SHAPE CONNECTOR



GPECON.115B 1
CONNECTOR

The main purpose of an connector is to enable the installer to do an installation where it is required that the gutter must continue more than one length.


GUTTER PVC ROUND DOWNPIPE CONNECTOR



PPECON.140 1
DOWNPIPE CONNECTOR

The main purpose of an downpipe connector is to enable the installer to do an installation where it is required that the downpipe must continue more than one length.

GUTTER PVC ROUND DOWNPIPE 3.0M



PPE3.01 1
DOWNPIPE 3.0M

Depending on the type of roof, the norm is one downpipe per every 3m of guttering - this will ensure sufficient drainage of the gutter to prevent it from overflowing.

GUTTER PVC D-SHAPE



GPE4.01 1
4m

GPE6.01B 1
6m

Gutters and downpipes work together to ensure that your roofing is working to the best of its ability. Always ensure your gutters are properly working and free from debris that could cause water to clog up and not flow freely.

GUTTER PVC ROUND DOWNPIPE SHOE



PPESHO.155B 1
DOWNPIPE SHOE

Shoes are mainly used to complete an installation where a plain downpipe was installed and needs a shoe to direct the water flow away from the foundation.

GUTTER PVC ROUND OFFSET BEND



PPEB.145B 1
OFFSET BEND

Offset bends are fitted over the outlet and into the downpipe to connect the gutter and downpipe that runs down the building.

GUTTER PVC ROUND HOLDERBAT



PPEHB130 1
HOLDERBAT

Holderbats are used to hold the downpipe firmly against the wall to ensure a neat finish. At least two holderbats should be used per standard 2.7m length downpipe. It is not recommended to use less than two holderbats

GUTTER PVC D-SHAPE STOPEND



GPESE.110B 1
STOPEND

Stopends are used to close the open end of the gutter to ensure that the water drains through the outlet and not the open end of the gutter.

MW2EJF UNIVERSAL D/FLUSH SET 2" CC BIBO



14010801 1
2 INCH

High quality universal flush valve kit for 2" close coupled cisterns.

MXJF FRONT FLUSH LL MECH 2"+ TOPY SI LL CP ABS



19998041 1
2 INCH

Universal MXJF low level flush mechanism 2" with a Topy side inlet valve.

CISTERN VALVE COMPLETE C/C BIBO FP15B



LZZ9010A 1

Complete valve set for use with ceramic cisterns. Includes complete valve and handle parts.

MXJF FRONT FLUSH MECH 2" + JOLLYFILL BI CC CP ABS



19998052 1
2 INCH

Universal MXJF low level flush mechanism 2" with a Jollyfill bottom inlet valve.

PUMP DIAPHRAGM TRIPLEX MINI DC 12V



302FL40	1

Ideal for camping, boating, cattle and game spraying. Self priming and for intermittent use only.

TAP BRASS HOSE TORRENTI



333208-15 15MM	1
333208-20 20MM	1

Complete with brass hose-pipe connection. Heavy duty.

VALVE STOP TORRENTI



333221-015 15MM	1
333221-020 20MM	1

Quality brass tap with female thread on both sides. For domestic or industrial use.

PAINT ROOFGUARD ROCKGRIP



658R404022720L DEEP GREEN 20L	1
658R404044420L TERRACOTTA 20L	1
658R404044620L RUSTIC RED 20L	1
658R40404465L RUSTIC RED 5L	1
658R404077020L BLACK 20L	1
658R404077120L CHARCOAL 20L	1
658R404089720L GREEN 20L	1
658R40408975L GREEN 5L	1

A 100% Acrylic paint for direct application to zinc, tiles or tile cement. Takes approximately four hours to dry. A second coat can be applied on the same day. Primer unnecessary when there is no rust present. Paint can be applied directly. Covers approximately 8-10 square metres when used on corrugated iron and 4-5 square metres when used on tiles.

PAINT ROOFGUARD DULUX



658D174073420L 20L COTTAGE WHITE	1
658D17407345L 5L COTTAGE WHITE	1
658D174300820L 20L BRAZILLIAN BROWN	1
658D17430085L 5L BRAZILLIAN BROWN	1
658D174301120L 20L TUSCAN ORANGE	1
658D17430115L 5L TUSCAN ORANGE	1
658D174301420L 20L ATLANTIC BLUE	1
658D174301520L 20L WILD PLUM	1
658D17430155L 5L WILD PLUM	1
658D174301720L 20L RED ROCK	1
658D17430175L 5L RED ROCK	1
658D174301920L 20L QUAIL	1
658D17430195L 5L QUAIL	1
658D174302020L 20L ABBEY LANE	1
658D17430205L 5L ABBEY LANE	1
658D174302120L 20L HERITAGE GREEN	1
658D17430215L 5L HERITAGE GREEN	1
658D174344420L 20L REDDENED CLAY	1
658D17434445L 5L REDDENED CLAY	1
658D174344520L 20L RED JASPER	1
658D17434455L 5L RED JASPER	1
658D174377120L 20L GRECIAN GREY	1
658D17437715L 5L GRECAIN GREY	1
658D174378020L 20L BASIC BLACK	1
658D17437805L 5L BASIC BLACK	1
658D174389620L 20L GREEN FELT	1
658D17438965L 5L GREEN FELT	1

A low sheen, pure acrylic water paint for direct application to new unprimed galvanised steel, asbestos cement and cement tiles. Quick drying water-base. Second coat can be done same day. Spreading rate: On corrugated iron: approximately 10sqm/L. On tiles: approximately 3-5sqm/L.

PAINT EGGSHELL ENAMEL DULUX



658D29207341L 1L WHITE	1
658D29207345L 5L WHITE	1
658D29255961L 1L BASE 6	1
658D29255965L 5L BASE 6	1
658D29255971L 1L BASE 7	1
658D29255975L 5L BASE 7	1
658D29255981L 1L BASE 8	1
658D29255985L 5L BASE 8	1
658D29255991L 1L BASE 9	1
658D29255995L 5L BASE 9	1

Top quality eggshell enamel for interior use where an eggshell finish is required. Ideal for kitchens, bathrooms and children's playrooms. Used on walls, wood and metal. Oil-base. Spreading rate: approximately 10sqm/L.

PAINT HICHEM ENAMEL DULUX



658M38806315L 5L LIGHT GREY	1
658M38806325L 5L DARK GREY	1

A hardwearing epoxy enamel for interior concrete floors: kitchens, bathrooms, gymnasiums, garages and workshops. Good resistance to a wide range of chemicals and most solvents. Hard dry in 6 hours. This product becomes rock hard when left standing for more than 8 hours, with the epoxy mixed in. The entire 5 liter must be used immediately.

PAINT GLOSS ENAMEL BERGERMASTER WHITE



658B16312005L 5L	1

Contractors enamel suitable for use on all interior and exterior trimmings of walls, provided new or previously painted surfaces have been suitably prepared. For cement surfaces use an all purpose undercoat at code 658D19607631. For steel use primer for steel 658D19310291L. For wood use woodprimer 658D19108011L. Oil-base. Spreading rate: approximately 10sqm/L.

PAINT GLOSS ENAMEL DULUX



658D23211295L 5L IVORY	1
658D23230331L 1L IVORY (SABS)	1
658D23230335L 5L IVORY (SABS)	1
658D23230401L 1L CREAM	1
658D23230405L 5L CREAM	1
658D23232211L 1L BRIL GREEN	1
658D23232215L 5L BRIL GREEN	1
658D23233561L 1L GOLD YELLOW	1
658D23233565L 5L GOLD YELLOW	1
658D23234111L 1L MID BROWN	1
658D23234115L 5L MID BROWN	1
658D23234141L 1L GOLD BROWN	1
658D2323414500M 500ML GOLD BROWN	6
658D23234145L 5L GOLD BROWN	1
658D23235371L 1L SIGNAL RED	1
658d2323537500M 500ML SIGNAL RED	1
658D23235375L 5L SIGNAL RED	1
658D23235571L 1L ORANGE	6
658D23235575L 5L ORANGE	1
658D23237341L 1L WHITE	1
658D2323734500M 500ML WHITE	6
658D23237345L 5L WHITE	1
658D23237701L 1L BLACK	1
658D2323770500M 500ML BLACK	6
658D23237705L 5L BLACK	1
658D23240361L 1L DARK BROWN	1
658D23240365L 5L DARK BROWN	1
658D23240851L 1L AZURE BLUE	1
658D23240855L 5L AZURE BLUE	1
658D23240861L 1L KINGFI BLUE	1
658D23240865L 5L KINGFI BLUE	1
658D23241211L 1L WHIS GREY	1
658D23241215L 5L WHISPER GREY	1


PAINT DUCO SPRAY DULUX



658D2424012300M 300ML ADMIRAL BLUE	6
658D2424030300M 300ML APPLIANCE WHI	6
658D2424044300M 300ML YELLOW ROSE	6
658D2424177300M 300ML FRESH GREEN	6
658D2424185300M 300ML BANANA DREAM	6
658D2424186300M 300ML WOODLAND FERN	6
658D2424502300M 300ML GREEN GLEAM F	6
658D2424503300M 300ML YELLOW SLICKE	6
658D2424504300M 300ML ORANGE EMBERS	6
658D2424505300M 300ML PINK SUNSET	6
658D2424537300M 300ML SIGNAL RED	6
658D2424734300M 300ML GREAT WHITE	6
658D2424736300M 300ML WHISPERING WH	6
658D2424770300M 300ML BLACK LIMO	6
658D2424771300M 300ML HI HEAT BLACK	6
658D2424811300M 300ML LACQUER CLR	6
658D2425108300M 300ML BONNET BLUE	6
658D2425218300M 300ML LEAF GREEN	6
658D2425414300M 300ML HEAT RESISTANT ALUMINIUM	6
658D2425426300M 300ML SILVER SATISF	6
658D2425431300M 300ML GOOD AS GOLD	6
658D2425537300M 300ML BRILLIANT RED	6
658D2425700300M 300ML CHARCOAL	1

Quick drying spraypaint for use where it is difficult to use a paint brush or in situation where an even finish is required. Can be used on steel and wood.

PAINT TRUCK AND TRACTOR DULUX



658M56807341L 1L WHITE	1
658M56807345L 5L WHITE	1
658M56807751L 1L BLACK	1
658M56807755L 5L BLACK	1
658M56810501L 1L YELLOW	1
658M56810505L 5L YELLOW	1
658M56810511L 1L GREEN	1
658M56810515L 5L GREEN	1
658M56810711L 1L IH RED	1
658M56810715L 5L IH RED	1
658M56810801L 1L CAT YELLOW	1
658M56810805L 5L CAT YELLOW	1
658M56810871L 1L FORD BLUE	1
658M56810875L 5L FORD BLUE	1
658M56810901L 1L MF RED	1
658M56810905L 5L MF RED	1
658M56811091L 1L MERC CREAM	1
658M56811095L 5L MERC CREAM	1

Quick drying gloss for spray or use with brush. Ideal for tractors, trucks and farm implements. Primer to be used - Primer for Steel at code 658D19310291L.

PAINT PRIMER FOR STEEL DULUX



658D19310291L 1L GREY	1
658D19310295L 5L GREY	1

Versatile primer for use on new or lightly rusted iron and steel. Gives an excellent primed surface for topcoating with most decorative undercoats and enamels. Oil-base. Spreading rate: approx. 12sqm/L.

PAINT PRIMER WOOD DULUX



658D19108011L 1L PINK	1
658D19108015L 5L PINK	1

General purpose oil-based pink wood primer for interior and exterior use. It is not recommended for the use on highly resinous timber. Spreading rate: approximately 10sqm/L.

PAINT PRIMER SEALER DULUX



658D19208001L 1L CLEAR	1

Bonding liquid. Used as a sealer on new dry gypsum plaster, cement, brickand other types of composition boarding. If used as a primer product must be thinned with 10-15% terps. Oil-base. Spreading rate: approximately 12sqm/L.

PAINT PRIMER DUCO SPRAY DULUX



658D2424801300M 300ML	6

Used on new metal or wooden surfaces which are uneven or porous. Quick drying spray for easy use where it is difficult to use brush.

PAINT PRIMER LC ETCH ROCKGRIP RED

658R41412805L 5L	1

A economical corrosion resistant metal primer especially designed for inland areas. Quick drying. 8m² per l.

PAINT PLIOTEX ROCK GRIP



658R405030020L 20L FRESH CLAY	1
658R40503005L 5L FRESH CLAY	1
658R405035020L 20L SAVANNA	1
658R405040020L 20L AFRICAN SUNSET	1
658R40504505L 5L DARK BARK	1
658R405060020L 20L DESERT SAND	1
658R405065020L 20L RIVER BED	1
658R40506505L 5L RIVER BED	1
658R405073020L 20L WHITE	1
658R40507305L 5L WHITE	1

Ideal top coat for exterior walls. Can be painted onto raw, painted, plastered or fibre cement surfaces. Good exterior durability makes it ideal for use on high rise buildings, major building projects, flats and homes. Spreading rate: ± 6M².

PAINT PRIMER STEEL ROCKGRIP RED OXIDE



658R41412601L 1L	1
658R41412605L 5L	1

Versatile primer for use on new or lightly rusted iron and steel. Gives an excellent primed surface for topcoating with most decorative undercoats and enamels. Oil-base. Spreading rate: approximately 12sqm/L.

PAINT UNDERCOAT GEN PURPOSE ROCKGRIP



658R41413001L 1L	1
658R41413005L 5L	1

A general purpose undercoat for use under decorative topcoats for interior and exterior use. Oil-base. Spreading rate: approximately 10sqm/L.

PAINT PRIMER PLASTER ROCKGRIP



658R414131020L 20L WHITE	1
658R41413105L 5L WHITE	1

Oil-based primer for new and dry interior and exterior surfaces. Alkali resistant. Spreading rate: approximately 10sqm/L.

PAINT PRIMER FOR GALV IRON DULUX



658D19318561L 1L	1
658D19318565L 5L	1

Primer for galvanised iron with anti-corrosive pigment. Must be recoated after 18 hours but before 36 hours. Water-base. Spreading rate: approximately 13sqm/L.

PAINT PVA ACRYLIC DULUX



658D17507351L 1L BRIL WHITE	1
658D175073520L 20L BRIL WHITE	1
658D17507355L 5L BRIL WHITE	1
658D17511291L 1L IVORY	1
658D17511295L 5L IVORY	1
658D17511351L 1L SOFT PEACH	1
658D17511355L 5L SOFT PEACH	1
658D17511371L 1L SOFT STONE	1
658D17511375L 5L SOFT STONE	1
658D17511391L 1L NATURAL HESSIAN	1
658D17511395L 5L NATURAL HESSIAN	1
658D17537701L 1L BLACK	1
658D17537705L 5L BLACK	1
658D17565961L 1L BASE 6	1
658D175659620L 20L BASE 6	1
658D17565965L 5L BASE 6	1
658D17565971L 1L BASE 7	1
658D175659720L 20L BASE 7	1
658D17565975L 5L BASE 7	1
658D17565981L 1L BASE 8	1
658D175659820L 20L BASE 8	1
658D17565985L 5L BASE 8	1
658D17565991L 1L BASE 9	1
658D175659920L 20L BASE 9	1
658D17565995L 5L BASE 9	1

A high quality washable wall and ceiling finish for interior and exterior use. Suitable for direct application to new plaster, concrete, brickwork and various types of composition boarding. Water-base. Spreading rate: approximately 6-10sqm/L.

PAINT PVA NUKOTE BERGERMASTER



658B162120020L 20L WHITE	1
658B16212005L 5L WHITE	1

Low cost PVA, specifically formulated for contractors requirements. Primarily used on new plastered walls where quick drying matt finish is required. Water-base. Spreading rate: approximately 6-10sqm/L.

PAINT SOFT VELVET ROCKGRIP



658R401107020L 20LWHITE	1
658R40110705L 5LWHITE	1
658r51494615L 5L BASE 7	1
658R514946220L 20L BASE 7	1

Durable velvet-sheen finish for interior and exterior walls. Very good exterior durability. Mid sheen finish. Quick drying. Hard wearing and washable, easy to apply.

PAINT MATT DURA 65



658M370160020L 20L WHITE	1
658M37016005L 5L WHITE	1

PVA for interior and exterior use on properly prepared wall surfaces such as concrete, cement and gypsum boarding. Rough uneven walls - use Durafill Fillercoat, for primer use Duraseal at code 658M37122205L . Water-base. Spreading rate: approximately 5-9sqm/L.

PAINT MATT DURA 65



658M370659720L 20L BASE 7	1

PVA for interior and exterior use on properly prepared wall surfaces such as concrete, cement and gypsum boarding. Rough uneven walls - use Durafill Fillercoat, for primer use Duraseal at code 658M37122205L . Water-base. Spreading rate: approximately 5-9sqm/L.

PAINT PVA ACRYLIC BERGERMASTER



658B162101020L 20L WHITE	1
658B16210105L 5L WHITE	1

High opacity, low cost PVA recommended for interior use on ceilings, plaster, concrete, brickwork and composition boarding. Water-base. Spreading rate: approximately 6-10sqm/L.

PAINT WALLGUARD DULUX



658D16607345L 5L WHITE	1
658D166100220L 20L STONEWARE	1
658D166100420L 20L CHALKSTONE	1
658D166559920L 20L BASE 9	1

A high quality washable wall finish which is ideal for exterior and interior use. Suitable for application directly to new cement plaster, fibre cement, concrete and brickwork. 100% pure acrylic. Prevents the growth of mould and this new Wallguard contains a Hydrophobic mechanism that helps with moisture related problems. Releases trapped moisture from inside the walls and prevent it from seeping back into the walls. Waterbase. Drying time 4 hours. Spreading rate: approximately 8sqm/L.

PAINT PVA COLOURS OF THE WORLD DULUX



658D521817825L RICH ARGENTINA 2.5L	1
658D521819025L DARING ARGENTINA 2.5L	1
658D52181915L TRULY ARGENTINA 5L	1
658D52181925L TENDER ARGENTINA 5L	1
658D52181935L GENTLE ARGENTINA 5L	1
658D521819525L RICH PROVENCE 2.5L	1
658D521819625L DARING PROVENCE 2.5L	1
658D52181985L TRULY PROVENCE 5L	1
658D52181995L TENDER PROVENCE 5L	1
658D521862225L RICH SCANDINAVIA 2.5L	1
658D52186235L GENTLE SCANDINAVIA 5L	1
658D52186245L GENTLE KENYA 5L	1
658D521862525L DARING SCANDINAVIA 2.5L	1
658D52186265L TRULY SCANDINAVIA 5L	1
658D52186275L TENDER SCANDINAVIA 5L	1
658D521871025L RICH JAPAN 2.5L	1
658D521871125L DARING JAPAN 2.5L	1
658D52187135L DARING JAPAN 5L	1
658D52187145L TENDER JAPAN 5L	1
658D52187155L GENTLE JAPAN 5L	1
658D521871625L RICH KENYA 2.5L	1
658D521871725L DARING KENYA 2.5L	1
658D52187185L TRULY KENYA 5L	1
658D52187195L TENDER KENYA 5L	1
658D52187285L GENTLE PROVENCE 5L	1

Colours of the World is an interior, low sheen and low odour washable paint for walls. Very good cleanability and wear. Very good coverage, superb appearance with an even, low sheen finish. A range of 25 ready mixed colours (Rich, Daring, Truly, Tender and Gentle). Spreading rate approximately 8 - 10m2/l.

PAINT COLOURANTS DULUX



658Z888909B1L 1L ORGANIC YELLOW (B)	1
658Z888909E1L 1L MAGENTA (E)	1
658Z888909F1L 1L ORGANIC RED (F)	1
658Z888909G1L 1L RED OXIDE (G)	1
658Z888909H1L 1L THALO GREEN (H)	1
658Z888909K1L 1L YELLOW OXIDE (K)	1
658Z888909M1L 1L BLACK (M)	1
658Z888909N1L 1L WHITE (N)	1
658Z888909O1L 1L THALO BLUE (O)	1
658Z888909P1L 1L VIOLET (P)	1
658Z888909R1L 1L RS BLACK (R)	1
658Z888909S1L 1L RS BLUE (S)	1
658Z888909T1L 1L RS RED (T)	1
658Z888909X1L 1L RS YELLOW (X)	1
658Z888909Y1L 1L RS LIGHTFAST YELLOW (Y)	1
658Z888909Z1L 1L RS LIGHTFAST RED (Z)	1

Colourants for use in matchmaker machines. For tinting up to 1500 colours.

PAINT HAMMERITE



658H001A250ML 250ML BLACK HAMMERED	1
658H001B500ML 500ML BLACK HAMMERED	1
658H001C1L 1L BLACK HAMMERED	1
658H001D5L 5L BLACK HAMMERED	1
658H002B500ML 500ML WHITE HAMMERED	1
658H003B500ML 500ML SILVER GREY HAMMERED	1
658H003C1L 1L SILVER GREY HAMMERED	1
658H004D5L 5L LIGHT BLUE	1
658H005D5L 5L DARK BLUE HAMMERED	1
658H006A250ML 250ML RED HAMMERED	1
658H008D5L 5L MID GREEN HAMMERED	1
658H010B500ML 500ML GREY HAMMERED	1
658H010C1L 1L GREY HAMMERED	1
658H010D5L 5L GREY HAMMERED	1
658H011C1L 1L DEEP GREEN HAMMERED	1
658H011D5L 5L DEEP GREEN HAMMERED	1
658H012A250ML 250ML BROWN HAMMERED	1
658H012B500ML 500ML BROWN HAMMERED	1
658H012C1L 1L BROWN HAMMERED	1
658H012D5L 5L BROWN HAMMERED	1
658H014B500ML 500ML BRONZE HAMMERED	1
658H014C1L 1L BRONZE HAMMERED	1
658S002C1L 1L WHITE SMOOTH	1
658S022C1L 1L DARK GREEN SMOOTH	1

A solvent based paint formulated to perform as primer, undercoat and topcoat in one. The quick drying metal paint can be painted directly onto rusty and new surfaces. For metal inside and outside the home. Application by brush and roller do not thin.

PAINT HAMMERITE SOLVENT



658SOLB500ML 500ML	1

Formulated to be used with Hammerite metal paint to clean paint brushes and to thin Hammerite for spraying.

PAINT HAMMERITE SPRAY



658AER001F400ML 400ML HMRD BLACK	1
658AER002F400ML 400ML HMRD WHITE	1
658AER003F400ML 400ML HMRD SILVER	1
658AER008F400ML 400ML SMTH WHITE	1
658AER009F400ML 400ML SMTH BLACK	1
658AER019F400ML 400ML SMTH SILVER	1

A solvent based spray paint formulated to perform as primer, undercoat and topcoat in one. The quick drying spray paint can be used directly onto rust. Wide colour range available. Available in hammered and smooth finish. Spreading Rate: 0.5 sqm/l.

PAINT TIMBAVARNISH W/BASE W/G



658G18510111L 1L CLEAR	1
658G18510115L 5L CLEAR	1

Water based varnish for indoor and outdoor use. Drying time: 4 hours. Spreading rate: 10 square metres per litre. Protects wood and is environment friendly.

PAINT ALUMINIUM DULUX



658D28108291L 1L	1
658D28108295L 5L	1

For interior and exterior use on primed metal and wooden surfaces where an aluminium finish is required. Can also be used as a roof paint - reflects the heat and inside temperature of house is reduced. Not to applied to bare metal - use a primer - use Primer for Steel at code 658D19310291L. Oil-base. Spreading rate: approximately 10-12sqm/L.

FILLER PLUG IT ANCHORING EPOXY FIXIT



658F684221725G	10

Can be used to re-anchor wall plugs, anchor bolts, curtain rails or any other wall fitting that came loose due to holes that are too big.

FILLER INTERIOR CRACKFILLER FIXIT



658F684309810K 10KG	1
658F68430982K 2KG	6
658F6843098500G 500G	12

Fixit interior crackfiller powder is easy-mixing, versatile filler suitable for interior wall cracks.

FILLER QUICK SET CEMENT FIXIT



658F68406501K 1KG	12
658F68406502K 2KG	6

Quick set cement is a quick way to repair any masonry surface. Ideal for resetting bolts and brackets and it sets under water making it perfect for repairing pools, drains and water features.

FILLER STICK IT CRACKFILLER STICK FIXIT



658F684221558G	6

Fast, easy, no tools solution for hairline cracks. Comes in a stick tat can be stored for future use. For interior use.

FILLER EXPANDING FOAM FIXIT



658F6842212825M	12

Fixit Epanding Foam is ideal for filling and sealing hollows and cavities. It shoots liquid foam deep into cavities creating a long lasting seal, which insulates against heat, sound and moisture. Suitable for inside or out it can be easily trimmed and sanded ready to be painted, filled or plastered.

PAINT STRIPPER FIXIT DOUBLE STRENGTH



658R1423806500M 500ML	6
658R14238065L 5L	1

Double Strength paint stripper is a non drip gel that will remove most paints and varnish without harming the wood or metal.

PAINT PRIMER PLASTERS PAL



F9400210001 1L	1
F9400210005 5L	1

Plaster's Pal is a multi-purpose bonding liquid, which dramatically improves the adhesion of tiles, plaster, paint and concrete to both new and old surfaces.

WATERPROOFING FIBRE FLEX FLASH HARRY



F9400501001 BLACK 1L	1
F9400501005 BLACK 5L	1
F9400502001 BROWN 1L	1
F9400502005 BROWN 5L	1
F9400505001 GREEN 1L	1
F9400505005 GREEN 5L	1
F9400506001 GREY 1L	1
F9400506005 GREY 5L	1
F9400507001 RED 1L	1
F9400507005 RED 5L	1
F9400508001 TERRA COTTA 1L	1
F9400508005 TERRA COTTA 5L	1
F9400509001 WHITE 1L	1
F9400509005 WHITE 5L	1

Fibre Flex is a membrane free acrylic waterproofing system. The acrylic compound is combined with a synthetic long fibre, giving a highly flexible and strong film that is resistant to slumping and has excellent filling properties. Fibre Flex is an ideal waterproof for parapet walls, tiled roof cappings, roof screw bolts as well as flat roofs and fishponds (non toxic). This product is designed to take permanent bonding. Coverage: 1L/square meter or a film thickness of min. 1mm. Colors: black, grey, red, brown, terracotta, white, green and blue.

SEALER GROUT 1L FLASH HARRY



F9412500001	1
1 LITER CLEAR	

Damp Doctor Grout Sealer - An invisible coating which waterproofs existing grout, often curing leaking shower cubicles as well as preventing algae growth and dirt retention on all tile grout applications. Trigger pack. Coverage: 4m2 – 6m2 per litre.

WATERPROOFING BITUMEN MASTIC FLASH HARRY



F9401100001	1
1L	
F9401100005	1
5L	
F9401100500	1
500ML	

Bitumen Mastic is thick black bitumen mastic, ideal for small waterproofing details such as roof screw holes, gutters, small cracks and gaps.

WATERPROOFING DRIP STOP FLASH HARRY



F9402102005	1
5L BLACK	
F9402102025	1
25L BLACK	

Drip Stop is the most cost effective multi-purpose waterproofing material available. Non-toxic. If used correctly in conjunction with membrane it is effective in underwater applications such as fishponds, gutters, dams, flat roofs etc. Coverage 1L - 0.5 square meters, 5L - 2.5 square meters, 25L - 10 square meters.

WATERPROOFING ONE SHOT 5L+10M MEM FLASH HARRY



F9400431005	1
BLACK	
F9400432005	1
BROWN	
F9400433005	1
BURGANDY	
F9400435005	1
GREEN	
F9400436005	1
GREY	
F9400437005	1
RED	
F9400438005	1
TERRACOTTA	
F9400439005	1
WHITE	

One-Shot is an easy to use acrylic waterproofing system, used in conjunction with S.B.P. (Stitch Bonded Polyester) membrane. It is ideal for all contractual and DIY applications. One-Shot is suitable for waterproofing on metal, iron, tiled and timber pitched roof applications. This product is not designed for permanent bonding. Coverage: 1L kit; 100mm x 5m (0,5 square meters) S. B .P. membrane included, 5L kit; 200mm x 10m (2 square meters) S. B .P. membrane included. Available in red, grey, black, brown, burgundy, terracotta, white and green.

WATERPROOFING MEMBRANE FLASH HARRY



F9406000001	1
1MX10M	
F9406000020	1
1MX20M	
F9406000050	1
1MX50M	
F9406010100	1
100MMX10M	
F9406010150	1
150MMX10M	
F9406010200	1
200MMX10M	
F9406010250	1
250MMX10M	

SBP is a roll of membrane that is used in conjunction acrylic based waterproofing and bitumen based waterproofing systems to aid and improve areas that require 2 substrates being joined together. These areas for example are lap joints, (where the roof meets the adjoining wall), overhangs, parapet walls, roof ridges and many others.

PAINT ALU-COAT SILVER FLASH HARRY



F9409100001	1
1L	
F9409100005	1
5L	
F9409100025	1
25L	

Alu-Coat silver is modified bituminous aluminum paint with extreme brilliance allowing maximum UV and heat reflection, giving increased service life to its substrate. Alu-coat is recommended for use with Drip Stop and Thermoflex waterproofing systems where exposure to UV occurs. Clolors: silver, bronze and black. Coverage: 1L - 6 square meters, 5L - 30 square meters, 25L - 150 square meters.

WATERPROOFING ROOF PLASTERS FLASH HARRY



F9413010100	1
BLACK 100MMX3M	
F9413010200	1
BLACK 200MMX3M	
F9413060100	1
GREY 100MMX3M	
F9413060200	1
GREY 200MMX3M	
F9413070100	1
RED 100MMX3M	
F9413070200	1
RED 200MMX3M	
F9413080100	1
TERRA COTTA 100MMX3M	
F9413080200	1
TERRA COTTA 200MMX3M	

A band aid for leaking roofs. A no mess, no fuss, self adhesive, roll of acrylic waterproofing material, suitable for all roofing details such as flashings, lap joints, chimneys, gutters, valleys, skylights and roof screw bolts. Roof Plasters are pre-saturated with an acrylic waterproofing compound, available in various colours to match your roof. For additional waterproofing this product may be over coated with acrylic waterproofing products and for aesthetic purposes may be over-coated with a good acrylic roof paint. Coverage: 100mm x 3m or 200mm x 3m. Colors: black, grey, red and terracotta.

FILLER WONDER FILL FLASH HARRY



F9404004001	1
1L	
F9404004005	1
5L	
F9404004500	1
500ml	

Wonder Fill is a multipurpose ready mix filler for repairing and filling gaps and cracks on plaster, brick, timber, tiles etc. Wonder Fill is easily sanded and may be painted over with any chosen paint. Pack Size 500ml, 1L, 5L, and 25L

PAINT SPRAY SPRAYON GLOW 250ML



658SG1 PINK	1
658SG2 ORANGE	1
658SG3 YELLOW	1
658SG4 GREEN	1
658SG5 RED	1
658SG6 AMBER	1

Spray Glow is a bright fluorescent spray paint available in a range of 6 quick drying colours in 250ml aerosol cans. Spray Glow is perfect for signage, hobbies and crafts where maximum visibility is required and is safe to use on polystyrene.

PAINT BRILLIANT ALUMINIUM STEEL CLADD BRIGHT SILVER



658SC101001 1L	1
658SC101005 5L	1
658SC101020 20L	1

An interior/exterior aluminium paint for use on primed metal and wooden surfaces where an aluminium finish is required. Oil-based. Spreading rate: approximately 12 - 15 sqm/l.

PAINT GLOSS ENAMEL KAUFMANN



Z339110221L 1L PWD BROWN	1
Z33911041L 1L WHITE	1
Z33911045L 5L WHITE	1
Z33911051L 1L BLACK	1
Z33911055L 5L BLACK	1
Z33911061L 1L GOLDEN BROWN	1
Z33911065L 5L GOLDEN BROWN	1
Z33911091L 1L POST OFFICE RED	1

High quality gloss washable wall and ceiling finish for in and outdoor use. Recommended for use on plaster (undercoat: at code 658D19607631L - universal undercoat for newly plastered walls - 658D19208021L, steel - primer. Primer for Steel 658D1931029L or for wood primer 658D19108011L). Oil based paint. Drying time: 18 hours. Spreading rate: approximately 10 sqm/l.

PAINT QUICK DRY GLOSS KAUFMANN



Z18510001L 1L FIAT ORANGE	1
Z18510005L 5L FIAT ORANGE	1
Z18510011L 1L FIAT BROWN	1
Z18510015L 5L FIAT BROWN	1
Z18510021L 1L FIAT TERRA CO	1
Z18510025L 5L FIAT TERRA CO	1
Z18510031L 1L JD YELLOW	1
Z18510035L 5L JD YELLOW	1
Z18510041L 1L JD GREEN	1
Z18510045L 5L JD GREEN	1
Z18510051L 1L FORD BLUE	1
Z18510055L 5L FORD BLUE	1
Z18510061L 1L FORD GREY	1
Z18510065L 5L FORD GREY	1
Z18510071L 1L MF GREY	1
Z18510075L 5L MF GREY	1
Z18510081L 1L MF RED	1
Z18510085L 5L MF RED	1
Z18510091L 1L IH RED	1
Z18510095L 5L IH RED	1
Z18510101L 1L CAT YELLOW	1
Z18510105L 5L CAT YELLOW	1
Z18510111L 1L LANDINI BLUE	1
Z18510115L 5L LANDINI BLUE	1
Z18510121L 1L SLATTERY RED	1
Z18510125L 5L SLATTERY RED	1
Z18510131L 1L MERC CREAM	1
Z18510135L 5L MERC CREAM	1
Z18510141L 1L LISTER GREEN	1
Z18510145L 5L LISTER GREEN	1
Z18510155L 5L SHEARER GREEN	1
Z18510165L 5L MERC OX BLOOD	1
Z18510171L 1L WHITE	1

EXCELSIOR WEATHERFLEX ACRYLIC PAINT



Z184180020L 20L WHITE	1
Z1841801020L 20L KZN SANDS	1
Z1841801120L 20L MAPUTU RUST	1
Z1841801220L 20L WALVIS HAZE	1
Z1841801420L 20L SWAZI FUDGE	1
Z184180920L 20L LOWVELD GRAVEL	1

A textured exterior acrylic coating recommended where a long life, low maintenance durable exterior coating is required. Excellent flexibility and crack-bridging properties due to Mica re-enforcement. UV, water and alkali resistant. Appearance: Low textured sheen. Spreading Rate: 3-6sqm/l.

EXCELSIOR ALL PURPOSE SHEEN PAINT



Z18413455L 5L WHITE	1

Durable, sheen finish washable water base paint. For in and outdoor use. Ideal for cement, metal or wooden surfaces, provided the correct primer is used. Cement: general primer 658D19607631L, metal: primer for steel at code 658D19310291L, wood primer 658D19108011L. Drying time: 4 hours. Spreading rate: approximately 8sqm/l.


PAINT PVA WISE BUYS CONTRACTORS WHITE



Z186104020L 20L	1
Z18610405L 5L	1

An economical general purpose matt acrylic paint for interior and exterior surfaces with limited washability (interior use recommended). Spreading rate: 5-8m²l. Drying time: hard dry in 4hrs.

SEALER SEAL O DAMP EXCELSIOR



Z184SEA1L 1L	1
Z184SEA5L 5L	1

A high quality technologically advanced coating designed to reduce or eradicate rising and penetrating damp on brick or plastered surface intertior or exterior using specialized acrylic resins and organic hydrophilic pigments. This product can be overcoated with a variety of water-based emulsion coatings. Touch dry in 4 hours, hard dry in 18 hours. 2-6 m² per litre.

EXCELSIOR PUROL ALUMINIUM



Z18417061L 1L	1
Z184170620L 20L	1
Z18417065L 5L	1

An interior/exterior aluminium paint for use on primed metal and wooden surfaces where an aluminium finish is required. Can also be used as a roof paint - reflects the heat and the inside temperature of the house is reduced. Oil-based. Spreading rate: approximately 12 - 15 sqm/l.

EXCELSIOR SATIN ROOF PAINT



Z184170220L 20L RED	1
Z184170420L 20L BLACK	1
Z184171220L 20L WHITE	1
Z184171320L 20L VICTORIAN GREEN	1
Z184171420L 20L TERRACOTTA TILE	1

A low sheen fast drying acrylic roof paint for direct application to new unprimed galvanized steel, asbestos cement and cement tiles. Second coat can be applied on the same day. Spreading rate: approximately 3sqm/l on roof tiles and 7 - 8sqm/l on galvanized steel.

PAINT PRIMER G&M



658P040701210L RED OXIDE 210L	1
658P04071625L RED OXIDE 25L	1
658P040801210L GREEN 210L	1
658P04081625L GREEN 25L	1
658P040901210L CHARCOAL/MATT BLACK 210L	1
658P04091625L CHARCOAL/MATT BLACK 25L	1
658P04111625L CHASSIS BLACK 25L	1
658P041501210L GREY 210L	1
658P04151625L GREY 25L	1

Oil based oxide primer for most industrial applications where rust prevention is required. Spreading rate: Roof tiles and cement: 3sqm/l; steel and tin roofs: 6 sqm/l. Diluting: Thinners and lacquer thinners. Drying time: 4-6 hours.

PAINT FLEXBOND MEGABOND



658AFBL1L 1L	1
658AFBL20L 20L	1
658AFBL5L 5L	1

Promotes the following key properties of concrete: Flexibility, strenght, adhesion, durability. Enhances curing time of various cement mixes. Barrier between bitumen and acrylic coating. Acts as an accelerator for cement curing. Premium quality. One 5l per bag of cement.

PAINT MEGACLAD MEGABOND WHITE



658MBW1L 1L	1
658MBWW20L 20L	1
658MBWW5L 5L	1

Megaclad is a permanent, high fibre, exterior pure acrylic waterproofing coating. Bridge hairline cracks, fight mildew and protect wall surfaces. Exterior protection and beautification. Dirt and stain as well as uv resistance. 10m² Per liter.

SEALANT RAINGUARD WALLCRAFT



658APC505L RED 5L	1
658ARAINGGR05L GREEN 5L	1
658ARCG05L GREY 5L	1
658ARCW05L WHITE 5L	1
658RAINGC05L CHARCOAL 5L	1

Rain Guard is a liquid plastic waterproofing solution. Used in conjunction with a membrane to seal gaps, holes, joints and cracks. Its high flexibility makes it ideal for most waterproofing areas. Wall Craft Rain Guard has proven to be a very stable product in UV light (sun), so no protection final coat is required.

PAINT POOL AND POND MEGABOND



658MBPP2.5L 2.5KG	1
658MJBPP20L 10KG	1

2 Pack waterproofing system. Non toxic. Cover hairline cracks. Can be overcoated. Excellent adhesion. Very cost effective. Easy to apply. Long life span. Premium quality. UV resistant. 2m² per liter.

PAINT WATERPROOFING WATERBLOCK MEGABOND



658MBBWBL01L 1L	1
658MBBWBL05L 5L	1

Waterblock can be used for rising damp, sealing grout in showers, sealing slasto. Mildew growth reduction. Prevents efflorescence. Low sensitivity to frost thaw. Reduction in heat loss. Improve paint performance by adding 1-5% Waterblock. 5m² Per liter.

PAINT THERMOSHIELD MEGABOND



658MBT20L 20L	1
658MBT5L 5L	1

Designed by NASA. Reduces inside temperatures up to 45%. Reduces air conditioning and refrigeration equipement running costs by up to 40%. Reduces ultravoilet penetration by up to 96.6%. Eliminates 80% of thermal shock. Vastly improves productivity, working and living conditions. Converts rust to iron sulphate and increases metal life. Seals and waterproofs roofs. Eliminate blistering, peeling, cracking and fading. Anti-fungus qualities. Colour: white. Packaging: 5 L and 20 L. Plastic containers. Cover: 2.5 m² per liter. Dry: 6 - 10 hours.

PAINT ROOF MEGABOND PROOF



658MBB1 BLACK 1L	1
658MBGRY5L GREY 5L	1
658MBR20L TERRACOTTA 20L	1
658MBRB5L BLACK 5L	1
658MBRC1L CHARCOAL 1L	1
658MBRC20L CHARCOAL 20L	1
658MBRC5L CHARCOAL 5L	1
658MBRGE1L GREEN 1 L	1
658MBRGE20L GREEN 20L	1
658MBRGE5L GREEN 5L	1
658MBRGY20L GREY 20L	1
658MBRT1L TERRACOTTA 1L	1
658MBRT5L TERRACOTTA 5L	1
658MBRW1L WHITE 1L	1
658MBRW20L WHITE 20L	1
658MBRW5L WHITE 5L	1

Non toxic and provides extremely high UV resistance. Dries from 2°C. Excellent elongation properties. No membrane required. Can take submersion. Seal dams, reservoirs, fish ponds, roofs, etc. Colours available: white, grey, charcoal, terracotta and green. Packaging: 1 L, 5 L and 20 L plastic container. Cover: 2 - 4 m² per liter. Dry: 4 - 6 hours.

FIBREGLASS REPAIR KIT LARGE



HW2790055	1

200g Fibreglass mat, 500g resin and hardener, 200ml acetone, sand paper, gloves and instructions.

VERDUNNER 300 POWAFIX



6730051 750ML	12
6730052 5L	4

For thinning oil-based paints, spray-painting and cleaning brushes and rollers.

TAPE MASKING



HW2100061 12MMX40M	1
HW2100118 18MMX40M	1
HW2100258 24MMX40M	1
HW2100398 36MMX40M	1
HW2100533 48MMX40M	1
HW2100673 72MMX40M	1

Masking tape is commonly used in the panel beating industry to cover some parts during the spray painting process. There is also a 1001 uses in and around the house.

ADHESIVE BLITS STIK BOSTIK



HW2160781 2G 7291	1

Instant acting multi purpose super glue.

ADHESIVE PUTTY QUICKSET PRATLEY



HW2180537	1

Quick setting. Various applications, including repair of leaking petrol and water tanks.

ADHESIVE TANGIT CLEANER



HW2195070 500ML	1

Used to clean PVC pipes before applying glue.

ADHESIVE TILE



HW2160870 800G	1
HW2160897 1.5KG	1

Ready mix tile adhesive for floor and wall tiles.

ADHESIVE PVC CEMENT TANGIT



HW2194770 50ML TUBE	1
HW2194775 100ML TUBE	1
HW2194910 250ML TIN	1
HW2195062 500ML TIN	1

High pressure PVC weld. Suitable for irrigation as well as on PVC pipes at pools.

ADHESIVE CONTACT GENKEM



HW2192508 50ML	1
HW2192519 100ML	1
HW2192530 250ML	1
HW2192541 500ML	1
HW2192552 1 LIT	1
HW2192564 2 LIT	1
HW2192575 5 LIT	1

Superior quality contact adhesive. Top seller. Bonds most materials.

ADHESIVE POWER TAPE 5M PATTEX



HW2160210 5M SILVER	1

No need for scissors, Pattex Power Tape can be cut with hands! And not only is Pattex Power Tape suitable for 1001 uses indoor and outdoor but it is also super strong and water and air pressure resistant. Pattex Power Tape is available in silver and black.

ADHESIVE NUTLOCK 243-31 LOCTITE



AO809/0096 50ml	1

Medium strength thread-locking of "as received" parts. Effective on all industrial metals including stainless steel. Recommended for nuts and bolts of all types.

GLUE STICK MINI 24 PACK STANLEY



HW2170500 100MM	24

Use in hot melt glue gun at HW2170540. 100mm In length. Various applications. Can also glue electrical wire to walls. Use on walls, leather, wood, plastic, porcelain, etc.

ADHESIVE EPOXY METAL REPAIR PATTEX



HW2180375	1

Quick setting and water resistant adhesive. Heat resistant to 100 degrees. Can be used on all steels and metals.

ADHESIVE GLUE EZEE BOND PRATLEY



HW2180800	1

Acrylic adhesive. Rapid bonding. Easy use.

ADHESIVE SUPER GLUE PRATLEY



HW2180848	1
3G	

Quick acting superglue. Glues almost anything.

ADHESIVE SUPERGLUE PRECISION LOCKTITE



HW2193361	1
5G	

High performance 5gr formula gives a strong bond in seconds on a wide variety of surfaces. The extra long nozzle is ideal for difficult repair jobs. Stand up bottle. A pin moulded into the cap ensures that the nozzle does not clog and it is ready for re-use. Universal instant adhesive for repairs on china, metal, rubber, leather, wood, paper, and most plastics.

ADHESIVE STEENVAS



HW2180880	1
50ML	
HW2180898	1
400ML	

Cold weld, heat resistant. Works on galvanised steel, copper and almost everything else. Excellent for exhaust repair. Also for irrigation pipes. Can be sanded, cut and moulded.

ADHESIVE PVC WELD



HW2160790	1
50ML	
HW2160846	1
500ML	

Low pressure sealing of PVC gutters, pipes and PVC electrical conduit.

ADHESIVE PVC WELD BOSTIK



HW2160845	1
200ML	

Low pressure sealing of PVC gutters, pipes and PVC electrical conduit.

ADHESIVE SUPER GEL BOSTIK



HW2180014	1
6319	

Clear adhesive gel. Excellent gap filling properties. Suitable for porous materials.

ADHESIVE WONDA FIX CAR PRATLEY



HW2180875	1
30ML	

Pratley Wondafix is a tough but flexible high strength adhesive for a multitude of problematic car repairs. It adheres to leather, most plastics, most rubbers, metals, wood, fabrics, upholstery etc. Some suggested repairs: Scuffed hoses, damaged rubber or car bumper, cracked car dashboard, vinyl/cloth seats and filling cracked windshield rubber. It is a two part glue that are mixed 2:1 ratio.

ADHESIVE LOCK NUT 8-VR LOCTITE



AO809/0774	1
6ML	

Makes any normal fastener completely vibration proof.

CRACK FILLER INTERIOR PERMOSEAL



HW2193620	1
2 KG	

Filling of cracks in interior walls.

ADHESIVE FOAM NO MORE BIG GAPS PATTEX



HW2195214	1
500ML	

Sealing of cracks, holes and openings in any material. Can be finished and painted.

SILICONE 90G BOSTIK



HW2160300	1
BATH WHITE	
HW2160310	1
CAR BLACK	
HW2160320	1
HOME CLEAR	
HW2160330	1
MARINE CLEAR	
HW2160334	1
SHOWER CLEAR	
HW2160335	1
MIRROR	

General purpose sealant. See description for typical application.

SILICONE 300ML ALCOLIN



HW2160380 GREY	1
HW2160390 BRONZE	1

Alcolin general purpose sealant. Caulking guns at HW2160749, HW2160760 and HW2160767. See code HW2160698 for various other colours.

SILICONE RTV PATTEX



HW2160709 BLACK 90ML	1

Heat resistant to 300°C. Suitable to make gaskets seals as well as place where heat is a problem

ADHESIVE FILLER ACRYLIC KAUFMANN WHITE



HW2180836 280ML	1

This is a one-part flexible acrylic emulsion joint sealant with a high polymer proportion, providing an economic solution for low moving joints. It can be painted or papered over in approximately 1 hour. Sealing around windows, door frames, skirting boards, covering and repairs plaster work. For interior and exterior use.

TILE PRIMER KEY IT TYLON



777025 1L	1

A primer and keying agent for priming of previously painted and plaster of Paris surfaces. Ceramic tiling onto smooth concrete, wood and existing ceramic tiles. Concrete/mortar strengthening and waterproofing. Bonding aid for rendering and screeding.

TILE CEMENT FLOOR/WALL



6755105 5KG	1

It is a cement-based product. Mixed with water, it provides an extra-strong adhesive for both wall and floor tiles.

TILE BOND IT TYLON



777026 5L	1
777027 1L	1

Specially formulated to be used in conjunction with Tylon cement-based adhesives and Tylon tile grout where complicated applications or permanently wet conditions exist or increased bonding strength is required. Also used as a primer for the sealing and stabilising of friable and chalking surfaces, both interior and exterior, prior to tiling or coating.

SEALER THE WORKS ABE



7656267 290ML WHITE	1
7656268 290ML CLEAR	1
7656269 290ML BLACK	1

With The Works sealant adhesive you can manage all kinds of jobs impossible with traditional solvent or water baser adhesives. Apply The Works in wet or dry conditions on virtually any substrate and get a secure fix and seal quickly and easily. There's no shrinkage, no staining, no solvents, it resists mould growth, is flexible and over paintable. It works on: wet surfaces(even under water), wood, metal, glass, stone, most plastics, polystyrene, concrete, tiles, roofing materials, plaster, plasterboard, guttering, pipes, door and window frames, cracks, masonry joints and brick.

SEALER SILICONE PAINTERSMATE ABE 310ML



7654010 WHITE	1

Painters Mate is an established leader in the decorator's filler market. This unrivalled formula offers many benefits and can be used internally and externally. Ideal for use on door and window frames, skirting boards, ceilings, walls, architraves and plasterboard. High flexibility- resists cracking. Can be overpainted within one hour. Can be used on hairline cracks. Contains fungicide to prevent mould growth. No sanding required. Easy to use.

PAINT FLOOR ABECOTE WD337 ABE 5L



7655985 SOFT GREY	1
7655986 SEA GREY	1
7655987 IVORY SILK	1
7655998 VANILLA CREAM	1
7656020 CHOCOLATE BROWN	1
7656021 HAVANNA BEIGE	1
7656022 GREEN IVY	1
7656023 BURNT RED	1
7656024 CHESTNUT BROWN	1

Ideal for indoor floors and walls. May be applied to damp surfaces. Easily overcoated at any time for maintenance purpouses. Tough, protective and decorative coating. Solvent resistance (i.e petrol & oil). Easy to apply. Can make surfaces non-skid. Excellent coverage. Available in various colours. Coverage: 8-10m² per l (minimum 2 layers).

WATERPROOF SLURRY 5KG ABE



7656350 5KG	1

dura.®slurry is a ready-for-use (just add water) Portland cement based waterproofing slurry. It consists of a blend of cements, graded quartz and active chemical constituents. It is supplied as a fine, grey powder.

dura.®slurry is an economical, easily applied method of providing a permanent waterproof skin on concrete, plaster and brick surfaces. It may be used on both new and existing structures on either the positive or negative side.

dura.®slurry is recommended for:
•Foundations
•Basements
•Tunnels
•Supporting walls
•Dams
•Reservoirs
•Ponds
•Pools
•Silos
•Sewage plants
•Underground structures

COATING BITUSEAL PLASTIC ABE



7653948 500ML	1
7654006 1L	1
7654294 5L	1

A heavy-duty mastic sealer and repair compound. May be used to seal most roofing defects: sheeting laps, valleys, gutters, downpipes, screw holes and cracked tiles.

WATERPROOF SUPER LAYCRYL ABE



7655090 RED 5L	1
7655091 CHARCOAL 20L	1
7655927 GREY 5L	1
7655928 CHARCOAL 5L	1
7655930 GREEN 5L	1
7655931 GREEN 1L	1
7655932 WHITE 1L	1
7655933 WHITE 5L	1
7655934 BURGUNDY 1L	1
7655936 BURGUNDY 5L	1
7655940 T/COTTA 1L	1
7655941 T/COTTA 5L	1
7655980 RED 1L	1
7655981 GREY 1L	1
7655982 CHARCOAL 1L	1

Super Laycryl is an advanced durable elastic waterproofing emulsion which has been designed to achieve the excellent waterproofing properties of a rubberised emulsion such as Super Laykold, but with colour added. Must be used with abe membrane at code 7655092. It's adhesion and wetting out properties are excellent. Super Laycryl is recommended for all types of flashings, parapet walls, flat roof waterproofing for areas not exceeding 500sgm, sealing of joints, laps and roofing screws on corrugated roofs. See also 7655942.

SEALANT TREE SEAL PRUNING ABE



7655740 5L	1
7655745 20L	1
7655746 90ML	1
7655750 1L	1

Rubberised bituminous emulsion for sealing cut edges after pruning.

BRIXEAL BLACK ABE



7655804 5L	1
7655805 20L	1

Brixeal is used for waterproofing the faces of concrete beams and pillars where they come in contact with exterior brickworks. It is also used to prevent a bond developing between two adjoining concrete faces. It is also used as a concrete curing agent.

COATING 4 METAL PRIMER ABE



7655879 RED OXIDE 1L	1
7655880 RED OXIDE 5L	1
7655922 GREY OXIDE 1L	1
7655923 GREY OXIDE 5L	1

A water-based etch primer used as a corrosion inhibitor on clean steel and galvanised surfaces.

COATING AUTOKOTE ABE



7655820 BLACK 1L	1
7655822 BLACK 5L	1

Filled bituminous compound for anti-corrosion and dust-proofing of automotive bodies and a general-purpose anti-drumming compound.

COATING SILVAKOTE ABE



7654499 1L	1
7654561 5L	1
7654715 25L	1

A general-purpose reflective aluminium paint for metallic, most bituminous and concrete surfaces. Use 4-metal primer at code 7655879 on metal.

ADHESIVE EPIDERMIX 372 ABE



7655874 90ML	1
7655875 500ML	1
7655876 1L	1

General-purpose non-structural adhesive for all materials. Widely used in boat-building.

ADHESIVE GRIP-A-BLOC ABE



7656120 BLACK 1L	1
7656121 BLACK 5L	1

A rubber modified bitumen adhesive used for fixing of 22mm woodblock flooring. Not for mosaic wood blocks.

DURAREP 60 GREY ABE



7655810 10KG	1
7655812 25KG	1

Durrep 60 is a one component, cementious blend which sets rapidly after adition of a minimal amount of clean water. They are fast setting mortars, which are easy to apply for the purpose of curtailing water seepage and similar difficult to apply situations. Under ambient temperatures of 20° C the initial setting times to be expected is approximately one minute. Durarep 60 is used to stop waterflow through porous substrates and provide a rapid temporary patch in concrete, brick and porous substrates, such as underground basements, lift shafts, tunnels, sewage manholes, pipes and mining installations. The mortar can be applied on horizontal, vertical and overhead surfaces.

PRIMER BITUPRIME ABE BLACK



7655961 1L	1
7655962 5L	1

A bitumen solution suitable for sealing and priming of all porous and non porous surfaces prior to treatment with - cold applied, filled bituminous compounds, hot or cold bituminous sealants and membranes. Bituprime may be applied by brush or spray. The applied film must be allowed to dry before being overcoated with any waterproofing compound, sealant or coating.

ADHESIVE PLASTA KEE ABE



7655882 5L	1
7655883 1L	1

Ready for use. Improves non-structural bond of cement screeds, renders and gypsum plaster. Bond to sound PVA/acrylic surfaces. Economical. Easy to apply.

OIL TEAK POWAFIX



6730115 750ML	1
6730120 5L	1

Mineral based oil for wood preservation.

COATING CARBOLINEUM POWAFIX



6730014 5L	1
6750052 200L	1
6755104 25L	1
6760002 1L	8

It is intended for the use in the preservation of timber. The toxicity and strong odour prohibit the interior use of carbolineum for both human and animal habitation. It should not come into contact with food or portable water.

LINSEED OIL BOILED POWAFIX



6730075 5L	1
6730080 750ML	1

To seal wood. For first application on raw wood use one part oil and one part turpentine. A natural vegetation oil extracted from the flax seed. Results in a darker transparent brown on the wood. Dries within 4-12 hours.

SEALER WOODOC 35 OUTDOOR WAX



920W350 500ML MERANTI	1
920W351 1L MERANTI	1
920W355 5L MERANTI	1
920W355DBR 5L DARK BROWN	1
920W355RUS 5L RUSSET	1

Woodoc 35 is an exterior meranti-tinted matt sealer with added UV protection. Suitable for harder, darker woods. Ideal for doors, window frames, garage doors, etc. with intense exposure to the sun.

SEALER WOODOC 55 OUTDOOR GLOSS



920W5505 500ML MERANTI	1
920W5505DBR 500ML DARK BROWN	1
920W551 1L MERANTI	1
920W551DBR 1L DARK BROWN	1
920W555 5L MERANTI	1

Gloss outdoor sealant. Made from alkali resin and offers excellent surface build up while penetrating deep into the wood. Offers a smooth, durable gloss finish with extra UV protection.

SEALER WOODOC WEATHERPROOF WAX



920EPW1 1L	1
920EPW375 375ML	1
920EPW5 5L	1

This product enhances the already super protective characteristics of Woodoc's protective products. It penetrates the wood and actually replenishes moisture and natural nutrients as well as strengthens the UV absorbers.

COATING CREOSOTE POWAFIX



6730020 25L	1
6730025 5L	4
6750613 200L	1
6760003 1L	1

It is intended for the use in the preservation of timber. The toxicity and strong odour prohibit the interior use of creosote for both human and animal habitation. It should not come into contact with food or portable water.

COATING WAKSOL



6754434 1L	1
6754435 5L	1

It is a complex mixture of hydrocarbons forming a green tinted waxy oil liquid, that protects external timber. Wax based timber sealer for wooden fences, garden huts, Wendy Houses and log cabins. It is UV resistant and environmental friendly. Apply one coat every 6-8 months or as required. Spreading rate: 4-5 sqm/l.

COATING FENCE DEFENSE POWAFIX



676FEND1L 1L	1
676FEND25L 25L	1
676FEND5L 5L	1

Fence Defence is a user friendly alternative to Creosote, Carbolineum and Waksol and is used to coat timber that has already been treated against wood borer and termites. Ready to use. Eco friendly, user friendly, safe for indoor use, effectively seals and protects against water, fungi and algae.

PUTTY



6752700 500GR	1
6752702 2KG	1
6752703 1KG	1

Multipurpose putty suitable for steel and wood.

INSULATION TAPE BLACK QUALITY



AO762/0205 10M	1
AO762/0240 20M	1

Top quality tape for warm and cold isolation.

RUBBER INSERTION



930102A 1200X6.4MM (2M ROL)	1
930104B 1200X3.2MM (5M ROL)	1
930104C 1200X3.2MM (10M ROL)	1
930106C 1200X1.6MM (10M ROL)	1

All purpose rubbersheeting for commercial use and transport use e.g. on floors, counters and on the back of trucks to protect cargo.

ADHESIVE GUN GUM HOLTS



AO812/0495 200G	1

Permanently repairs small holes and leaks in silencers and other parts of the exhaust system. The putty is applied and sets rock-hard through the heat of the exhaust after running the engine for a short while. The repair will last as long as the silencer itself.

VIBROFLEX BOLT&NUT



AO902/772112 12X50	1

Sweeps made of Boron Steel

GUMBOOTS CEBO FURLINE (CHECH)



0864331 5/38	1
0864358 6/39	1
0864366 7/41	1
0864374 8/42	1
0864382 9/43	1
0864390 10/45	1
0864412 12/47	1
0864935 11/46	1
2296659 13/48	1

Cebo woollined gumboots with 140m zip are anatomically formed and fit for typical vineyard as well as cold and damp circumstances. Made from 100% natural rubber. Ergonomically shaped and complies with international health standards. The sole is abrasion resistant with antislip protection and the boots contain heel shock absorbers.

GUMBOOTS KIDDIES BLUE AND YELLOW



V1111806 NO 6	1
V1111807 NO 7	1
V1111808 NO 8	1
V1111809 NO 9	1
V1111810 NO 10	1
V1111811 NO 11	1
V1111812 NO 12	1
V1111814 NO 1	1
V1111815 NO 2	1

Kiddies gumboots are manufactured in South Africa from locally produced PVC compounds. This colourful gumboot style features a hardy and practical tread design for wet fun. Available in sizes 5-13. Blue with a yellow sole.

GUMBOOTS KIDDIES RED AND YELLOW



V111006 NO 6	1
V111007 NO 7	1
V111008 NO 8	1
V111009 NO 9	1
V111010 NO 10	1
V111011 NO 11	1
V111012 NO 12	1
V111014 NO 1	1
V111015 NO 2	1

Kiddies gumboots are manufactured in South Africa from locally produced PVC compounds. This colourful gumboot style features a hardy and practical tread design for wet fun. Available in sizes 5-13. Red with a yellow sole.

GUMBOOTS KNEE LENGTH WHITE RED



V1106100 NO 6	1
V1106110 NO 7	1
V1106112 NO 8	1
V1106115 NO 9	1
V1106120 NO 10	1
V1106125 NO 11	1
V1106130 NO 12	1

Used in food and petroleum industries and other areas where greases, fats, oils, acids and blood may be prevalent.

GUMBOOTS HALF LENGTH WHITE RED



V1106705 NO 5	1
V1106706S NO 6	1
V1106707 NO 7	1
V1106708 NO 8	1
V1106709 NO 9	1
V1106710 NO10	1
V1106711 NO11	1

Half length, for specialised applications; abattoirs, food and dairy industries.

GUMBOOTS LADIES SLIP-ON



V1700004 WIT NO 4	1
V1700005 WIT NO 5	1
V1700006 WIT NO 6	1
V1700007 WIT NO 7	1
V1700008 WIT NO 8	1

Comfortable polyurethane slip-on clogs, bound edge, PVC sole. Easy to wash and clean. Cushioned inner-sole. Suitable for gardening, agriculture and wet areas. Available in green, white and black.

OVERALL BLUE BOILER SUIT



1640008 NO 32	1
1640010 NO 34	1
1640015 NO 36	1
1640025 NO 40	1
1640030 NO 42	1
1640035 NO 44	1
1640040 NO 46	1

Two- pocket button-up boilersuit. Royal blue polycotton 50/50. All seams are double-stitched.

OVERALL BLUE TWO TONE TWO PIECE



1650034 NO 46	1
1650035 NO 34	1
1650036 NO 36	1
1650037 NO 38	1
1650038 NO 40	1
1650039 NO 42	1
1650041 NO 44	1
1650043 NO 48	1
1650045 NO 50	1
1650047 NO 52	1

Two piece two tone garments made from hard wearing polyester cotton 65/35 and are proving to be very popular with game farmers as the lighter colour on the top of the garment makes it cooler to wear whilst in the bush.

OVERALL BLUE TWO PIECE



1690003 NO 28	1
1690004 NO 30	1
1690005 NO 32	1
1690010 NO 34	1
1690015 NO 36	1
1690020 NO 38	1
1690025 NO 40	1
1690030 NO 42	1
1690035 NO 44	1
1690040 NO 46	1
1690045 NO 48	1
1690055 NO 52	1
1690056 NO 50	1
1690058 NO 56	1

Continental two-piece zip-up. Royal blue polycotton 80/20. All seams are tripple-stitched.

OVERALL BLUE PREMIUM JACKET



163100 NO 34	1
163105 NO 36	1
163110 NO 38	1
163115 NO 40	1
163120 NO 42	1
163125 NO 44	1
163130 NO 46	1
163135 NO 48	1
16395 NO 32	1

This premium jacket is 65/35 poly cotton. Ykk zipper. Breast pocket with pen insert & press stud. Fully triple stitched.

RAINCOAT 125CM 200G



875CJY125CHL LARGE	1
875CJY125CHM MEDIUM	1
875CJY125CHXL XLARGE	1
875CJY125CHXXL XXLARGE	1

Raincoat PVC/nylon taffeta. Yellow jacket with hood and buttons.

RAINCOAT PVC/POLY



887LI LARGE	1
887MI MEDUIM	1
887SI SMALL	1
887XLI X LARGE	1
887XXXLI XXX LARGE	1

Yellow PVC rain coat with hood and press stud buttons.

GOGGLE DUST AND SAFETY



HW2650088	1

Safety and dust goggle, commonly worn during harvest time.

EARMUFFS



HW2650110	1

Safety equipment to protect the hearing. It can be worn over a hat or cap and is useful when one is working with a chain saw and weadeater. Also used for target shooting.

MASK DUST FFP1



HW2650025 SINGLE	1
HW2650028 5 PACK	1
HW2650030 20 PACK	1

This disposable dust mask is extra light, resulting in very low breathing resistance. The mask can easily be worn with glasses, goggles or visors. This is a safety mask and it complies to the EN 149:2001 standard. CE certified and SABS compliant.

GLOVE BUILDERS KAUFMANN



HW2653505	1

Latex glove for general building work.

FILTER MASK CHEMICALS (2) A1P2



HW2650600	1

Filters for HW2650400 and HW2650300. Filters suitable for spray painting but not constant spraying.

FILTER MASK DUST (2) P2



HW2650500	1

Filters for HW2650400 and HW2650300. Filters not suitable for spray painting.

EAR PLUGS WITH RIGID SUPPORT



HW2650109	1

All noisy conditions. Can be worn with cap. Hat or safety head gear. Re-usable, flexible and durable.

GLOVE RUBBERIZED WITH KNITTED WRIST KAUFMANN



HW2655001	1

General purpose heavy duty construction glove. Ideal for glass handling.

TAP STOP BRASS CXC



LCZ0801A 15x15MM	1
LCZ0802A 22x22MM	1

C = Fitting can be used on either copper or polycop pipe.

TEE BRASS CXCXMI



LCT0901A 15MMX15MMX1/2	10

C=Fitting can be used on either copper or Polycop pipe. MY=Male BSP thread for galvanising pipe or similar.

VALVE BRASS ISOL LEVER CXC



LCD0503A 15X15MM	1

C = Fitting can be used on either copper or Polycop pipe.

VALVE BRASS MINI LEVER



LCD0701A MXF 15MM	1

Used as shut-off valve at a toilet or any place required. Easily adjustable with mini lever for opening or closing.

COUPLER BRASS CXFI



LCC0301A 15MMX1/2	10
LCC0302A 22MMX3/4	10
LCC0401A 15MMX3/4	10

C = Fitting can be used on either copper or Polycop pipe. FI = Female BSP thread for galvanized pipe or similar.

COUPLER BRASS STRAIGHT CXC



LCC0101A 15MM	10
LCC0102A 22MM	10

C = Fitting can be used on either copper or Polycop pipe.

ELBOW BRASS WALLPLATE CXFI



LCE0901A 15MMX1/2	10
LCE0902A 22MMX3/4	10

C = Fitting can be used on either copper or Polycop pipe. FI = Female BSP thread for galvanized pipe or similar.

COUPLER BRASS TAP CXFI



LCP0302A 22MMX3/4	10

C = Fitting can be used on either copper or Polycop pipe. FI = Female BSP thread for galvanized pipe or similar.

COUPLER BRASS CXC



LCC0202A 22X15MM	10

C = Fitting can be used on either copper or Polycop pipe.

COUPLER BRASS CXMI



LCC0501A 15MMX1/2	10
LCC0502A 22MMX3/4	10
LCC0601A 15MMX3/4	10

C = Fitting can be used on either copper or Polycop pipe. MI = Male BSP thread for galvanized pipe or similar.

TEE BRASS CXCXFI



LCT0701A 15MMX15MMX1/2	10
LCT0702A 22MMX22MMX1/2	10
LCT0703A 22MMX22MMX3/4	10

C = Fitting can be used on either copper or polycop pipe. FI = Female BSP thread for galvanized pipe or similar.

RING SPARE BRASS



LCZ0601A 15MM	10
LCZ0602A 22MM	10

C = Fitting can be used on either copper or polycop pipe.

SHOWER HEAD ROSE LARGE



LSH2005A 1/2	1

Use as a replacement head for shower. Wide spread pattern. Chrome plated finishing. Screws onto shower arm at code LSA2001A.

TAP SINK MIXER DECK COBRA METSI



LCM0024A	1

Tap sink mixer with aerated swivel outlet. DZR brass chrome plated. 1/2 inch BSP female inlet.

TAP SINK MIXER WALL COBRA LEDIMO



LCL0010A	1

Wall mounted tap. Spout swivels to serve a double washing basin. DZR brass and chrome plated. 1/2 Inch female outlet.

TAP MIXERS ECONOMY 3 PIECE COBRA NOKA



LCB0010A	1

3 Mixer set: basin, sink and bath/shower undertile mixer. DZR Brass and chrome plated.

SINGLE LEVER KITCHEN MIXER COBRA NOKA



LCN0014A	1

Mixer tap with a single swivel lever. DZR brass chrome plated. 1/2 Inch female inlet.

TAP MIXER BATH WITH HAND SHOWER COBRA LEDIMO



LCL0020A EXPOSED	1

Bath tap mixer. Wall mounted with diverter and handshower attachment. 3/4 Inch male inlet.

TAP BASIN MIXER DECK COBRA LEDIMO



LCL0016A	1
SWAN NECK	
LCL0022A	1
ONE HOLE	

Tap mounted on washing basin. DZR brass and chrome plated. Spout swivels to serve a double washing basin. Single spout allows water to reach preferred temperature. One hole 1/2 inch female inlet. Includes plug, chain mounting kit and two 400mm flexable inlets.

TAP BASIN MIXER DECK COBRA METSI



LCM0022A	1

Basin mixer tap with chain and stay. DZR brass chrome plated. 1/2 Inch BSP female inlet.

TAP STOP UNDERTILE COBRA LEDIMO



LCL0012A	1
F X F	
LCL0014A	1
C X C	

Tap stop for showers. Use underneath tiles. DZR brass and chrome plated. 15mm Inlet.

TAP STAR BIB HOSE



LTH0012A	1
1/2X3/4	

Star series is durable and attractive. Taps can be used outside or inside. Suitable for sinks in sculleries.

TAP STAR BASIN 1/2



LTP1013A	1

Star series is durable and attractive. Suitable for washing basins and baths.

MIXER STAR BATH AND SHOWER 15MM



LMS2001A	1
1/2	

Star series is durable and attractive.

MIXER STAR SINK DECK



LMS5001A	1
1/2	

Star series is durable and attractive. Tap mounted on washing basin. Spout can swivel from side to side, making it a great accessory for a double basin. Single spout allows for greater temperature control.

SINGLE LEVER UNDERTILE SHOWER MIXER COBRA NOKA



LCN0012AD	1
WITH DIVERTER	

Bath /shower mixer with diverter. Undertile single lever. DZR brass chrome plated. Female outlet.

SINGLE LEVER UNDERTILE SHOWER MIXER NOKA COBRA



LCN0012A	1

Bath/shower menger. Onderteel enkel hefboom. DZR brass chroom geplateer. Vroulike uitlaat.

SINGLE LEVER BASIN MIXER COBRA NOKA



LCN0010A	1
WITH CHAIN AND STAY	

Tap basin mixer with chain and stay. DZR brass chrome plated. 1/2 Inch female.

TAP STOP UNDERTILE CXC COBRA METSI



LCM0016A	20

Tap stop for showers. Use underneath tiles. DZR brass and chrome plated. 15mm Inlet.

TAP STOP UNDERTILE FXF COBRA METSI



LCM0014A	1

Tap stop for showers. Use underneath tiles. DZR brass and chrome plated. 1/2 Inch female outlet.

TAP SINK MIXER WALL COBRA METSI



LCM0020A	1

Sink mixer tap with aerated swivel outlet. 1/2 Inch BSP male outlet.

CAP END COPPER



LSZ0101A 15MM	10
LSZ0102A 22MM	10

C = Copper pipe with solder connection.

COUPLER COPPER SLIP CXC



LSC0101A 15X15MM	10
LSC0102A 22X22MM	10

C = Copper pipe with solder connection.

COUPLER COPPER TAP CXFI



LSP0201A 15MMX1/2	10
LSP0203A 22MMX3/4	10

C = Copper pipe with solder connection. FI = Female BSP thread for galvanized pipe or similar.

COUPLER COPPER CXC



LSC0201A 15X15MM	10
LSC0202A 22X22MM	10

C = Copper pipe with solder connection.

ELBOW COPPER WALLPLATE CXFI



LSE0901A 15MMX1/2	10
LSE0902A 22MMX3/4	10

C = Copper pipe with solder connection. FI = Female BSP thread for galvanized pipe or similar.

COUPLER COPPER CXMI



LSC0601A 15MMX1/2	10
LSC0602A 22MMX3/4	10
LSC0701A 15MMX3/4	10

C = Copper pipe with solder connection. MI = Male BSP thread for galvanized pipe or similar.

CROSSOVER COPPER CXC



LSQ0101A 15X15MM	10
LSQ0102A 22X22MM	10

C = Copper pipe with solder connection.

TEE COPPER CXCXC



LST0101A 15X15X15MM	10
LST0102A 22X22X22MM	10
LST0202A 22X22X15MM	10
LST0301A 15X15X22MM	10
LST0501A 22X15X22MM	10

C = Copper pipe with solder connection.

BLOWTORCH AUTOMATIC PG200



LSZ2101A	1

Blowtorch for heating copper pipe and couplings as part of soldering process. Cylinder can easily be replaced. Cylinder at code LSZ2201A. Gas cartridge at code LSZ2201A.

PIPE COPPER



LTC0001A CLASS 0 15MMX5.5M P/L	1
LTC0010A CLASS 0 22MMX5.5M P/L	1
LTC0035A CLASS 0 35MM X 5.5M P/L	1
LTC0042A CLASS 0 42MM X 5.5M P/L	1
LTC10001A CLASS 1 15MMX5.5M P/L	1
LTC10010A CLASS 1 22MMX5.5M P/L	1
LTC20001A CLASS 2 15MMX5.5M P/L	1
LTC20010A CLASS 2 22MMX5.5M P/L	1
LTC9054A CLASS 0 54MM X 5.5M P/L	1

Copper pipe Class 0 for general use in plumbing and complies with SA standard. Used with compression and solder accessories. Pipe cutter at HW1140132 in Hardware range.

STRAP TUBE BRASS



LTZ0201A 15MM	10
LTZ0202A 22MM	10

Saddle to anchor copper pipe in wall. Enhances appearance of construction.

PIPE CLAMP RUBBER LINED M8/10 NUT



CLAMRUB1 HANGER BRACKET NUT 1"	300
CLAMRUB1/2 HANGER BRACKET NUT 1/2"	300
CLAMRUB11/2 HANGER BRACKET NUT 1 1/2"	200
CLAMRUB11/4 HANGER BRACKET NUT 1 1/4"	200
CLAMRUB2 HANGER BRACKET NUT 2"	200
CLAMRUB21/2 HANGER BRACKET NUT 2 1/2"	200
CLAMRUB3 HANGER BRACKET NUT 3"	200
CLAMRUB3/4 HANGER BRACKET NUT 3/4"	300
CLAMRUB4 HANGER BRACKET NUT 4"	160
CLAMRUB6 HANGER BRACKET NUT 6"	60
CLAMRUB8 HANGER BRACKET NUT 8"	50

A pipe clamp with quick-lock and M8/M10 combined for easy installation on bigger sizes.

DROP IN ANCHOR



DROPANCH1040 M10 X 40	50
DROPANCH1250 M12 X 50	50
DROPANCH1665 M16 X 65	25
DROPANCH830 M8 X 30	100

Drop-In anchors are internally threaded deformation-controlled expansion anchors with a pre-assembled expander plug, suitable for flush mount applications in solid base materials. The anchor is set by driving the expansion plug towards the bottom of the anchor using the setting tool.

CHANNEL SPRING NUT



SPRM1034.5199.2 M10X34.5X19X9.2	200
SPRM1234.5199.2 M12X34.5X19X9.2	200
SPRM834.5196 M8X34.5X19X6	200

The self-aligning super-strut channel spring nuts are designed to provide resistance to pull-out and side slip in excess of the full strength of the channels with which they are used. These nuts offer a silver electroplated finish and are designed for use with A and C series channels and inserts.

HOSE WASHING MACHINE INLET FXF



LM6559 2M	1

The 2m washing machine fill hose can supply either hot or cold water to your washing machine from water source. The polyester reinforcement allows high pressure up to 800 psi.

DRAIN RODS



21HFC1 HEAVY DUTY 1M	1
21LFC2 LIGHT DUTY 2M	1

Drain rods that can be added to 21LFC1-SET.

ROTATING HANDLE



21HRH HEAVY DUTY	1
21LRH LIGHT DUTY	1

Handle to turn drain rods.

DRAIN ROD SET HEAVY DUTY IAN DICKIE



21HFC1-SET 1M	1

Drain Rod set for DIY use in neat reusable container.

CHAIN BATH CP



LZZ4020A 400MM	10

Chain without plug.

WASHER TAPERED BETA VALVE 32MM HOLE



LZZ5003A	10

Replacement washer for Beta valve.

BUNG RUBBER FOR FLUSHPIPE



LZZ6003A	1

Replacement bung for flush pipe.

CONE PVC FOR FLUSH PIPE BLACK



LZZ6001A	10

Replacement cone for flush pipe between low level toilet cistern and pan.

CONE PVC FOR FLUSH PIPE WHITE



LZZ6002A	10

Replacement cone for flush pipe between low level toilet cistern and pan.

PLUG BATH AND SINK BLACK



LZZ4060A	10

Standard bath or sink plug manufactured in plastic.

PLUG BATH AND SINK WHITE



LZZ4050A	10

Standard bath or sink plug manufactured from plastic.

WASHER KLEENFLO DIAPHRAGM CLOSED



LZZ5001A	10

Replacement washer for Kleenflo valve.

PLUMBERS HEMP



LAH0001A 200G	1

Plumbers use hemp instead of PTFE tape to seal pipe and fittings.

SEAL PAN WAX RING



LAA0101A WHITE	10
LAA0102A BROWN	10

Only solution for pan seal leaks. Easy installation. Seal remains flexible and adhesive - does not harden with time. Made of wax.

PIPE THREAD SEAL TAPE



HW2760045	10

Top seller. Thread sealing on steel, metal and plastic where necessary. Particularly used on galvanised pipe and fittings.

SEAT NOZZLE WASHER KLEENFLO/STILFLO



LZZ9007P 2 PACK	1

Washer for inlet valves (FP3, FP2, FP049, FP050, FP288). Toilet cistern with bottom inlet.

RUBBER PLUNGER 100MM



21HRP100 HEAVY DUTY	1
21LRP100 LIGHT DUTY	1

Plunger used with 21LFC1-SET to open blockages using pressure.

DROP SCRAPER 89MM



21HDS089 HEAVY DUTY	1
21LDS089 LIGHT DUTY	1

Scraper attached at the front of drain rods to scrape soil and other solids out of drain pipes.

DOUBLE CORKSCREW 89MM



21HDCS089 HEAVY DUTY	1
21LDCS089 LIGHT DUTY	1

Corkscrew used with drain rods to remove obstructions like rags from sewage pipes.

SOFT SOAP GLUE DEVIL



LLS0500A 500G	1
LLS1000A 1LT	1
LLS2000A 2LT	1
LLS5000A 5LT	1

High quality soft soap used to lubricate rubber couplings.

PIPE LUBE GLUE DEVIL



LLB0200A 200ML	1

High quality, liquid pipe lubricant for lubricating rubber push in couplings.

WASTE EYE RODDING 45 DEGREE UG SABS



9811029 110MM	1

Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications.

WASTE GRID GULLY ROUND SABS



9811031 110MM	1

Includes only grid. Sewer and drain fittings are designed for the conveyance of sewerage. Intended for use in buried applications. Complete gulley grid at code 9811030.

WASTE FEMALE TO EARTHENWARE UG SABS



9811039 110MM	1

Adaptor used between new PVC and old earthenware pipe.

WASTE BEND 45 DEGREE UG SABS



9811022 110MM	1

Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications.

WASTE BEND 90DEG UG 110MM SABS



9811023 110MM	1

Sewer and drain fittings are designed for the conveyance of sewerage. Intended for use in buried applications.

WASTE BEND 87.5 DEGREE UG SABS



9811021 110MM	1

Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications.

WASTE PLUG END FEMALE UG SABS



9811037 110MM	1

Cap to block of opening on 110mm underground pipe.

WASTE BEND 110MM 22.5 PLUG



PUB110/22 110MM	1

Bends are used to create a 22.5 degree angle between two pipes. Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications.

WASTE TEE JUNCTION IE 45 DEGREE UG SABS



9811027 110MM LH	1
9811028 110MM RH	1

Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications. Tee's are used when horizontal and vertical lines are joined into one line.

WASTE TRAP P GULLY UG SABS 110MM



9811032	1
110MM	

Sewer and drain fittings are designed for the conveyance of sewerage and are intended for use in buried applications.

WASTE PIPE SABS UG PLAIN ENDED



9811020	1
110MM 6M	

Sewer and drain pipes are designed for use underground and for the conveyance of sewerage water from sanitary fixtures. Plain ended pipe and beige in colour. The SABS pipes are made to SABS 1601 standard 100KPA.

WASTE ADAPTOR MALE SV 50X1-1/2 SABS



9905012	10
50X1-1/2	

Male adaptors are used when male thread is required on one end. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

TEE JUNCTION REDUCED 87.5 DEGREE PL SV SABS



9911015	1
110X50MM	

Waste junctions are used to combine two individual pipe lines into one line. Soil, vent and waste fittings are designed for use above ground and in direct sunlight as well as for the conveyance of waste water.

TRAP RUBBER BATH AND OVERFLOW



9743838	1
38X38MM	

This rubber trap fits under the bath and is supplied complete with overflow.

WASTE BEND 45 DEGREE PL SV SABS



9904006	10
40MM	
9905006	10
50MM	

Bends are used to get a 45 degree angle when joining pipes. Soil, vent and waste fittings are designed for use above ground, use in direct sunlight and for the conveyance of waste water.

WASTE BEND INSPECTION 87.5 DEGREE PL SV L



9911007	1
110MM	

Bends are used to get a 90 degree angle when joining pipes. Soil, vent and waste fittings are designed for use above ground. Use in direct sunlight and for the conveyance of waste water.

WASTE VENT VALVE SABS 110MM



9911002	1
2 WAY 110MM	

Vent valves were designed as replacement for vent pipe used to ventilate drainage systems. Reduces the expense of the vent pipe and roof flashing. The one-way valve acts as a vacuum relief valve by letting air in. Internal or external use. The two-way valve lets air in and out. External use only.

WASTE SOCKET SV SABS



9904009	10
40MM	
9905009	10
50MM	

Sockets are used when joining two pipes in a straight line. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE SOCKET REDUCING ECSENTRIC SV JASWIC



9911008	1
110X50M	

The eccentric reducer is used when changing from 50mm pipe to a 110mm pipe. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE SOCKET REDUCING SV 50X40 SABS



9905010	10
50X40MM	

Reducing sockets are used when joining a 40mm and 50mm pipe. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE TEE JUNCTION 87.5 DEGREE PL SV L



9911009	1
110MM	

Waste junctions are used to combine two individual pipe lines into one line. Soil, vent and waste fittings are designed for use above ground and in direct sunlight as well as for the conveyance of waste water.

WASTE TEE JUNCTION 87.5 DEGREE PL SV SABS



9904010	5
40MM	
9905013	10
50MM	

Junctions are used when vertical and horizontal lines are joined into one line. Soil, vent and waste fittings are designed for use above ground, use in direct sunlight and for the conveyance of waste water.

WASTE BEND IE 45 DEGREE PL SV SABS



9905008	10
50MM	

Bends are used to get a 45 degree angle when joining two pipes. Fitted with inspection eye to remove blockage. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE STRAP ON CONNECTOR BOSS SV



9911011	1
110X50MM	

The boss connector allows you to reduce from any 110mm fitting down to 50mm by cutting a round hole in the bigger fitting and placing the Boss connector over the hole, giving you a watertight seal. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

WASTE CONNECTOR PAN FLEXIBLE SV



9911003F	1
110MM	

Flexible fitting to link toilet pan and drainage pipe. Designed for the conveyance of waste water from sanitary fixtures. Advantage of a flexible connection fitting is that it is ideal when workspace is restricted. Can also be adjusted to release water left or right from the toilet pan.

TRAP RUBBER PLAIN P



9723238	1
32X38MM	
9723838	1
38X38MM	

Plain "S" and "P" rubber traps are fitted under sinks to trap solids and release water into the drainage system.

TRAP RUBBER PLAIN S



9733238	1
32X38MM	
9733838	1
38X38MM	

Plain "S" and "P" rubber traps are fitted under sinks to trap solids and release water into the drainage system.

WASTE HOLDER BATT PLASTIC SV SABS



9904013	10
40MM	
9905017	10
50MM	

Holder bats are used to mount pipe against a wall. Soil, vent and waste fittings are designed for use above ground, in direct sunlight and for the conveyance of waste water.

TRAP RUBBER DUBBLE BOWL SINK



9738300	1
38X300MM	
9738600	1
38X600MM	

Wash trough combination rubber traps are designed to fit double bowl sinks as well as the big old type basins.

VALVE NEPTUNE PC



LCV0303A	1
400KPA LAT16	

Pressure control valve with adjusting nut that turns clockwise to give better flow of water to taps and showers. Twin pack at code LCV0201A.

VALVE LATCO 100KPA RELIEF LAT26



LCV0105A	1
100KPA LAT26	

Relief valve must be fitted 300mm above geyser. Release air and drip from time to time due to the expansion of water reheating. Twin pack at code LCV0101A.

GEYSER VACUUM BREAKER KWIKOT



KHN4-150CX	1
15mm	
LSG0008A	1
22mm	

These are small brass components mounted at the 30cm length of pipe. They two vacuum breakers stand vertically about 30cm above the geyser. These are very important. They prevent the water siphoning out the geyser when the cold supply is stopped.

ADVANCED VALVE PRESSURE CONTROL



LMF0012A PCV 15MM 400KPA	1
LMF0014A PCV 22MM 400KPA	1

This is a water pressure control valve fitted to the cold water supply to the geyser. The purpose of the pressure control valve is to “balance” the water pressure of the hot and cold water supply to baths, showers and basins. For a balanced system the cold water supply to baths, basins, showers etc must be taken off the supply between the pressure control valve and the geyser. The pressure control valve reduces the cold water pressure to the same pressure of the hot water coming from the geyser. Sometimes plumbers will locate the pressure control valve outside of the house – where the cold water supply enters the house. This is fine. Mostly however the multi-valve will be found in close proximity to the geyser. The pressure control of the multi-valve is designed to release excess pressure and may therefore drip when water is drawn through the valve. Each geyser must also be fitted with a pressure control valve. As most geysers have a maximum working pressure it is vital that the pressure is controlled in order for the geyser to have a longer life span. If no pressure control valve has been fitted then the geyser guarantee will likely not be honored.

UNITWIST MASTERBAT



HB15U 15MM	100
HB22U 22MM	100

Anchors copper or Monogold pipe. Enhances appearance of construction.

KREEPY KRAULY PREPACK BUMPER ASSEMBLY



811024	1

Replacement bumper for Kreepy Krauly.

SINK SIT ON SINGLE BOWL



LZS0201A 915X460MM	1
LZS0204A 750X400MM	1

Stainless steel sink grade 304. Supplied without a waste and plug.

HAND BASIN STAINLESS STEEL



LZS0207A	1

Stainless steel hand basin can be used inside and outside.

FRANKE PLN611 PROJECTLINE SINGLE SINK



821047 800 x 460	1

Projectline sinks are manufactured using state of the art monoblock technology for strength and hygiene. Sinks are supplied with 38 mm PVC waste fittings with plugs.

FRANKE CDX671 CASCADE DOUBLE BOWL SINK + "TIDY" BOWL



820121 1360 x 500	1

Cascade is a range of compact sinks with a complimentary square design. With a 500 mm width and new bowl positioning ensures a larger draining area. The monoblock technology ensures top quality and performance. The sink is supplied with a basket strainer waste and a plastic insert for the "Tidy" bowl.

SONATA THERMODUR SEAT 2.7KG P/H



CMESS011WH WHITE	1

Luxury Thermodur seat with plastic hinge 2.7kg. White.

CALYPSO THERMODUR TOILET



20900001 1.3KG	1

Calypso Thermodur toilet seat with a plastic hinge. White.

S-1 TOILET SEAT



20900002	1

S-1 Toilet seat stainless steel hinge. White.

S-1 SOFT CLOSE TOILET SEAT



20900003 2.2KG	1

S-1 Toilet seat stainless steel hinge. White. "Soft close".

NEON TOILET SEAT



20910002	1
900GR	

Neon economic plastic seat with a plastic hinge. White. Other colours also available on request.

NEON TOILET SEAT LITE



20910003	1
600G	

Neon economic polypropylene seat with a plastic hinge. Only available in white.

MW2 EXTENDABLE DUAL FLUSH MECH 2" + ZA BIBO ADP



14010601	1
2 INCH	

High quality universal mechanism for front flush cisterns. 2" including BIBO adaptor for traditional RSA cisterns.

MXJF FRONT FLUSH MECH 1 1/2" TOPY SI LL CP ABS



19998048	1
1 1/2 INCH	

Universal MXJF low level flush mechanism 1 1/2" with a Topy side inlet valve.

MXJF FRONT FLUSH MECH 1 1/2" + JOLLYFILL LL CP ABS



19998050	1
1 1/2 INCH	

Universal MXJF low level flush mechanism 1 1/2" with a Jollyfill side inlet valve.

JOLLYFILL BOTTOM INLET VALVE 0.1 - 16BAR 1/2"



16100006	1
1/2 INCH	


Universal bottom inlet valve that can handle pressures from 0.1 – 16 bar. 1/2" Connection.

FLUSH VALVE SUPA FLUSH WITH BACK NUT AND WASHER



Flush valve for toilet cistern.

TOILET SEAT HINGE A1/B2



LZZ9018P	1
1 PACK	

Hinges for toilet seats.

BALL FLOAT ORANGE



LZZ9016A	1
80MM 1 PACK	

Float ball for toilet cistern.

TOILET SEAT HINGE



LZZ9018A	1
1 PACK	

Hinges for toilet seats.

FILL MASTER UNIVERSAL INLET VALVE



LZZ9022A	1

Inlet valve for toilet cistern with bottom inlet.

VALVE FLOAT SUPA-FLO TELESCOPIC FP11



LZZ9004A	1

Replacement valve adjustable to fit most cisterns.

CISTERN PACK BOTTOM INLET CC TOP FLUSH



LZZ1013A	1

Mechanism for front flush, close couple toilet.


VALVE FLOAT BETA FP45



LZZ9003A 1

Replacement valve for most standard cisterns.

BATH PLUG



LZZ9019A 1

Black plastic bath plugs.

SUPAFLUSH SEALING WASHER



LZZ9008A 1

Washer for FP10 outlet. Toilet cistern with bottom inlet.

WASHER DIAPHRAGM KLEENFLO



LZZ9006P 1
2 PACK

Internal washer for inlet valves (FP3, FP2, FP049, FP050, FP288). Toilet cistern with top inlet.

VALVE FLOAT KLEENFLO SIDE INLET FP3



LZZ9001A 1

Replacement float without float. BSP 1/2" threaded.

NEW BETA VALVE WASHER(LIPPED)



LZZ9009A 1

Washer lipped for Beta valve.

BASIN PLUG 2 PACK



LZZ9020P 1
2 PACK

Black plastic basin plugs.


NEW BETA VALVE WASHER FLAT



LZZ9024P 1
2 PACK

Flat washer for Beta valve.

BOTTOM INLET KLEENFLO BENT



LZZ9021A 1

Bend inlet valve for toilet cistern.

SHOE AND STUD FOR BRASS ARM



LZZ9015A 1
1 PACK

Shoe and stud stud for both sides of the brass arms.

SHOE AND STUD FOR BRASS ARM



LZZ9015P 1
1 PACK

Shoe and stud for both sides of the brass arms.

NEW BETA VALVE WASHER LIPPED



LZZ9009P 1
2 PACK

Washer lipped for Beta valve.


FIXATION BOLT AND NUT SET



LZZ9013P 1
2 PACK

Screws to fit toilet cistern to toilet pan.

INLET VALVE SIDE INLET KLEENFLO



LZZ9001P 1
PACKED

Inlet valve for toilet cistern with side inlet.

BOTTOM INLET KLEENFLO BENT



LZZ9021P 1
1 PACK

Bend inlet valve for toilet cistern.

M32 WIRQUIN CC SEALING WASHER " RUBBER



89998119 5
5 PACK

M322 washer seal for close coupled connections.

MXJF FRONT FLUSH MECH 2" + JOLLYFIL LL CP ABS



10000003 1
2 INCH

High quality universal mechanism for front flush cisterns including a filler valve 2" for low level system.

JOLLYFILL TELESC - BOTTOM INLET VALVE 0.1 - 16 BAR



16110101 1
1/2 INCH CONNECTION

Universal telescopic (adjustable) bottom inlet valve that can handle pressures from 0.1 - 16 bar.

JOLLYFILL SIDE INLET VALVE 0.1-16BAR 1/2"



16300101 1
1/2 INCH

Universal side inlet valve that can handle pressures from 0.1 - 16 bar with a 1/2" connection.

TOPY SIDE INLET VALVE 0.1-16BAR 1/2"



16300601 1
1/2 INCH

Universal side inlet valve that can handle pressures from 0.1 - 16 bar with a 1/2" connection.

M25 F/VALVE SEALING WASHER SILICONE



19025101 1

M25 flush valve silicone replacement washer. Grey.

WASTE BASIN SLOTTED PVC



LZZ2050A 1
32MM

Waste PVC with PVC back nut used in a basin.

SHOWER TRAP MEDIUM SEAL CP GRID



LZZ3020A 1

Shower trap used where space is not limited.

SHOWER TRAP SHALLOW SEAL CP GRID



LZZ3010A 1
50MM

Shower trap used where space is limited.

WASTE SHOWER CP SCREW DOWN GRID



LZZ2010A 1
40M

Waste with stainless steel grate. Fits most acrylic shower trays. Easy to clean and resistant to most household chemicals.

MAGICFLEX D50 MONOBLOCK FM-FM



79010005 1
WHITE

Magicflex D50 flexible connector for installations in difficult angles. 0 – 180 Degrees.


ESPACE DBL SINK TRAP + W/M CON + EXT PCE



39998033 1

Universal sink trap, for double sinks that is adjustable, space saving with an integrated washing machine connection.

JOLLYFLEX EXT 110MM + FINS - L750MM



7123000 1

Jollyflex extendable pan connector, extends to 750mm.

JOLLYFLEX SHORT 103/106 110-270-420M + FINS



71080102 1
110-270-420M

Jollyflex short pan connectors for difficult pan installations.

FREE STANDING STANDING BRS CP BATH TRAP + OF WASTE PLUG + CH



39998025 1

Chrome plated brass trap and waste for free standing baths beautiful esthetic look and the same functionality as the rest of the range.

ALL IN ONE UNIVERSAL BOTTLE TRAP SILVER



39998051 1

Universal bottle trap that can be used on both 32 and 38mm waste fittings. ABS plastic silver.

TEOS BOTTLE TRAP CP ABS 32X40 175MM



31260201 1
175MM

Teos bottle trap chrome covered ABS plastic. 32 x40 175mm.

UNCLOGGER FOR BOTTLE TRAPS



SP9910 1

Unclogger for bottle trap.

CLASSIC BOTTLE TRAP BRASS CP



39998027 1
32 X 40MM

Chrome plated brass bottle trap for basins in the traditional design. 32 x 40mm Connections.

RA374 OFFSET PAN CONN + FINS 110MM



71160000 1
110MM

RA374 pan connector for offset connections, fins seals the connection.

UNIVERSAL BASIN / SINK PLUG



39224401 1
WHITE

Universal plugs for numerous applications ranging from basins, sink and bath, ideal for camping and non-standard size wastes.

QUICK CLACK BATH WASTE + ELTON TRAP CP



39998001	1
CHROME	

Universal trap and waste set that is adjustable. Comfortable "click" waste. Both plug and overflow is chrome plated for aesthetics.

TOURBILLON SHOWER TRAP & FLANGE



30718238	1
53 L/P	

Tourbillon high flow shower waste with a waterproofing flange and stainless steel grid. 53 l/m Flow rate.

BATH TRAP (SP602) + WASTE PLUG & CHAIN



39998011	1

Universal bath waste and trap with stainless steel grids, and a recess in the overflow for storing the plug.

JOLLYFLEX EXTR SHORT 110-165-270MM + FINS



71080201	1
110-165-270MM	

Jollyflex extra short pan connectors for difficult installations.

RA372 STR PAN CONNECTOR + FINS 110MM



71150000	1
110MM	

RA372 straight pan connector for flush installations, fins seal the connection, not necessary for putty or wax sealants.

EXTENDABLE CONN TUBE 32/40MM FI X 40/50MM



79998008	1

Universal extendable connector pipe with a 32/40mm female connection and a 40/50 solvent connection.


TAP LOCK CYLINDER



LCD1010A	1
BLACK	

Cylinder to place over garden tap and to lock it.


COUPLER FLEXIBLE FIXMI 15 X 3/8" X 450MM



LCZ1450A

15mm Female BSP thread for galvanized pipe or similar. 3/8" Male end to fit in most deck type mixers.

GAP GEYSER ECO ELECTRIC DUAL 400KPA



550412	1
ECO ELECTRIC 100L	
550413	1
ECO ELECTRIC 150L	

The Eco Electric geyser ranges a cost effective geyser that can be installed a vertical or horizontal configuration. The Eco Electric geyser has one additional port to facilitate the easy conversion to Solar or Heat pump application.

KWIKOT SLIMLINE GEYSER



ESG-150	1
150LT	

5 Year warranty Kwikot Geyser priced competitively, value for money with the nation wide Kwikot back up service.

KWIKOT GEYSER ECO3



ECO3-100	1
100LT	
ECO3-150	1
150LT	

3 Year warranty Kwikot Geyser priced competitively, value for money with the nation wide Kwikot back up service.

SOLAR WARM WATER NON PRESSURE SYSTEM 100L



LSS0100L 100L	1

Solar geyser system SABS and Eskom approved, with 100L tank capacity. Non pressurised solar water system, no electrical connections. Total water capacity 146L. Inner tank material 0,5mm stainless steel SU 304-2B. Supplied with filler tank and ball valve for water cut-off. Filler tank capacity 12L. Unit supplied with copper alloy floating valve, stainless steel ball valve, pressure release vent and galv steel frame for mounting. Vacuum tube outer glass 3.3mm, hail resistant to 25mm, freeze protect to -20°C. Total number of tubes 16 x 1,8M length, outer tube 58MM, inner tube 47mm. Escom Q-factor 16.395 MJ/m2. Guarantee of 5 years on storage tank, feeder tank, vacuum tubes, frame, silicone rubbers and plastic support cones. Balance 1 year guarantee. SABS approved, permit number 9387/14897. With installation by Eskom approved plumber this unit qualifies for Eskom rebate structures.

GEYSER ANODE + NUT 150LT



AM2NE3 FOR 150LT KWIKOT	1

Anode rods come installed with geysers and are generally made of magnesium or aluminium which are screwed into the inside of the geyser. This anode, or rod, prevents corrosion of the geyser by "self-sacrificing" its metal which attracts the corrosion of the water and its minerals preventing rust. When there's no sacrificial metal left on the anode, the tank can rust out but generally last about five years. This depends on the water quality and usage. Therefore you can save money by maintaining your geyser with a replacement anode.

ELEMENT GEYSER SPIRAL SOFT WATER



ELK-140-KWI 4KW 200L	1
HW2682770 2KW 100L	1
HW2682772 3KW 150L	1

Domestic geyser element with brass Euro type boss, rating 230V. Soft water type, application Kwikot type geysers 50L to 200L. Use thermostat type TSE11, HW262783.

THERMOSTAT QUICK TERM



HW2682783 TSE11	1

Designed to control the temperature of domestic electric geysers. For use with Kwikot type geyser elements HW2682770 and HW2682772.

ELEMENT GEYSER HARD WATER



HW2682734 2KW 100L HARD WATER	1
HW2682741 3KW 200L HARD WATER	1
HW2682746 4KW 300L HARD WATER	1

Single circuit heating element specially designed for areas where the water supply is hard or corrosive and where standard copper sheathed elements are not suitable. The sheath material is Incoloy 825, which has a corrosion resistance much superior.

GEYSER TRAY



LSG0001A 100lt	1
LSG0002A 150lt & 200lt	1
LSG0003A 250lt & 300lt	1

Used in case geyser leaks or burst to prevent further damage.

BARRIER NET ORANGE



HW2100020 1M X 50M	1

Orange barrier net can be used as a barrier to an area not to be entered or an open construction site. This net is for safety purposes.

SWITCH PLUG WITH COVER PLATE 1PACK



HW2682699P 100X50MM	1
HW2682842P 100X100MM	1

Flush mount three-pin wall plug with a switch to connect/disconnect a circuit for appliances with a maximum load of 15A.

CONDUIT SABS PVC



HW2684845 4MX20MM	25
HW2684848 4MX25MM	1

Rigid PVC pipe with a 20/25mm diameter. Used to convey electrical wiring from one designated point to another, adhering to SABS specifications.

CONDUIT ADAPTOR MALE SABS



HW2685353 20MM	10

Used to form a link between conduit pipe and a suitable accessory. Loose.

GATE MOTOR KIT 12V DTS



HW2678000 500 KG	1

Electronic motor to open and close gates. The motor can operate a weight of up to 500kg gates. Soft start and stop control. Programmable opening for pedestrians. 12V 7.2Amp hour battery backup in case of power failure is supplied free of charge. The speed of the gate is 18m/min. The gate motor is mainly for domestic use. Anti crush mechanism for the safety of vehicles and children. Two year warranty on mechanics and one year warranty on electronics. The kit consist of 1x motor, baseplate, 12V battery and 2x remotes and 2 x 2meter racks.
Spare Infra red beam safety switch at HW2678007 Spare Rack at HW2678014.

HOOK CLEAT MACKIE

HW1640865	1


Used to open and close windows above doors, using string.

PAINT WEATHERGUARD DULUX



658D181005220L 20L MALAGA	1
658D181073420L 20L BRILLIANT WHITE	1
658D18107345L 5L BRILLIANT WHITE	1
658D181103020L 20L PALAMINO	1
658D18110305L 5L PALAMINO	1
658D181104220L 20L SAN SEB	1
658D18110425L 5L SAN SEB	1
658D181104320L 20L MOROCCAN GOLD	1
658D18110435L 5L MORROCCAN GOLD	1
658D181104920L 20L CASTILLE	1
658D18110495L 5L CASTILLE	1
658D181105120L 20L MARBELLA	1
658D181105220L 20L LA CASA	1
658D18110525L 5L LA CASA	1
658D181105420L 20L TOSCANA	1
658D18110545L 5L TOSCANA	1
658D181105520L 20L ALCUDIA	1
658D181106220L 20L STONEWARE	1
658D18110625L 5L STONEWARE	1
658D181106320L 20L MOHAWK VALLEY	1
658D18110635L 5L MOHAWK VALLEY	1
658D181106420L 20L CASTLEWOOD CANYON	1
658D18110645L 5L CASTLEWOOD CANYON	1
658D181106520L 20L BEIGE SAND	1
658D18110655L 5L BEIGE SAND	1
658D181106720L 20L CHALK STONE	1
658D18110675L 5L CHALK STONE	1
658D181106820L 20L PORTLAND	1
658D181106920L 20L LEOPARDS LAIR	1
658D18110695L 5L LEOPARDS LAIR	1
658D181107220L 20L BUSHVELD	1
658D18110725L 5L BUSHVELD	1
658D181107420L 20L KAROO LAND	1


PUMP SOLAR



302DC4524C POMP DC 45-24 45M	1

Brushless submersible pumps with a height from 45m or 70m. Pumps available in 3 different sizes: 12V, 24V and 36V. Pump is powered directly from the solar panel, via a selfregulting controller. Positive displacement pump. Kit includes two solar panels for the 302DC4524C and 302DC4536C- models and one solar panel for the 302DC7012C model and an MPPT controller.


PUMP SOLAR SUBMERSIBLE S1000



302SS1022 SS022 PUMP	1
302SS1041 SS041 PUMP	1
302SS1061 SS061 PUMP	1

All Sun-Sub systems are supplied complete with pump element, variable speed DC brushless submersible motor and MPPT (Maximum Power Point Tracker) solar motor controller. The Progressing Cavity (PC) pump element used in borehole applications is proven to provide maximum water output in a variety of water conditions. The Sun-Sub is suitable for a 100mm (4") borehole. Systems from 175 Watts to 2800 Watts, drawing its energy from the sun, thus eliminating the need for diesel or AC power. The solar pump will slow down when it is cloudy, but because it has no minimum speed (unlike a centrifugal pump) it will keep delivering water.


PUMP SOLAR SUBMERSIBLE S2000



302SS2022 SS022 PUMP	1
302SS2042 SS042 PUMP	1
302SS2101 SS101 PUMP	1
302SS2151 SS151 PUMP	1

All Sun-Sub systems are supplied complete with pump element, variable speed DC brushless submersible motor and MPPT (Maximum Power Point Tracker) solar motor controller. The Progressing Cavity (PC) pump element used in borehole applications is proven to provide maximum water output in a variety of water conditions. The Sun-Sub is suitable for a 100mm (4") borehole. Systems from 525 Watts to 700 Watts, drawing its energy from the sun, thus eliminating the need for diesel or AC power. The solar pump will slow down when it is cloudy, but because it has no minimum speed (unlike a centrifugal pump) it will keep delivering water.

PUMP SOLAR SUBMERSIBLE S3000



302SS3022 SS022 PUMP	1
302SS3042 SS042 PUMP	1
302SS3062 SS062 PUMP	1
302SS3101 SS101 PUMP	1
302SS3151 SS151 PUMP	1

All Sun-Sub systems are supplied complete with pump element, variable speed DC brushless submersible motor and MPPT (Maximum Power Point Tracker) solar motor controller. The Progressing Cavity (PC) pump element used in borehole applications is proven to provide maximum water output in a variety of water conditions. The Sun-Sub is suitable for a 100mm (4") borehole. Systems from 875 Watts to 2800 Watts, drawing its energy from the sun, thus eliminating the need for diesel or AC power. The solar pump will slow down when it is cloudy, but because it has no minimum speed (unlike a centrifugal pump) it will keep delivering water.

DISPLAY UNIT HANDHELD



302DISPLAY	1

The hand held display unit is a diagnostic tool.

PUMP SURFACE SUNRAY



302SRX0025 CP25	1
302SRX0800 CP800	1
302SRX1600 CP1600	1

All Sun-Ray systems are supplied complete with pump element, variable speed DC brushless motor and MPPT (Maximum Power Point Tracker) solar motor controller.Designed to transfer water efficiently and reliably from sources such as fountains, rivers, tanks and dams. The highly efficient Progressing Cavity (PC) pump is self-priming. The high suction lift allows for the pump to be installed on the top of dam walls or on river-banks above the high water mark. Systems from 175 Watts to 1400 Watts, drawing its energy from the sun, thus eliminating the need for diesel or AC power. The solar pump will slow down when it is cloudy, but because it has no minimum speed (unlike a centrifugal pump) it will keep delivering water.

VALVE STOP COBRA 221



333221-15 15MM	1
333221-20 20MM	1
333221-25 25MM	1

Quality brass tap with female thread on both sides. For domestic or industrial use.

TAP CONNECTOR BRASS COMPLETE TORRENTI



333080-15 15MM	10
333080-20 20MM	10
333080-20-15 20-15MM	10

Screw on to garden tap if hose needs to be used. Fit taps at code 333208-20.

TAP NYLON HOSE PLAIN



333208-15NP 15MM	1
333208-20NP 20MM	1

Nylon garden tap for domestic use.

TAP BIB HOSE COBRA 208



333208-015 15MM	1
333208-020 20MM	1
333208-025 25MM	1

Brass tap with hose connection for garden use.

TAP BIB HOSE COBRA 209



333209-15-20 15-20MM	1

Brass tap with 20mm hose connection and 15mm male threaded tail piece.

TAP BRASS PLAIN TORRENTI



333200-15 15MM	1
333200-20 20MM	1

Heavy Duty quality brass tap for domestic use.